# DECENNIAL INDEX

# RUBBER CHEMISTRY AND TECHNOLOGY

### 1958-1967

#### AUTHOR INDEX

ABE, M., Y. MURAKAMI, AND H. FUJITA, Sedimentation analysis of cis-1,4-polybutadiene in a theta solvent, 3-pentanone, at 10.3°C, 39 609

ADAMS, H. E., R. S. Stearns, W. A. Smith, and J. L. Binder, Cis-1,4 polyisoprene prepared with alkyl aluminum and titanium tetrachloride, 31 838

ADAMS, R., Wallace Hume Carothers, 37(1)xxviii

AKERSTROM, S. Determination of tetramethylibityram disulfide, 28 305

ADAMS, R., Wallace Hume Carothers, 87(1) xxviii

ARERSTROM, S., Determination of tetramethylthiuram disulfide, 36 305

AKKERMAN, F. H. D., Flexcracking of polymers, 37 186

AKUTIN, M. S., see KOVARSKAVA, B. M., 33 964

ALBAM, M. A. AND A. P. PISARENKO, Role of pressure and amount of blowing agent in molding microprous footwear parts, 33 1193

Apparatus for study of pore formation kinetics in vulcanization, 34 357

ALBIN, J. R., see WOLFE, J. R., JR., 37 927

ALEKSERNO, V. I., L. A. BOGOSLAVSKAVA, AND I. U. MISHUSTIN, Compatibility as the basic factor in the adhesion of high molecular weight materials, 32 519

ALICROPT, J. B., see STAFFORD, W. E., 31 202

ALLEN, G., see BAKER, C. H., 40 1544

ALLEN, G., see BAKER, C. H., 40 1544

ALLEN, G., U. BIANCHI, AND C. PRICE, Thermodynamics of elasticity of natural rubber, 37 606

—, AND H. G. CROSSLEY, Polypropylene oxide. IV. Preparation and properties of polyether networks, 40 1421

40 1421

AND D. Sims, Intermolecular forces and chain flexibilities. IV. Internal pressures of polyethylene glycol in the region of its melting point, 36 1000

ALLEN, P. W., The swelling behavior of natural rubber latex, 32 809

C. L. M. Bell, AND E. G. COCKBAIN, Polymerization of vinyl monomers in rubber latexes, 33 825

AND G. M. Bristow, Light scattering measurements on solutions of natural and synthetic polysisoprenes, 34 446

—, AND G. M. BRISTOW, Light scattering measurements on solutions of natural and synthetic polysisoprenes, 34 446
—, and G. M. Bristow, The gel phase in natural rubber, 36 1024
ALMOND, C. Y., Nitrile rubbers and vinyl polymer mixtures, 35 716
ALTIER, M. W., see MORTON, M., 32 814
AMATO, F., see M. BRUZZONE, 39 1593
AMBELANG, J. C., K. C. BEACH, AND D. F. O'SULLIVAN, Temperature coefficient of vulcanization for present-day tire compounds, 35 92
—, R. H. KLINE, O. M. LORENZ, C. R. PARKS, AND C. WADELIN, Antioxidants and antiozonants for general purpose clastomers, 36 1497
AMBERG, L. O., see ROBINSON, A. R., 35 1083
AMUNDSON, N. R., see LIU, S., 34 995
ANDERSON, M. R., JE, Vulcanization of SBR in a thermal neutron field, 33 1083
Compounding SBR for radiation resistance, 34 228
—, see ARNOLD, P. M., 34 265
ANDERSON, R. K., see PATTERSON, R. G., 38 832
ANDERSON, R. K., see PATTERSON, R. G., 38 832
ANDERSON, R. K., see SARNOLD, P. Mighaed, The surfaces, 33 275
Crack propagation in a strain-crystallizing elastomer, 35 210
Reinforcement of rubber by fillers, 36 325
Stresses at a crack in an elastomer, 36 777
Spherulite morphology in thin films of natural rubber; crystallization under strain, 38 45

Spherulite morphology in thin films of natural rubber, 38 33

Crystalline morphology in thin films of natural rubber: crystallization under strain, 38 45

Andronova, G. I., see Tarasova, Z. N., 38 66

Andronova, G. I., see Tarasova, Z. N., 38 66

Andronova, G. I., see Tarasova, Z. N., 38 66

Andronova, G. I., see Tarasova, C. N., 38 66

Andronova, G. I., see Tarasova, And A. S. Kuzminskii, Volatilization of phenyl-2-naphthylamine from rubber, 34 807

Angre, D. J. And W. F. Watson, Mastication. V. Separation and structural investigation of natural rubber polymentyl methacrylate interpolymers formed by mastication, 31 58

Angre, D. J., And E. Chambers, And W. F. Watson, Mastication of rubber. VI. Viscosity and molecular weight relationships for natural rubber after cold mastication, 31 73

Angre, D. J. And E. M. Fettes, Role of elastomers in impact-resistant polystyrene, 38 1164

Angoletti, A., S. Eccher, O. Polyara, and V. Zernini, Rubber birefringence and photoelasticity, 38 1115

— AND U. Felice. Some factors which determine the flight of sounding believe at 2011

38 1115

ANGOVE, S. N., E. S. GEAHAM, G. HILDITCH, R. A. STEWART, AND F. L. WHITE, High quality foams from NIR latex, 39 755

ANOSHINA, N. P., see TEITEL'BAUM, B. YA., 40 458

ANIKANOVA, K. F., G. E. BETTS, V. G. ZHAKOVA, N. F. KOMSKAYA, B. K. KARMIN, L. S. PRISS, M. M. REZNIKOVSKIY, L. A. CHERNIKINA, AND E. B. SHETEYN, SKI rubber, polyisoprene, similar to natural rubber, 31 30

Anspach, W. F., Hydrofluorocarbon high-temperature integral fuel tank sealants, 39 1200
Anthony, R. L., see Hewitt, F. G., 32 428
Apulhtina, N. P., see Myuller, B. E., 38 452
Arakawa, M., see Surio, E., 38 219, 227
Archer, B. L., D. Barnard, E. G. Cockbain, J. W. Cornforth, R. H. Cornforth, and G. Popják,
Stereochemistry of rubber biosynthesis, 40 679
Arcozzi, R., see Crespi, G., 38 590
Arends, C. B., Cold flow in high impact polystyrene, 40 1516
Arendon, N. M., see Buiko, G. N., 33 556
Arnold, P. M., G. Kraus, and R. H. Anderson, Jr., Vulcanization of SBR by gamma radiation,
34 265 ARNOLD, P Arzharov, S. A., see Igonin, L. A., 32 527
Assonova, T. V., see Traperanikov, A. A., 33 921
Akins, J. H. and B. B. Boonstra, A measurement of carbon black pellet quality and its significance, 39 1081 39 1081
AUER, E. E., K. W. DOAK, AND I. J. SCHAFFNER, Factors affecting laboratory cut-growth resistance of cold SBR tread stocks. 31 185
AUFDERMASH, C. A., JR. AND R. PARISER, Cis-polychloroprene, 38 526
AUFDERMASH, C. A., JR. AND R. PARISER, Cis-polychloroprene, 38 526
AUER, H., Analysis of antioxidants and accelerators in rubber compounds and vulcanizates, 37 950
—, AND S. BOSTROM, Diffusion of sulfur 35 in rubber. Effect of carbon black loading on sulfur migration from the breakers in large tires, 35 621
AUFELTI, A., Determination of the surface tension of latex, 38 170
AUTERINEN, E., see SOININEN, A., 36 516 BABITSKII, B. L., see LEVITIN, I. A., 32 889, 1675
BACHMANN, J. H., J. W. SELLERS, M. P. WAGNER, AND R. F. WOLF, Fine particle reinforcing silicas and silicates in elastomers, 32 1286
BACHMANN, J. H., see SELLERS, J. W., 34 729
BACKUS, J. K., see SAUDERS, J. H., 30 461
BAHARY, W. S., D. I. SAPPER, AND J. H. LANE, Structure of polybutadienes, 40 1529
BAKEE, C. H., C. S. CLEMSON, AND G. ALLEN, Polymer fractionation at a lower critical solution temperature phase boundary, 42 1544
BAKEE, H. C. AND R. M. FODEN, Recent developments in superior processing natural rubber, 33 810 BAKER, C. H., C. S. CLEMSON, AND G. ALLEN, Polymer fractionation at a lower critical solution temperature phase boundary, 42 1544

BAKER, H. C. AND R. M. FODEN, Recent developments in superior processing natural rubber, 33 810

BAKHABEY, B. I., see BLOKH, G. A., 32 770

BALDI, L., AND R. ZANNETT, Solubility and mobility of sulfur in ethylene propylene and ethylene butene-1 copolymers, 36 660

—, see BALINI, G., 39 521

—, see BALINI, G., 39 521

BALDYGA, H., AND H. C. JONES, Effect of zinc oxide and titanium dioxide on heat and light stability of ethylene propylene terpolymers, 39 1347

BALINI, G., L. BALDI, AND E. DI GIULIO, Use of Ct4 tagged cumyl peroxide to study peroxide vulcanization of ethylene propylene topolymers, 39 521

BALTA, Y. I., see KRICBAUM, W. R., 40 788

BANREJEE, D., see BHAUMIK, M. L., 36 1059

—, see CHATTERJEE, P. K., 35 665

BANREJEE, D., see BHAINAGAR, S. K., 38 961

—, see JOSE, K. A., 39 763

, see SAXENA, K. K., 36 561

—, see SAXENA, K. K., 36 561

—, see SAXENA, K. K., 38 512

—, see TANLIA, H. L., 37 557

BANKS, S. A., F. BRZENK, I. A. RAE, AND C. S. HWA, Effect of intracarcass pressure buildup on tubeless tire performance, 38 158

BARAMBOIM, N. K. AND V. I. POPOV, Mechanochemical modification of polybutadiene (SKB) by maleic anhydride, 36 803

BARKER, M. G., see URANECK, C. A., 38 802

BARNABO, D., OZONOLYCIC degradation of interpolymers of natural rubber with methyl methacrylate and styrene, 31 82. AND Y. A. GORBATKINA, Some correlations in the second order transition or rubbers, 34 1193

ARD Y. A. GORBATKINA, Some correlations in the second order transition or rubbers, 34 1193

AND Y. A. GORBATKINA, Some correlations in the second order transition or rubbers, 34 1193

AND Y. A. GORBATKINA, Some correlations in the second order transition or rubbers, 34 1193

AND Y. A. GORBATKINA, Some correlations in the second order transition or rubbers, 34 1193

AND Y. A. GORBATKINA, Some correlations in the second order transition or rubbers, 34 1193

AND Y. A. GORBATKINA, Some correlations in the second order transition or rubbers, 34 1193

AND Y. A. GORBATKINA, Some correlations in the second order transition or rubbers, 34 1193

AND Y. A. LAVENNEY, Nature of static friction in elastomers, 34 461

Law of friction for surfaces in elastic contact, 36 64

AND Y. V. LAVENNEY, Nature of static friction in elastomers, 34 461

Law of friction for surfaces in elastic contact, 36 64

AND Y. V. LAVENNEY, Nature of destination of curder ubber, 35 59

AND Z. E. SYVENN, Effects of type of rubber, temperature, and degree of crosslinking on the friction properties of elastomers, 33 1166

AND L. A. VISHNITSKAYA, Law of deformation of curder dubber, 36 59

AND V. V. Zeleney, Temperature and frequency dependence of the dynamic deformation and losses of elastomers, 36 709

BARRELE, J. A. S. SECALARENEN, N. V. V. 35 326

, see ZARHARENKO, N. V., 35 326

BARTHOLOMEW, E. R., G. RICHARD EYKAMP, AND W. E. Gibbs, High temperature elastomeric compounds and polymers, 32 1587
BASEDEN, G. A., Compounding an ethylene propylene terpolymer elastomer for dynamic applications,

38 967

BASHKATOV, T. V., see SHATALOV, V. P., 32 701
BASK, W., see SOININEN, A., 37 477
BASK, A. C., Measurements of friction of elastomers by the skid resistance tester, 38 112
BATEMAN, L., R. W. GEAZEBROOK, AND C. G. Moore, The reaction of sulfur with 2,6-dimethylocta-2,6-BATEMAN, L., R. 1 diene, 31 1065

diene, 31 1065

Effects of vulcanizing additives on the reaction of sulfur with 2,6-dimethylocta-2,6-diene, and their bearing on the mechanism of sulfur vulcanization of natural rubber, 35 633

—, M. Porter, G. W. Ross, and R. W. Saville, The reaction of sulfur with mono-olefins, 31 1055

—, C. G. Moore, and M. Porter, The mechanism of interaction of sulfur with mono-olefins and 1.5-dienes, 31 1090

—, and B. C. Sekhar, Significance of PRI in raw and vulcanized natural rubber, 39 1608

Bauman, R. G., Mechanism of radiation damage to elastomers. II. Crosslinking and antirad action, 33 483

—, and J. W. Born, The mechanism of radiation damage to elastomers. I. Chain scission and antirad —, AND J. W. BORN, The mechanism of radiation damage to elastomers. II. Crosslinking and antirad action, 33 483 action, 33 476.

BAWN, C. E. H., D. G. T. COOPER, AND A. M. NORTH, Homogeneous polymerization of butadiene catalyzed by rhodium salts, 40 602
BEACH, K. C., see AMBELANG, J. C., 35 92
BEACH, K. C., see AMBELANG, J. C., 35 91 175
BEARMAN, M. Y., AND R. J. BEARMAN, Heats of transport of the rare gases in a rubber membrane, 40 1156
ISOthermal permeabilities from thermoosmosis experiments, 40 1409
BEARMAN, R. J., see BEARMAN, M. Y., 40 1156, 1409
BEATTE, W. H. AND C. BOOTH, Intrinsic viscosity, molecular weight relationship for cis-1,4-polyisoprene, 36 1035
BEATTY, I. R., Fatigme of rubber, 27 124

36 1035
BEATTY, J. R., Fatigue of rubber, 37 134,

—, AND A. E. JUVE, Rotating ring crack growth test, 38 719

—, see JUVE, A. E., 33 98
BECK, H. N., see YERRICK, K. B., 37 261
BECKER, R. O., Meat resistance of neoprene vulcanizates, 37 76
BECKER, R. O. AND K. L. SELICHMAN, Stabilization of neoprene. I. Protection of latex film against discoloration by light, 34 856
BERRIBROWER, A., D. A. PATTISON, AND G. D. SAFFIN, Predicting elastomer-fluid compatibility for hydraulic systems, 37 246
BELLATSKAYA, O. N., see DOGARKIN, B. A., 38 361

39 1215

BELLINI, G., see DI GIULIO, E., 89 726
BELONOVSKAYA, G. P., B. A. DOLCOPLOSK, AND Z. D. CHERNOVA, Oxidation of TiCl<sub>3</sub> in hydrocarbon and aqueous media, 37 128

aqueous media, 37 128

—, see DOLGOPLOSK, B. A., 32 321

BELT, R. F., see SEMON, W. L., 31 847

BELYANIN, V. B., see DOGADKIN, B. A., 33 199, 373; 38 204

BELYANIN, V. B., see DOGADKIN, B. A., 36 1019

—, see TUTORSKII, I. A., 36 1019

BELYATSKAYA, O. N., see DOGADKIN, B. A., 35 501, 509

BENINGKAY, S. W., see DOGADKIN, B. A., 36 501, 509

BENISKA, J. AND B. A. DOGADKIN, Influence of activators on the vulcanization process. I. The influence of zinc oxide on the rate of combination of sulfur with rubber, 32 774

II. Influence of zinc oxide on the structure of vulcanizates, 32 780

of zinc oxide on the rate of combination of sulfur with rubber, 32 774

II. Influence of zinc oxide on the structure of vulcanizates, 32 780

—, see Dogadkin, B., 31 329

Bennett, B., see Kell, R. M., 31 499

—, see Silemers, F. A., 33 535

Bennett, J. V., R. W. Pearson, and I. G. Mills, New techniques for radiation vulcanization, 38 94

Berek, D., see Lazar, M., 36 52?

—, see Manasek, Z., 36 532

Berestrike, V. A., see Gull, V. E., 32 668

Berger, M. and D. J. Buckley, Structure effects and related polymer properties in polybutadiene. I.

Preparation and characterization 37 169

Berger, S. E. and W. Szukiewicz, High performance toluene diisocyanate polypropylene glycol castable elastoplastics, 38 150

Berlin, A. A., Mechanochemical transformation and synthesis of polymers, 34 215

—, Z. V. Popova, and D. M. Yanovskii, Influence of polymers with conjugated bond systems on the stability of polyvinylchloride, 33 1188

—, A. G. Kronman, D. M. Yanovskii, and V. A. Kargin, Graft polymers from PVC and rubber, 34 760

—, see Butyagin, P. Y., 33 942
Berman, B. Z., see Pechkovskaya, K. A., 36 156
Bernstein, B., E. A. Kerrstey, and L. J. Zapas, Study of stress relaxation with finite strain, 38 76
Bernstein, R. A., see Erickson, E. R., 32 1062
Bertram, H.-H., Mold release agents in the rubber industry, 36 1148
Bestul, A. B., Energy requirements of mechanical shear degradation in concentrated polymer solutions, BESTUL, A. 33 909

BETTS, G. E., see ANIKANOVA, K. F., 31 30
BEVILACQUA, E. M., Efficiency of TMTD vulcanization, 31 559
End groups of oxidized rubber, 31 86

Vulcanization with TMTD, 32 721, 1675
Degradation of polyisoprene networks by oxygen, 33 51
Oxidation of hevea vulcanizates containing carbon black, 33 60
Space and style in RUBBER CHEMISTRY AND TECHNOLOGY, 38(4)x

Effects of oxygen on natural rubber latex, 38 1214

—, AND H. E. HAXO, Publication vs. presentation, 40(3)xi

—, AND W. J. Wenisch, Aging of SBR, 38 647

BHACCA, N. S., see GOLUB, M. A., 36 315

BHATNAGAR, S. K. AND S. BANERJEE, Viscosity and molecular weight of masticated styrene butadiene rubber 38 961

—, AND W. J. WENISCH, Aging of SBR, 38 647
BHATCA, N. S., see GOLUB, M. A., 36 315
BHATAGAR, S. K. AND S. BANERJEE, Viscosity and molecular weight of masticated styrene butadiene rubber, 38 961
BHAUSHK, M. L., D. BANERJEE, AND A. K. SIRCAR, Studies of the hard rubber reaction. I. Heat of reaction, 36 1059
BHANCHI, U. AND E. BLANCHI, A transition in cis-1,4-polybutadiene, 38 343
—, see Allen, G., 37 606
BIANCHI, U. AND E. BLANCHI, A transition in cis-1,4-polybutadiene, 38 343
—, see Allen, G., 37 606
—, see Fedemonte, E., 38 347
BIDISON, P. H., see SCHMIDT, E., 34 433, 1228
—, see STAVELY, F. W., 34 423
—, see STAVELY, F. W., 34 423
BHOSEN, B., Protection of rubber against atmospheric ozone-cracking, 31 1015
BILLS, K. W., JR. AND F. S. SAJCEDO, Swelling of unfilled and highly filled polymers, 35 284
—, AND J. H. WIRGAND, Relation of interact spectroscopy to polymers, particularly 1,3 diene polymers, 35 57
Infrared spectra of polybutadienes, 39 945
—, see ADAMS, H. E., 31 838
—, see STAVELY, F. W., 34 423
BINGHAM, W. R., see KEILY, R. J., 35 1101
BISCHOP, K., see GROIN, H., 34 474
BISHOP, W. A., Sulfur-induced cis-trans isomerization of polybutadiene 35 536
BISIO, A. L., see SHEEHAN, C. J., 39 149
BLACK, A. L., see SHIR, R. W., 37 338
BLATZ, P. J., Energy storage and dissipation by flexible macromolecules, 40 1446
Application of finite elastic theory to the behavior of rubberlike materials, 36 1459
—, see KAWABATA, S., 39 923
BLOKH, G. A., Use of radioactive sulfur in vulcanization, 31 1005
Electron paramagnetic resonance investigation of vulcanization, 33 1005
Lability of sulfur atoms in vulcanization, 33 1010
Lability of sulfur atoms in vulcanization, 33 1010

Lability of sulfur atoms in vulcanization, 33 1010

—, V. Y. DEMIDIONOVA, G. P. MIKLUKHIN, I. I. KUKHTENKO, A. F. REKASHEVA, R. V. NIKULINA, AND M. I. PRZHEBYLSKII, Migration and distribution of radioactive sulfur in compounded rubber, 33 1015 Z. P. KORNILTSEVA, L. A. OLSHANSKAYA, AND V. N. KOLOBENIN, Radioactive tracing of the

diffusion of sulfur in cable rubbers, 31 356

Z. P. Kormileeva, D. B. Bocuslavskii, B. I. Bakharev, and B. P. Tikhomirov, Diffusion processes in the vulcanization of tire stocks, 32 770

, AND A. F. Malney, Infrared spectra of cured and uncured rubbers, 32 628

, AND C. L. Melamer, Interaction of carbon black with sulfur, MBT, and TMTD in vulcanization,

34 588

38 956
BLYUMENFELD, L. A., see BUTYAGIN, P. Y., 33 942
BOSEAR, W. J., Elastic properties and network structure in silicone gum vulcanizates, 40 722
Chain density in rubber networks, 40 1560
BOENIG, H. V., C. B. MILLER, AND J. E. SHOTTAFER, Tack in urethan elastomers, 39 974
BOGOSLAVSKAYA, L. A., see ALEKSEENKO, V. I., 32 519
BOGUSLAVSKAYA, L. A., see BLOKKI, G. A., 32 770; 37 714
BOLDYREVA, I. I., B. A. DOLGOPLOSK, E. N. KROPACHEVA, AND K. V. NEL'SON, Cis-trans isomerization of natural rubber under the influence of hydrogen chloride or ethylaluminum dichloride, 33 985
BOLT, T. D., E. M. DANNENBERG, R. E. DOBBIN, AND R. P. ROSSMAN, Carbon black structure effects in synthetic rubbers, 34 1141
— AND E. M. DANNENBERG, Effects of carbon black structure on tire tread wear, 34 43
BONOMI, G., see FIORENZA, A., 36 1119; 36 1129; 37 741
BOONE, J. L. AND S. A. BRALEY, Resistance of silicone rubbers to body fluids, 39 1293
BOONE, J. L. AND S. A. BRALEY, Resistance of silicone rubbers to body fluids, 39 1293
BOONSTEA, B. B. S. T. AND E. M. DANNENBERG, Swelling behavior of rubbers compounded with reinforcing pigments, 33 825

pigments, 32 825

- AND A. I. MEDALIA, Effect of carbon black dispersion on the mechanical properties of rubber

— AND A. I. MEDALIA, Effect of carbon black dispersion on the mechanical properties of rubber vulcanizates, 36 115

— AND G. L. TAYLOR, Swelling of filled rubber vulcanizates, 38 943

— , see Atkins, J. H., 39 1081

— , see Cotten, G. R., 40 829

Boor, L., M. Hanok, F. S. Conant, and W. E. Scoville, Jr., Rheological testing of elastomers at low temperatures. Part II, 33 1114

Booth, C., Mechanical degradation of polymers, 38 509

— , G. Gee, G. Holden, and G. R. Williamson, Studies in the thermodynamics of polymer, liquid systems. I. Natural rubber and polar liquids, 38 314

— , G. Gee, M. N. Jones, and W. D. Taylor, Studies in the thermodynamics of polymer, liquid systems. II. A reassessment of published data, 38 325

— , see Beattie, W. H., 36 1035

— , see Beattie, W. H., 36 1035

Borchard, H. A., Rolling radius of rubber-covered cylinders, 35 224

Borkova, L. V., see Kuzminskii, A. S., 32 195

BORN, J. W., see BAUMAN, R. G., 33 476
BORODINA, V. N., see TAUBMAN, A. B., 36 143
BORODUSHKHINA, K. N., see BLOKH, G. A., 37 714
BORODISKAYA, N. M., Measurement of the dynamic modulus of rubber at very small amplitudes with an optical interferometer, 33 272
ROSSHCHEVRAYA, A. 2. see Zury, V. S. 35 447 optical interferometer, 38 272
BOSSHCHEVSKAYA, A. Z., see ZUEV, Y. S., 35 437
BOSSHCHEVSKAYA, A. Z., see ZUEV, Y. S., 35 437
BOSTROM, S., see AULER, H., 35 621
BOUCHER, M., see LEBRAS, J., 31 849
BOYER, R. F., Relation of transition temperatures to chemical structure in high polymers, 36 1303
BRADEN, M. AND A. N. GENT, Attack of ozone on stretched rubber vucanizates. I. Rate of cut growth, 38 1142 33 1142

II. Conditions for cut growth, 33 1156

Mechanics of ozone cracking, 35 200

Bradford, E. B., see Vandberfoff, J. W., 40 1246

Braendle, H. A., Improving the carbon-rubber bond, 31 147

Braley, S. A., see Boone, J. L., 39 1293

Brennan, J. J. and Jermyn, T. E., Correlation of vulcanizate properties with polymer and black interaction, 40 817 —, see DANNENBERG, E. M., 39 597

Bresler, S. E., B. A. Dogadkin, E. N. Kazbekov, E. N. Saminskii, and V. A. Shershnev, Electron spin resonance study of the interaction of tetramethylthiuram disulphide (TMTD) with rubber and spin resonance study of the interaction of tetramethylthiuram disulphide (TMTD) with rubber and related compounds, 34 318

-, B. A. DOLGOPLOSK, M. F. KOLECHKOVA, AND E. N. KROPACHEVA, Copolymerization of butadiene and isoprene through use of complex organometallic catalysts, 37 121

-, B. A. DOLGOPLOSK, V. A. KROL, AND S. YA. FRENKEL, Reactions of free radicals in solution. V. Destruction of polymeric molecules by free radicals, 31 278

-, E. N. KAZEEKOV, AND E. M. SAMINSKII, Study of macroradicals in processes of polymerization and degradation, 33 469

-, A. A. KOROTKOV, M. I. MOSEVITSKII, AND I. Y. PODDUBNYI, Molecular weight distribution in polymers. Polymerization of isoprene and butadiene with metal organic compounds, 33 669

-, AND M. I. MOSEVITSKII, Kinetics of isoprene polymerization initiated with TiCl4-trialkyl aluminum, 33 569 , M. I. Mosevitskii, I. Y. Poddubnyi, and N. N. Chesnokova, The mechanism of isoprene polymerization initiated with TiCl<sub>t</sub>-trialkylaluminum. Molecular weight distribution of the polymer, 33 689 33 689

—, M. I. Mosevitskii, I. Y. Poddubnyi, and S. Guan-I, The mechanism which restricts chain growth in polymerization with alkylaluminum-titanium tetrachloride complex catalysts, 34 986

—, S. N. Zhuekov, E. N. Kazeekov, E. M. Saminskii, and E. E. Tomashevskii, Electron paramagnetic resonance of radicals formed during milling, 33 462

Brewer, P. I., Liquid chromatographic separations using rubber as the stationary phase, 36 310

Brigos, G. J., D. C. Edwards, And E. B. Storky, Water absorption of elastomers, 36 621

Accelerated thermomechanical testing of vulcanizates, 37 134

Brighan, K., see Scheele, W., 31 301

Bristow, G. M., Mastication of elastomers, I. Natural rubber in nitrogen, 35 896

II. Cold mastication of natural rubber, 36 102

II.s. of on-level analysis to estimate chain scission during vulcanization. II. Peroxide vulcanization of BRIGHAN, K., see SCHEZEE, W., \$1 301
BRISTOW, G. M., MASICATION of Lastomers. I. Natural rubber in nitrogen, 35 896
II. Cold mastication of natural rubber, 36 102
Use of sol-gel analysis to estimate chain scission during vulcanization. II. Peroxide vulcanization of synthetic cis-polyisoprene, 38 367
Sol-gel analysis to estimate chain scission during cure. I. Peroxide vulcanization of natural rubber, 37 904
Relation between stress strain behavior and equilibrium volume swelling for peroxide vulcanizates of natural rubber and cis-1,4-polyisoprene, 40 673
—, see Allen, P. W., 34 446; 38 1024
BROOKS, L. A., Chemistry of thiazoles and dithiocarbamates as antioxidants, 36 887
BROWN, H. P., Crosslinking reactions of carboxylic elastomers, 36 931
BROWN, R. J., R. B. KNILL, J. F. KERSCHER, AND R. V. TODD, Compounding of cis-1,4-polybutadiene for tire applications, 35 546
BROWN, R. W., Louis H. Howland, Obituary, 37(4)xli
—, see HOWLAND, L. H., 34 1501
BROWNLEE, J. L. AND E. PERRY, Quantitative measurement of tire flatspotting, 40 1147
BRUCKSCH, W. F., Jr., Metal Halides in vinylpyridine rubber (PBR), 35 453
Vinylpyridine rubber (PBR)-filler interactions. II. 36 975
BRUNELLE, M. F., see HAAGEN-SMIT, A. J., 32 1134
BRUZZONE, M. AND G. MODNI, Quantitative relationship between mineral oil composition and elastomer-extender interaction parameter, 37 451
—, G. COBRADINI, AND F. AMATO, Technological characteristics of polyisoprenes with different 1,4-cis contents, 39 1593
BRZENK, F., see BANKS, S. A., 38 158
BUCCI, G. AND T. SIMOMAZZI, Contribution to the study of ethylene propylene copolymers by infrared spectroscopy. Diffusion of monomeric units, 38 334
BUCKLEE, D. J., Elastomeric properties of bulyl rubber, 32 1475
—, AND S. B. ROBISON, Ozone attack on rubber vulcanizates, 32 257
—, see BERGER, M., 37 169
BUCCLEE, R., Mechanical properties of insule elastomers, 31 1
Tensile strength of filled SBR vulcanizates, 32 680
Tensile strength of filled SBR vulcanizates, 32 680
Tensile strength of filled SBR vulcanizates, 32 680
Tens

36 = 1963, 37 = 1964, 38 = 1965, 39 = 1966, 40 = 1967

—, AND J. C. HALPIN, Molecular theory for the tensile strength of gum elastomers, 37 808 ВИБСИЕ, F., see DUDEK, T. J., 37 818, 894 —, see HALPIN, J. C., 38 278 ВИСКОУА, Е. G., see BUIKO, G. N., S. 35 556 ВИКООУА, Е. G., see BUIKO, G. N., N. M. ARENZON, A. I. TUMANOVA, N. P. ZINCHENKO, N. A. PRUZHANSKAVA, E. A. РАКОМОУА, А. I. KOLOMYTSEVA, AND E. G. BUGROVA, Factors affecting bond strength between the elements of tires, 38 556 ВИКНІМА, М. F., Effect of deformation on the crystallization of supercooled cured and uncured rubbers, 32 4046.

87 404

Bukhina, M. F., Effect of deformation on the crystallization of supercooled cured and uncured rubbers, 37 404
Bulgin, D. and G. D. Hubbard, Rotary power loss machine, 32 915
Bullab, H. L., see Spacht, R. B., 37 210; 38 134
Bullad, H. L., see Spacht, R. B., 37 210; 38 134
Bullman, G. W., see Roth, F. L., 39 397
Burak, I. N., Determination of the molecular weight of SKI-2 rubber, 36 1042; 37 583
Burger, V. L., Analysis of rubber, 32 1452
Burgers, V. L., Analysis of rubber, 32 1452
Burgers, K. A., see Hess, W. M., 36 754
—, see Sweitzer, C. W., 34 709
Burgow, S. P., A. Peterlin, and D. T. Turner, Upturn effect in the non-Newtonian viscosity of polymer solutions, 39 631
Bushick, R. D., Ethylene propylene copolymers. I. Monomer reactivity ratios, 39 241
Bussemaker, O. K. F., Tack in rubber, 37 1178
—, and W. V. C. van Beek, A new type of tackmeter, 37 28
Buswell, A. G. and J. T. Watts, Some factors influencing the ozone resistance of rubbers and methods of evaluation, 35 421
Butsnuth, G., Swelling studies of filled and unfilled vulcanizates, 37 326
—, and H. Westlinning, H., 35 274, 615
Butyagin, P. Y., A. A. Berlin, A. E. Kalmanson, and L. A. Blyumenfeld, Macroradicals in the mechanical degradation of polymers in the glassy state, 33 942
Byley, V. A. and V. A. Voskresenskii, On the plasticization of PVC by polyisoprene SKN-40, 37 770
Bywater, S., see Worspoold, D. J., 38 627
Cain, M. E., see Bell, C. L. M., 39 1565

CAIN, M. E., see BELL, C. L. M., 39 1565
CAIN, W. P., see MAKOWSKI, H. S., 38 599
CALDWELL, J. R., see PERRY, K. P., 39 1008
CALLAN, J. E., see HESS, W. M., 40 371
CAMPBELL, E. M., see HUNTER, B. A., 33 510
CAMPBELL, E. M., see HUNTER, B. A., 33 510
CAMPBELL, R. H. AND R. W. WISE, Vulcanization. Part I. Fate of curing system during the sulfur vulcanization of natural rubber accelerated by benzothiazole derivatives, 37 635
Part II. Fate of curing system during sulfur curing of NR accelerated by MBT derivatives and activated by zinc stearate, 37 650
CANTOW, H. J., see RING, W., 46 895
CABDEW, K. H. F., see GILES, C. G., 38 840
CARLSON, L. E., see HAVENHILL, R. S., 36 176
CARLTON, C. A., Chemical compatibility as a factor in the dispersion of fillers in rubber, 35 881
CAEMICHAEL, J. B. AND J. HEFFEL, Verification of the Flory theory of random reorganization of molecular weight distribution. Kinetics of methylsiloxane polymerization, 40 769
CARPENTER, A. W., Arthur Edgar Juve, obituary, 39(1)xxv
CARER, R. L. K., see DORMAN, E., 39 1175
CAEWILE, L. C. K. AND H. J. HOGE, Thermal conductivity of soft vulcanized natural rubber, selected values, 39 126

CARE, R. L. K., See DORFMAN, E., 39 1175
CARWILE, L. C. K. AND H. J. HOGE, Thermal conductivity of soft vulcanized natural rubber, selected values, 39 126
CASE, L. C. C. AND R. V. WARGIN, Elastomer Behavior IV. Loop structures of elastomer networks, 39 1489
CERESA, R. J., Mechanochemical modification of high polymers, 33 923
Mechanochemical reactions leading to reinforcement in rubbers, 33 929
II. Natural rubber and phenolic resins, 34 748
CHAI, Y.-K., see Scheele, W., 33 846
CHAI, Y.-K., see Scheele, W., 33 846
CHAI, T. M., SEE SCHOENBERG, E., 37 103
CHAMBERS, V. S., see HOWLAND, L. H., 32 706
CHAMBERS, W. T., see HOWLAND, L. H., 32 706
CHAMBERS, W. T., see ANGIER, D. J., 31 73
CHANDLER, L. A., see COLLINS, E. A., 39 193
CHASLESBY, A. AND E. VON ARNIM, Crosslinking of oriented rubber, 31 98
CHASSET, R. AND P. THIEION, Effect of elongation on the electrical anistropy of natural rubber and SBR vulcanizates containing ISAF carbon black, 35 317
Viscoelastic relaxation of rubber vulcanizates between the glass transition and equilibrium, 39 870
—, see Desanoes, H., 31 631
—, see THIEION, P., 36 50; 37 617
CHATTERJEE, P. K., D. BANERJEE, AND A. K. SIRCAR, Determination of thiazole type of rubber accelerators by amperiometric titration, 35 665

—, AND A. K. SIRCAR, Reaction of metercaptobenzothiazole with rubber during mastication, 35 671
CHETHAM, I. C. AND W. A. GURNEY, Ozone air velocity factor in ozone cracking, 34 1220
CHEN, H. Y., Determination of cis-1,4 and trans-1,4 contents of polyisoprenes by high resolution nuclear magnetic resonance, 38 90
CHERITAT, R., see PINAZZI, C., 36 1054, 1056
CHERITAN, I. C. AND W. A. GURNEY, Ozone air velocity factor in ozone cracking, 34 1220
CHENTAN, I. C. AND W. A. GURNEY, Ozone air velocity factor in ozone cracking, 34 1220
CHENTAN, I. C. AND W. A. GURNEY, Ozone air velocity factor in ozone cracking, 34 1220
CHENTAN, I. C. AND W. A. GURNEY, Ozone air velocity factor in ozone cracking, 34 1220

magnetic resonance, 38 90
CHERITAT, R., see PINAZZI, C., 36 1054, 1056
CHERITAT, R., see PANKANOVA, K. F., 31 30
CHERINKINA, L. A., see ANIKANOVA, K. F., 31 30
CHERINGORSKAVA, I. G., see FELOSHTEIN, M. S., 35 652
CHERNOVA, Z. D., see BELONOVSKAYA, G. P., 37 128
CHERNYKH, Z. V. AND V. G. EISHTEIN, Effects of the types of rubber and carbon black on the formation of carbon-rubber gel, 32 1185

CHERTONA, V. F., See KUZMINSKII, A. S., 32 562 CHERTONA, V. F., See KUZMINSKII, A. S., 32 606 CHERDBIN, M., See SCHEELE, W., 31 286; 34 606 CHESNOKOVA, N. N., See BRESLER, S. E., 33 689 —, See KOPOTKOV, A. S., 33 610

CHILDERS, C. W. AND G. KRAUS, Properties of random and block copolymers of butadiene and styrene. HII. Three sequence styrene butadiene styrene block polymers, 40 1183

—, see KRAUS, G., 39 1530

CHINAI, S. N. AND W. C. SCHNEIDER, Shear dependence of viscosity and molecular weight transitions. A study of entanglement effects, 40 522

CHUBAROVA, G. V., see REZISOVA, E. V., 38 657

CHULIUKKOVA, T. A., see SHATALOV, V. P., 32 701

CIEERIR, A. AND P. J. FLORY, Stress-strain isotherm for polymer networks, 33 254

—, see GREENE, A., 40 650

—, see GREENE, A., 40 650

CIPRIANI, C., P. V. PAPERO, AND M. S. MOORE, Effect of crosslinking on flatspotting of nylon 6 tire yarn, 40 947

40 947

440 947

CLAMROTH, R., see KEMPERMANN, Th., 33 282

CLARK, S. K., Review of cord-rubber elastic characteristics, 37 1365

CLAXTON, W. E., Stress-strain equation for rubber in tension, 32 394

—, F. S. CONANT, AND J. W. LISKA, Evaluation of progressive changes in elastomer properties during vulcanization, 34 777

—, see CONANT, F. S., 34 765

CLAYTON, R. E., see VANDERBILT, B. M., 38 379

CLEMSON, C. S., see BAKER, C. H., 42 1544

CLUFF, E. F. AND E. K. GLADDING, Relation of structure to properties in polyurethanes. Crosslinking studies, 34 629

—, E. K. GLADDING, AND J. B. ROGAN, Relation of structure to properties in polyurethanes. Effect of branching, 34 6101

Studies, 34 629

— E. K. Gladding, And J. B. Rogan, Relation of structure to properties in polyurediams.

branching, 34 639

Cockbrig, E. G., see Allen, P. W., 33 825

—, see Archer, B. L., 40 679

Coddington, D. M., W. D. Massh, and H. C. Hodges, New approach to tire durability testing, 38 741

Cole, H. M., D. L. Petterson, V. A. Sljaka, and D. S. Smith, Identification and determination of polymers in compounded cured rubber stocks by pyrolysis and two-channel gas chromatography, 39 259

Collette, J. W., see Gladding, E. K., 35 1114

Colling, E. A. and L. A. Chandler, Temperature and rate effects on crystalline transitions in cis-1,4 polybutadiene as measured by DTA, 39 193

Colling, J. M., W. L. Jackson, and P. S. Oubridge, Relevance of elastic and loss moduli of tire components to tire energy losses, 38 400

Colling, J. O., W. R. Goethel, and J. O. Hei, Determination of di-o-tolylguanidine dicatechol borate in rubber compounds, 33 237

Colling, R. L., M. D. Bell, and G. Kraus, Unpaired electrons in carbon blacks, 33 993

—, see Kraus, G., 32 107

Conant, F. S. and W. E. Claxton, The CEPAR (cure, extrusion, plasticity, and recovery) apparatus—An instrument for measuring processing characteristics of rubber mixes, 34 765

—, And J. W. Liska, Friction studies on rubberlike materials, 33 1218

—, J. F. Svetlik, And A. E. Juve, Equivalent cures in specimens of various shapes, 31 562

CONANT, F. S. AND W. E. CLAXTON, The CEPAR (cure, extrusion, plasticity, and recovery) apparatus—Ah instrument for measuring processing characteristics of rubber mixes, 34 765
—, AND J. W. LISKA, Friction studies on rubberlike materials, 33 1218
—, See BOOR, L., 38 1114
—, See CLAXTON, W. E., 38 777
COOK, F. R., See VOET, A., 40 1364
COOK, F. R., See VOET, A., 40 1364
COOK, R. D., See DAVISON, S., 38 475
COOPER, D. H., Distribution of side force and side slip in the contact area of the pneumatic tire, 32 490
COOPER, D. G. T., See BAWN, C. E. H., 40 602
COOPER, W. AND R. K. SMITH, Extraction of admixed polymers from natural rubber vulcanizates, 40 1553
COOPER, W. T., See RAILSBACK, H. E., 32 308
COOPER, W. D. E. EAVES, AND G. VAUGHAN, Solution properties of polybutadiene and trans-polyisoprene fractions, 36 488
COOPER, W., D. E. EAVES, AND G. VAUGHAN, Structure of ethylene propylene dicyclopentadiene terpolymers, 39 964
CORAN, A. V., Vulcanization. Part III. Rapid methods for characterizing rubber networks, 37 668
Part IV. The effects of compounding variables on the nature of rubber networks, 37 679
Part VI. A model and treatment for scorch delay kinetics, 37 689
Part VII. Kinetics of sulfur vulcanization of natural rubber in presence of delayed action accelerators, 38 1

38 1

CORISH, P. J., Analysis of cis and trans 1,4 contents of polyisoprenes by near infrared spectroscopy, 33 975 Fundamental studies of rubber blends, 40 324

CORISIN, F. J., Analysis of cis and trans 1,4 contents of polyisoprenes by near infrared spectroscopy, 33 975
Fundamental studies of rubber blends, 40 324

—, AND M. E. TUNNICLIFE, A critical evaluation of infrared methods for determination of the E/P ratio of ethylene propylene rubbers, 39 256
CORNADIN, J. W., see ARCHER, B. L., 40 679
CORRADIN, G., see BRUZZONE, M., 39 1593
CORRADIN, F., Conformation of stereoregular polydienes in the crystal state, 39 14

—, see NATIA, G., 33 703; 33 732
COTTEN, G. R., Carbon black reinforcement in preswollen rubbers, 39 1553

—, AND B. B. BOONSTRA, Stress relaxation in rubbers containing reinforcing fillers, 40 829
COUCH, W. H., G. H. HUNT AND O. S. PRATT, Ozone resistance of rubber insulations, 32 1104
COUNG, T. C., see RIBAILLIER, D., 38 450
COX, W. L., Chemical antiozoonatis and factors affecting their utility, 32 364

—, AND C. R. PARKS, Effect of curing systems on fatigue of natural rubber vulcanizates, 39 785
CRAPT, T., See ZAPAS, L. J., 40 506
CRAIG, D., Displacement of elastomers from carbon gel in filled mixes, 40(1)xliv

—, see SEMON, W. L., 31 847

—, see WESTFABL, J. C., 38 259
CRAMER, H. I., Benjamin S. Garvey, Jr.—22nd Charles Goodyear Medalist, 38(3)xxix
CRESPI, G. AND A. ARCOZZI, Crosslinking in low unsaturation rubbers, 38 590

—, see NATTA, G., 36 988; 1583
CRICCHPIELD, F. E., see MAGNUS, G., 39 1328
CROCKER, G., see WEIDNER, C. L., 33 1323; 34 1190

36—1963, 37—1964, 38—1965, 39 = 1966, 40 = 1967

36 = 1963, 37 = 1964, 38 = 1965, 39 = 1966, 40 = 1967

CROSSLEY, H. G., see ALLEN, G., 40 1421
CUNNEEN, J. I., Cis-trans isomerization in natural polyisoprenes, 33 445
—, G. M. C. HIGGINS, AND R. A. WILKES, Cis-trans isomerization in polyisoprene. Part VII. Double bond movement during isomerization of natural rubber and related olefins, 40 921
CUNNINGHAM, R. E., Catalyst and solvent effects in terpolymerization of ethylene, propylene, and dicyclopentadiene, 40 556
CUONG, T.-C., see FOURNIER, P., 34 1229
CURCHOD, J., see DE MERLIER, J., 37 457 DABHADE, S., see NATIA, G., 39 1667
DANJARD, J.-C., see LE BRAS, J., 31 849
—, see FINAZZI, C., 36 282
DANNALS, L. E., see HOWLAND, L. H., 32 706
DANNENBERG, E. M. AND J. J. BRENNAN, Strain energy as a criterion for stress-softening in carbon-blackfilled vulcanizates, 39 507
—, see BOONSTEA, B. B. S. T., 32 825
—, see BOLT, T. D., 34 43, 1141
DANNIS, M. L., Thermal expansion measurements and transition temperatures, first and second order,
32 1005 32 1005

II. An automatic recording system, 34 705

Stress-strain testing of rubber at high rates of elongation, 36 28

DANON, J., see GOLUB, M. A., 39 992

DARR, W. C., see STEINGISER, S., 37 38

DAVIS, A. R., see SULIVAN, F. A. V., 33 899

DAVIS, D. D., see SICHTER, W. P., 36 318; 38 517

DAVISON, S., M. A. DEISZ, D. J. MELER, AND R. J. REYNOLDS, Laboratory testing of tread stock abrasion resistance at constant transmitted power. I. Comparison of road and laboratory data at various severities 38 457 severities, 38 457 Severities, 88 457

——, AND R. D. Cook, II. A new laboratory abrasion instrument, 38 475

DAWKINS, J. V., See KRIGBAUM, W. R., 40 788

DAWSON, H. G., See STAVELY, F. W., 34 423

DAY, R. B. AND S. D. GEHMAN, Theory for the meridian section of inflated cord tires, 36 11

DEAN, W. R., V. PERERA, AND J. GLAZER, Monolayer studies of some hydroxylated polyolefin rubbers, 31 446. DEAN, W. 31 446 31 446
DECKER, G. E., R. W. WISE, AND D. GUERRY, An oscillating disk rheometer for measuring dynamic properties during vulcanization, 36 451
DEDECKER, H. K. J., see SLIMERS, F. A., 33 535
—, see van Ameroncen, G. J., 31 650
DEISZ, M. A., see DAVISON, S., 38 457, 475
DE KOCK, R. J. AND A. VEERMANS, Structure and content of dicyclopentadiene in ethylene propylene dicyclopentadiene terpolymers, 40 563 DE MERLIER, J. AND J. LE BRAS, Influence of chemical modification on the oxidizability of natural rubber, 36 1043 DE MERLER, J. AND J. LE BRAS, Influence of chemical modification on the oxidizability of natural rubber, 36 1043.

—, J. Leveque, and J. Curchod, The elasticity of rubber-bitumen binders for use in roads, 37 457.

Demiddonova, V. Y., see Block, G. A., 33 1015.

Demiddonova, V. Y., see Block, G. A., 33 1015.

Demodova, G. I., see Yakubchik, A. I., 32 288.

Denn, M. M., see Metatrer, T. H., 37 221, 225.

Dernadd, B. V., S. K. Zherrerekov, and A. M. Meddeday, Adhesion phenomena in the bonding of rubber to metal by means of Leikonat bonding agent. 2. Unfilled vulcanized rubber, 33 757.

—, see Meddeday, A. M., 32 6 7.

Desanges, H., R. Chasset, and P. Thirdon, Changes in the electrical properties of natural rubber carbon black compounds during vulcanization, 31 631.

Dessewffy, O., Dependence of bound rubber on concentration of filler and on temperature. II, 35 611.

—, G. Schay, and P. Szor, Stress-strain relations in rubber blocks under compression. II., 32 420.

Detenber, J. D., see Muzray, R. M., 34 668.

Devine, F. E. And J. A. Ross, Rheological properties of two unvulcanized rubber compounds as determined on an extrusion and a rotational viscometer, 37 491.

Deviner, M. L., Jr., see Lewis, J. E., 49 1570.

Deviner, E. Y. And A. S. Novikov, Effect of redox systems on thermal oxidative plasticizing of butadiene acrylonitrile rubber, 33 700.

De Vares, A. J., Koam stability: a fundamental investigation of the factors controlling the stability of DE VIEES, A. J., Foam stability: a fundamental investigation of the factors controlling the stability of foams, 31 1142

DE WIRT, B. J., see Sellers, J. W., 34 729

D'Anni, J. D., Newer synthetic rubbers derived from olefins and diolefins, 34 361

DIBENDETTO, A. T., see PAUL, D. R., 39 1496

DIBBO, A., D. G. LLOVD, AND J. PAYNE, Behavior of sulfenamide accelerators under adverse processing conditions, 36 911

DICKIE, R. A., see FERRY, J. D., 39 897

Dickinson, L. A., New elastomers derived from copolymers of tetrahydrofuran and propylene oxide, 36 296 DIEM, H. E., H. TUCKER, AND C. F. GIBBS, Cis-1,4-polyisoprene rubber by alkyllithium initiated poly-

merization, 34 191 DIGIULIO, E., G. BALLINI, AND G. V. GIANDINOTO, Elongation at break as a measure of crosslink density in vulcanized elastomers, 39 726

see Ballini, G., 39 521

—, 886 BALLINI, G., 69 321 DOAK, K. W., see Auer, E. E., 31 185 DOBBIN, R. E., see BOLT, T. D., 34 1141 DOBBOMYSLOVA, A. V., see DOGADKIN, B. A., 31 569; 32 184; 33 261, 1068; 35 501, 509 DOBSON, G. R. AND M. GORDON, Theory of branching processes and statistics of rubber elasticity, 39 1472

31 = 1958, 32 = 1959, 33 = 1960, 34 = 1961, 35 = 1962

Dogarkin, B. A., Mechanism of vulcanization and the action of accelerators, 32 174

Physical chemical factors in bond strength in multiply vulcanized articles, 33 545

—, O. N. Beltatskava, A. B. Dorromyslova, and M. S. Feldstein, Vulcanization of rubber in the presence of N.N-diethyl-2-benzothiazolylsulfenamide as accelerator, 33 361

—, and E. N. Beltazeva, Role of free radicals in low temperature vulcanization of butadiene rubber, To the first state of the state on the kinetics of sulfur combination, 33 501

—, AND T. A. GYUL-NAZAROVA, Scorching of rubber mixes. I. Structural changes in unfilled and filled stocks, 38 509

-, A. Dobromyslova, L. Sapozhkova, and I. Tutorskii, Effect of mercaptobenzothiazole on rubber structure during oxidation, heating and milling, 32 184

-, A. V. Dobromyslova, F. S. Tolstukhiina, and N. G. Samsonova, Influence of structure of the chemical activity and vulcanizability of butadiene polymers, 31 569

-, D. L. Feddukhi, And V. E. Gul, Effect of swelling on the strength of vulcanizates, 31 756

-, M. S. Feldshtein, and E. N. Belyarda, Action of binary accelerator systems of vulcanization, 33 373 33 373 Reactions of accelerators of vulcanization with rubbers of different structures, 38 204

—, M. S. Feldshtein, I. I. Ettington, and D. M. Pevener, Action of some heterocyclic disulfides as agents and accelerators of vulcanization, 32 976 agents and accelerators of vulcanization, 32 976

M. S. Feldshetein, And D. M. Pevaner, Composition of vulcanizing system, course of vulcanization and bond strength of plied-up SBR, 33 384

V. E. Gue, And N. A. Morzova, The effect of electric charges formed during repeated deformations on the fatigue resistance of vulcanizates, 33 970

AND V. N. Kuleenev, Gel formation in the mastication of natural rubber, and its influence on vulcanizate strength, 33 940

B. Lukin, Z. Tarasova, Z. Skorddunava, and I. Tutorskii, The theory of rubber reinforcement: interaction of carbon black with sulfur and rubber, 31 361

AND N. N. Pavlov, Spectroscopy investigations of vulcanization of rubber 36 262

K. Pechkovskaya, and E. Goldman, Structure and properties of filled stocks XVI. Polybutadiene filled with colloidal silica, 32 639

L. G. Senatorskaya, V. I. Guseva, A. V. Suslyakov, and P. I. Zakharchenko, Filler-rubber interaction in latex, 31 655 filled with colloidal silica, 32 639

— L. G. Senatorskaya, V. I. Guseva, A. V. Suslyakov, and P. I. Zakharchenko, Filler-rubber interaction in latex, 31 655

— AND V. A. Shershnev, The interaction of tetramethylthiuram disulfide with rubber and with compounds containing a labile hydrogen atom, 33 401

Metal oxides in tetramethylthiuram disulfide vulcanization, 33 412

The reaction of tetramethylthiuram disulfide and monosulfide with rubber, 33 398

Vulcanization of rubber in the presence of organic accelerators, 35 1 —, AND A. V. Dobromislova, Reversion during TMTD vulcanization, 33 1068

-, Z. N. Tarasova, M. I. Kaplunov, V. L. Kardov, and N. A. Klauzen, Structure and properties of rubbers produced in radiation vulcanization, 32 785

- AND I. Totorskii, Mechanism of accelerator action. Reaction of mercaptobenzothiazole with sulfur, 31 343 AND D. M. PEVZNER, Mechanism of vulcanization in the presence of 2-mercaptobenzothiazole, 31 751

Mechanism of mill breakdown and vulcanization in the presence of 2-mercaptobenzothiazole, 31 348

—, see Beniska, J., 32 774; 32 780

—, see Beniska, J., 32 774; 32 780

—, see Eledistierin, M., 31 526; 32 164, 983; 33 357

—, see Gul, V. E., 32 454

—, see Klauzen, N. A., 33 208

—, see Klauzen, N. A., 33 208

—, see Pehkovskaya, K. A., 36 156

—, see Tutorskii, I. A., 34 334; 36 1019

Dolgoplosk, B. A., E. N. Kropacheva, and K. V. Nelson, Cis-trans isomerization of natural rubber under the influence of organo-aluminum compounds and titanium tetrachloride, 32 1036

—, V. N. Reikh, E. I. Tinyakova, A. E. Kalaus, Z. A. Koryushenko, and E. G. Sladkevich, Cardoxylic rubbers. II. Properties of cured stocks, 32 328

—, and E. I. Tinyakova, Redox systems in the initiation of radical processes. Mechanism of action, 32 244 31 751 32 244 , V. N. REIKH, T. G. ZHURAVLEVA, AND G. P. BELONOVSKAYA, Carboxylic rubbers. I. Synthesis and structures, 32 321 , V. N. KEIKH, T. G. ZHURAVLEVA, AND G. P. BELONOVSKAYA, Carboxylic rubbers. I. Synthesis and structure, 38 321

—, see Belonovskaya, G. P., 37 128

—, see Bresler, I. S., 37 121

—, see Bresler, S. E., 31 278

—, see Bresler, S. E., 31 278

—, see Brenakoya, I. I., 38 985

—, see Ermakoya, I. I., 38 985

—, see Fo-Shung, W., 33 971

—, see Tinnakoya, E. I., 31 353; 32 220, 231

Dolinger, R. E. and R. H. Kallenberger, Effect of carbon black densification on structure measurements, 40 1311

Donnelly, P. I., A rugged semiautomatic extensometer for rubber, 36 68

Donnet, J.-B., C. Eckhardt, P. Horn, S. Premilat, and A. Voet, Light scattering study of carbon black structure, 40 919

Dorman, E., W. E. Emerson, R. L. K. Carr, and C. T. Bean, A synthesis of poly(2,4-perfluoroalky)terace-p-perfluoroalkyltrazine)s, 39 1175

Dorko, Z. J., D. C. Edward, A. S., 31 27

Dostyan, M. S., see Uzina, R. V., 32 870

Drugova, G. P., see Slonimskir, G. L., 33 953

Drugova, G. P., see Slonimskir, G. L., 33 953

Drugova, G. P., see Slonimskir, G. L., 33 953

Drugova, G. P., see Slonimskir, G. L., 33 953

Drugova, G. P., see Slonimskir, G. L., 33 953

Drugova, G. P., see Hallum, J. V., 31 941

Duckworth, I. H., Creamed latex concentrate, 38 233 DUDEK, T. J. AND F. BUECHE, Tensile strength of gum and reinforced EPR and SBR vulcanizates, 37 818 Polymer-solvent interaction parameter and creep of ethylene-propylene rubber, 37 894

Polymer-solvent interaction parameter and creep of ethylene-propylene runner, 37 594

—, see Bueche, F., 361

Dudley, M. A., and D. A. Smith, Influence of environmental variables on characterization of polymer decomposition by thermogravimetry, 40 445

Dunieavy, R. A., see Magnus, G., 39 1328

Dunn, J. R., Oxidative aging in ultraviolet light of dicumyl peroxide vulcanizates of natural rubber in presence of various antioxidants, 34 686

in presence of various antioxidants, 34, 940
Oxidative stress relaxation studies of radiation cured vulcanizates, with and without antioxidant, 34, 910
Oxidative stress relaxation studies of radiation cured vulcanizates, 38, 370
—, AND S. G. Foog, Protection of transparent vulcanizates against aging in sunlight, 34, 919
—, AND J. SCANLAN, Aging of natural rubber vulcanizates in the presence of dithiocarbamates, 32, 739
—, AND W. F. WATSON, Stress relaxation during the thermal oxidation of vulcanized natural rubber, 33 423

Stress relaxation during the photoxidation of peroxide crosslinked rubber, 33 433 DUNNING, D. J. AND P. J. PENNELLS, Effect of strain on rate of crystallization of natural rubber, 40 1381 DYCKES, G. W., see SEELEY, R. D., 38 924

EAGLES, A. E. AND A. R. PAYNE, A simple extensometer for tensile testing of polymers, 31 673 EAVES, D. E., see COOPER, W., 36 488; 39 964 ECCHER, S., Typical damage in mallory tubes and tire carcasses, 40 1014

—, see Angioletti, A., 38 1115 Echte, E., W. Scheele, and S. Sonnenberg, Vulcanization of elastomers, and synthetic rubbers with sulfur in the absence of accelerators. 1. 33 1031 28. Vulcanization of natural

and Synthetic Probers with Shift in the absence of accelerators. I. 33 1631

—, see Lorenz, O., 31 117, 548

Eckerr, F. J., see Scott, C. E., 39 553

Eckerr, R., Abrasion resistance and high speed tensile strength of elastomers, 39 823

Eckerror, C., see Donner, J.-B., 40 919

Edelmann, K. and E. Horn, Rheological measurements for the characterization of high polymers, 31 681

31 081
Significance of rheology in rubber processing. 2. Studies of latex, 32 1050
AND G. KOLBE, The importance of rheology in the processing of rubber. 1. Rheological investigations of rubber solutions, 32 1039
EDWARDS, D. C., Aging behavior of butyl vulcanizates, 39 581
see BORKO, Z. J., 36 621; 37 134
See DORKO, Z. J., 35 705
EHERNBURG, E. G., see PODDUBNYI. I. YA, 31 699
EIERMANN, K., Model interpretation of thermal conductivity in high polymers I. Amorphous high polymers, 39 841

II. Stretched amorphous high polymers, 39 858

Determination of the temperature dependence of crystallization from thermal conductivity, 39 866

Pressure dependence of thermal conductivity in amorphous materials, 39 863

—— AND K.-H. HELLWEGE, Thermal conductivity of high polymers from —180° to 90°C, 36 75

EITINGON, I. I., M. S. FELDSHTEIN, AND D. M. PEVZNER, Accelerator action of certain heterocyclic N-thiocarbamylsulfendialkylamides, 35 644

N-thiocarbamylsulfendialkylamides, 35 644
—, see Dooddekin, B. A., 32 983; 33 357; 35 652
—, see Fel'dshfein, M. S., 32 983; 33 357; 35 652
—, see Fel'dshfein, M. S., 38 661, 666

ELLIOTT, D. J., see Bell, C. L. M., 39 1565

ELLIS, B. AND G. N. Welden, Estimation, from swelling, of the structural contribution of chemical reactions to the vulcanization of natural rubber. Part I. General method, 37 563

Part II. Estimation of equilibrium degree of swelling, 37 571

EMERSON, W. E., see DORFMAN, E., 39 1175

ENGLAND, W. D., J. A. KRIMIAN, AND R. H. HEINRICH, Weather aging of elastomers on military vehicles, 32 1143

ENGLAND, W. D., J. A. Akhada, Sec. 28, 1143

32 1143

EPSHTEIN, V. G., Carbon black structure and the tear resistance of vulcanizates, 32 1180

——, see Chernyrkh, Z. V., 32 1185

ERENEN, G., see KLEEMAN, W., 37 204

ERENBURG, E. G., see PODDUBNYI, I. Y., 34 975; 36 807

ERICKSON, E. R., R. A. BERNTSEN, E. L. HILL, AND P. KUSY, Reaction of ozone with SBR rubbers,

ERMAKOVA, I. I., B. A. DOLGOPLOSK, AND E. N. KROPACHEVA, Cis-trans isomerization of 1,4-polybutadiene under the influence of nitrogen dioxide, 35 618

under the influence of nitrogen dioxide, 33 618

ERMOLINA, A. V., see [GONIN, I. A., 34 953

ERUSALIMSKII, B. L., I. G. KRASNOSELSKAYA, AND V. V. MAZUREK, Polymerization of chloroprene in the presence of organometallic compounds: The system chloroprene-butyllithium, 38 991

—, see Fo-shung, W., 33 971

ESSER, H., Vulcanizates from natural rubber and bis-azo compounds. Aging properties, 32 544

Improvement of asphalt by addition of rubber and latex, 37 1049

EYNANS, I., Rolling resistance of a wheel with a solid rubber tire, 33 302

EYKAMP, G. R., see BARTHOLOMEW, E. R., 32 1587

FAINA, S., See SARTORI, G., 38 620
FALB, R. D., G. A. GRODE, AND R. I. LEININGER, Elastomers in the human body, 39 1288
—, see STICKINEY, P. B., 37 1299
FAWCETT, M. S., SEE VERBANC, J. J., 35 1126
FEDOROVA, G. B., SEE VAKUBCHIK, A. I., 32 288
FEDOROVA, T. V., SEE TARASOVA, Z. N., 38 661, 666

FEDORS, R. F. AND R. F. LANDEL, Statistical variability of ultimate properties of SBR gum vulcanizates, 39 712

-, see LANDEL, R. F., 40 1049

FEDYUKIN, D. L., See DOGADKIN, B. A., 31 756

—, see Gul, V. E., 32 454

FELDSHTEIN, M. S., I. G. CHERNOMORSKAYA, E. N., GURYANOVA, AND I. I. EITINGON, Accelerator activity of 2-benzothiazole sulfenamide derivatives and the exchange of benzthiazyl thiyl radicals with radioactive 2-benzothiazyl disulfide, 35 652

—, I. I. EITINGON, D. M. PEVZNER, N. P. STREL'NIKOVA, AND B. A. DOGADKIN, Derivatives of 2-mercaptobenzothiazole and dimethyldithiocarbamic acid as vulcanization accelerators, 32 983

—, I. I. EITINGON, AND B. A. DOGADKIN, Derivatives of 2-mercaptobenzothiazole as accelerators, 33 357

— P. ORLOWSKY, AND B. DOGADKIN. The role of metal oxides as activators of vulcanization, 31 526

FERICE, U.S. see ANGULETTI, A., 31 211
FERGUSON, R. C., Infrared and nuclear magnetic resonance studies of microstructures of polychloroprenes, 38 532

Elucidation of polymer microstructure by high resolution NMR spectroscopy, 40 385
FERRIS, S. W., S. S. KURTZ, JR., AND J. S. SWELLY, Prevention of ozone attack on rubber by use of
wares, 32 379
FERRY, J. D., R. G. MANCKE, E. MAEKAWA, Y. OYANAGI, AND R. A. DICKIE, Dynamic mechanical
properties of crosslinked rubbers. I. Effects of crosslink spacing in natural rubber, 39 897

wares, 32 379

Ferry, J. D., R. G. Mancke, E. Maekawa, Y. Ovanagi, and R. A. Dickie, Dynamic mechanical properties of crosslinked rubbers. I. Effects of crosslink spacing in natural rubber, 30 897

—, see E. Maekawa, 39 905

Fettes, E. M., see Angier, D. J., 38 1164

Fiderena, A. and G. Bonomi, Identification of elastomers by infrared spectrophotometry, 36 1129

Identification of elastomers by gas chromatography applied to pyrolyzates, 37 741

—, and R. Piacentini, Spectrophotometry and chromatography for identification of antioxidants and accelerators in rubber mixtures, 36 1119

FISCHER, E. And J. F. Henderson, Effect of temperature on stress-optical properties of styrene butadiene block copolymers, 40 1373

FISHER, B. S., see GLADDING, E. K., 35 1114

FITZGERALD, E. R., Dynamic mechanical properties of stretched natural rubber, 35 388

FLETCHER, W. P. AND S. G. Foog, Heat aging of natural rubber vulcanized with tetramethylthiuram distilfied, 31 327

FLONK, J. T., see Cyter, A. M., 33 105

FLONK, J. J., see Cyter, A. M., 33 105

FLONK, J. J., see Cyter, A. M., 33 1157

FOODEN, V. O., see Gencinoviccii, V. I., 32 444

FOOG, S. G., see Fletcher, W. P., 31 327

—, see Dunn, J. R., 34 919

FOLKMAN, J., D. M. LONG, JR., and R. ROSENBAUM, Silicone rubber: A new diffusion property useful for general anesthesia, 40 928

FORMAN, L. E., see STEARNS, R. S., 33 595

FOMENKO, B. A., V. P. Volodini, A. V. Sidorovich, and E. V. Kuvshinskii, Thermomechanical study of polyisobutylene by stretching and indentation, 37 365

FOMENKO, B. A., V. P. Volodini, A. V. Sidorovich, A. M. S., 32 651

FOMINA, L. P., see Kueranskii, A. L., 33 588; 33 1062

—, see Tuvoskiii, I. A., 36 109

FOSSTER, M. J., see Stavely, F. W., 34 423

FOSHINA, L. P., see Kueranskii, A. L., 33 588; 33 1062

—, see Tuvoskiii, I. A., 36 109

FOSHINA, L. P., see Kueranskii, A. L., 33 587

FOSHINA, L. P., see Kueranskii, A. L., 33 587

FOSHINA, L. P., see Kueranskii, A. L., 33 589

FOSHINA, L. P., see Kueranskii, A. L., 33 423

FOSHINA, L. P., see Ruballer, D., 38

FREDERICK, J. E., see SMITH, T. L., 40 694
FRENKEL, S. YA., see Bresler, S. E., 31 278
FRIES, B. A., see BLY, R. M., 39 956
FROMANDI, G. AND S. Reitssinger, Hot mixing of rubber. I. Influence of mixing conditions on scorching and on the physical properties of the vulcanizates, 32 295

and on the physical properties of the vulcanizates, 32 295
FRULIA, F. F., see Schroeder, H., 39 1184
FUJITA, H., see Ade, M., 39 602
—, see Homma, T., 39 622
FUKUDA, H. AND J. TSURUGI, Chemistry of vulcanization. VIII. Role of zinc butyrate in the reaction of diphenylmethane, sulfur, and 2-benzothiazolyl disulfide, 34 648
IX. Accelerating mechanism of 2-aminothiobenzothiazole, 35 484
Chemistry of vulcanization. X. Accelerating mechanism of sulfenamide type accelerators, 35 491
—, see TSURUGI, J., 31 800; 33 211, 217
FUKUMOTO, T., see JITSUO, T., Radiation induced cis and trans isomerization of polyisoprenes and temperature dependence of the equilibria, 40 1222
FUQUA, S. A., see GOLUB, M. A., High resolution nuclear magnetic resonance spectra of various polyisoprenes, 36 315
FURUKAWA, J., Kinetic interpretation of rheological behavior of high polymers, 35 1013
—, see Sato, Y., 35 857; 36 1081

GALLOT, B., R. MAYER, AND C. SADRON, Organized amorphous copolymers. Polystyrene and polyisoprene

GALLOT, B., R. MAYER, AND C. SADRON, Organized amorphous copolymers. Polystyrene and polysoprene system, 40 932

GAMBLE, L. W., L. Westerman, and E. A. Knipp, Molecular weight distributions of elastomers—comparison of gel permeation chromatography with other techniques, 38 823

GANNER, H. K., see KELLY, R. J., 35 1101

GARVEY, B. S., Jr., Rubber chemistry: A great adventure, 38(3)xi

GATOVSKANA, T. V., see Pavixuchenko, G. M., 36 1003

GAVEISHCHUK, V. Y. AND P. I. Zubov, Mechanism of optimum vulcanization in some synthetic rubbers, 98 512

35 517
W. C. Geddes, Mechanism of PVC degradation, 40 177
Gee, G., J. B. M. Herbert, and R. C. Roberts, Vapor pressure of a swollen crosslinked elastomer, 40 1159

—, see C. Booth, 38 314, 325
—, see C. Booth, 38 314, 325
GESSINK, H. A. O. W. AND CL. P. Prat, Wear of passenger car tires, 31 166
GEHMAN, S. D., Theory of random filler dispersions in rubber, 35 819
Heat transfer in processing and use of rubber, 40 36
Molecular weight distribution of network chains and swelling pressure of vulcanizates, 40 532

Decular weight distribution of network chains and swelling pressure of vulcanizates, 40 532
AND T. C. Gegeson, Ionizing radiation and elastomers, 33 1375
F. S. Makey, and S. R. Ogliby, Vulcameter determination of best cure, 38 757
Reilly, P. J., AND Laksben, G. M., Rapid treadwear ratings with radioactive isotopes, 40 969
P. Rohall, and D. I. Livingston, Biaxial fatigue testing of vulcanizates, 34 506
see Day, R. B., 36 11
Nas, L. P., I. W. E. Harris, and E. B. Storey, Estimation of wear resistance of tread vulcanizates, 35 554 GELINAS. 35 354

— AND E. B. STOREY, A towing device for estimating road wear, 35 339

GENGRINOVICH, V. I. AND V. O. FOGEL, Thermophysical characteristics of cured rubber stocks, 32 444

GENGRINOVICH, B. I. AND G. L. SUNIMSKII, The plastic flow and elasticity of raw rubber and raw rubber mixes, 32 673

mm.Res. 38 073 Load-deflection relations and surface strain distributions for flat rubber pads, 31 395 Crystallization in natural rubber. V. Chemically modified rubber, 31 519 On the relation between indentation hardness and Young's modulus, 31 896 GENT. A.

On the relation between indentation natures and Young's modulus, 31 590 Simple rotary dynamic testing machine, 34 790 Relaxation processes in vulcanized rubber. I. Relations between stress relaxation, creep, recovery, and hysteresis, 36 377

II. Secondary relaxation due to network breakdown, 36 389

Some chemical effects in fatigue cracking of vulcanized rubbers, 36 399
Mechanics of foamed elastic materials, 36 597
Relaxation processes in vulcanized rubber. III. Relaxation at large strains and the effect of fillers, 36 697

36 697
Elastic stability of rubber compression springs, 38 415
Crystallization in stretched polymer networks. II. Irans-Polyisoprene, 40 1394

—, and P. B. Lindley, Tension flaws in bonded cylinders of soft rubber, 31 393
Internal rupture of bonded rubber cylinders in tension, 34 925

—, and A. G. Thomas, Cut growth and fatigue of rubbers. I. The relationship between cut growth and fatigue, 38 292

—, and J. E. McGrath, Effects of temperature on ozone cracking of rubbers, 39 643

—, and K. C. Rusch, Viscoelastic behavior of open cell foams, 39 389

—, see Braden, M., 33 1142, 1156; 35 200

Gerre, A., see Kuntz, I., 3: 628

Gerre, R. H., Vulcanizing efficiency during the scorch period, 36 1153

Gerre, A. M., Attried carbon blacks and their behavior in elastomers. III. Effects in SBR and other rubbers, 34 16

Reinforcement of butyl with carbon black. I. Effect of oxidized blacks on stress-strain properties and

Reinforcement of butyl with carbon black. I. Effect of oxidized blacks on stress-strain properties and bound rubber, 37 1013

II. Thermally vs. chemically oxidized blacks, 37 1034

Generally vs. chemically oxidized blacks, 37 1034

Generally vs. B. D., Graft copolymerization: On the structure of the graft phase and the mechanism of grafting

polybutadiene rubber, 38 655

polybutadiene rubber, 38 655
GESSNER, T., Reaction of tetraethylthiuramdisulfide with alkali and its bearing on vulcanization, 35 659
GEVANTMAN, L. H., see SHELBERG, W. E., 34 250
GIANDINOTO, G. V., see DI GIULIO, E., 39 726
GIBBS, C. F., see DIEM, H. E., 34 191
GIBBS, W. E., see PIERSON, R. M., 31 213
—, see BARTHOLOMEW, E. R., 32 1587
GILES, C. G. AND B. E. SABEY, The role of rubber hysteresis in skidding resistance measurements, 33 151
—, AND K. H. F. CARDEW, Development and performance of the portable skid resistance tester, 38 340

38 840 GILLESPIE, T., Application of the hydrodynamic structural theory of non-Newtonian flow to suspensions which exhibit moderate shear thickening with particular reference to "dilatant" vinyl plastisols, 40 1270 Analysis of flow of shear thinning colloidal and polymeric systems which exhibit elastic recovery or

rigidity, 40 1505 GINSBURG, L. B., see TUTORSKII, I. A., 34 334

GINSBURG, L. B., see 1 UYOSKSII, I. A., 34 334
GIPPIN, M., Polymerization of butadiene with alkylaluminum and cobalt chloride, 35 1066
Stereoregular polymerization of butadiene with alkylaluminum chlorides and cobalt octoate, 39 508
GLADDING, E. K., B. S. FISHER, AND J. W. COLLETTE, A new hydrocarbon elastomer. I. Copolymerization
of olefins and nonconjugated dienes, 35 1114

—, see Cluff, E. F. 34 629, 639 Glazebrook, R. W., see Bateman, L., 31 1055, 1065; 35 633

GLAZER, J. See Dean, W. R., 31 446
GLIKMAN, S. A. AND E. P. KORCHAGINA, Coagulation mechanism of butadiene-styrene latex, 32 531
GOETHEL, W. R., see COLLINS, J. O., 33 237

```
GOCOS, C. M., SEE WIENER, F. M., 34 158
GOLDBERG, E. J., SEE VERBANC, J. J., 35 1126
GOLDBERG, E. P., ELSISOMERIC POLICATIONAL BLOCK COPOLYMERS, 38 431
GOLDBAN, E., SEE DOGADKIN, B., 32 639
GOLUB, M. A., Cis to trans isomerization of polyisoprene, 32 718
—, AND J. DANON, Radiation-induced changes in unsaturation of polyisoprene, 39 992
—, S. A. FUQUA, AND N. S. BHACCA, High resolution nuclear magnetic resonance spectra of various polyisoprenes, 36 315
— Tatancy Consultance and its bearing on the structure of cycliced rubber, 37 486
 polyisoprenes, 36 315

— AND J. HELLER, Tetracyclosqualene and its bearing on the structure of cyclized rubber, 37 486

—, see Shipman, J. J., 36 219

GOLUBENKOVA, L. M., see KOVARSKAYA, B. M., 33 964

GOOD, W. D., J. L. LACINA, AND J. P. McCullough, Tetramethylthiuram monosulfide and tetramethylthiuram disulfide: heats of formation and the S-S thermochemical bond energy, 35 661

GORBATKINA, Y. A., see BARTENEV, G. M., 34 1193

GORDON, M., see DOBSON, G. R., 39 1472

GOTOH, R., T. TAKENAKA, AND N. HAYAMA, Simultaneous measurements of stress and infrared dichroism on polymers. I. Stress relaxation of vulcanized natural rubber, 40 663

GOUGH, V. E., Friction of rubber, 38 158

Non-linearity in dynamic tests. I. Vibration test methods, 34 527

II. Impact and rolling wheel tests, 34 555
 Non-linearity in dynamic tests. I. Vibration test methods, 34 527

II. Impact and rolling wheel tests, 34 555

Graessley, W. W., Molecular entanglement theory of flow behavior in amorphous polymers, 39 1460

Grahtam, E. S., see Angoue, S. N., 39 755

Graesmann, H., see Scheele, W., 31 315; 32 150

Green, J., N. B. Levylne, and W. Sheehan, Elastomers resistant to rocket propellants, 39 1222

Greenberg, H., see Hansley, V. L., 38 103

Greene, A., K. J. Smith, Jr., and A. Ciperri, Elastic properties of networks formed from oriented chain molecules. II. Composite network, 40 650

—, see Smith, K. J., Jr., 39 655

Greensmith, H., W., Rupture of rubber. VIII. Comparisons of tear and tensile rupture measurements, 34 85
 34 85

—, see Schallamach, A., 39 328

—, see Schallamach, A., 39 328

Greenwood, J. A. and D. Tabor, The friction of hard sliders on lubricated rubber: The importance of deformation losses, 33 129

Gregor, R. A., see Little, J. R., 39 1089

Gregorn, T. C., see Gehman, S. D., 33 1375

Griffin, W. R., Triazine elastomers, 39 1178

Griffin, C. B. and M. C. Henry, Nitroso rubbers, 39 481

Griffic, C. B. and M. C. Henry, Nitroso rubbers, 39 481

Grilhikher, S. Y., see Yakurchik, A. I., 35 1060

Grinter, H. W., see Newton, E. B., 34 1

Grood, A. see Fald, R. D., 39 1288

Groin, H. and K. Bischof, The mechanochemical breakdown of polystyrene by vibromilling, 34 474

Gromova, G. N., see Yakurghik, A. I., 31 156, 588
                                   34 85
 GROMOVA, G. N., see VAKUBEHIK, A. I., 31 156, 588
GROMOVA, L. S., see UZINA, R. V., 32 808
GROMOVA, L. S., see UZINA, R. V., 32 808
GROSCH, K. A., The relation between the friction and viscoelastic properties of rubber, 37 386
—, J. A. C. HARWOOD, AND A. R. PANNE, Breaking energy of rubbers, 40 815
—, AND A. SCHALLAMACH, Tire wear at controlled slip, 35 1342
Relation between abrasion and strength of rubber, 39 287
— AND P. McL. Swift, Oil extended natural rubber for tire treads, 39 1656
GROTEN, B., Application of pyrolysis and gas chromatography to polymer characterization, 39 248
GROVER, J. T. AND G. KRAUS, Rheological properties of polybutadienes prepared by n-butyllithium initiation, 38 881
—, AND K. W. ROLLMANN, Antioxidant properties of carbon black in unsaturated elastomers. Studies with cis-polybutadiene, 38 636
—, see KRAUS, G., 38 893, 907; 40 734
GUAN-I, S., see Bressler, S. E., 34 986
GUBANOV, E. F., see CITTELBAUM, B. Y., 37 99
GUERRY, D., see DECKER, G. E., 36 451
GUE, V. E., Mechanism of rupture of high polymers, 34 101

—, AND V. A. BERESTNEY, Intermolecular interaction in rubber solutions, 32 668
—, FEDYUKIN, D. L., AND B. A. DOGADKIN, Influence of intermolecular action on the dynamic fatigue of rubbers, 32 454, 471

— AND S. A. VILNITS, The influence of temperature on the kinetics of cut growth in vulcanizates, 32 692

— DOGGET AND SEE TABLES OF THE COLOR OF THE PROPERTY OF THE PROP
       Gromova, G. N., see Yakubshik, A. I., 31 156, 588
Gromova, L. S., see Uzina, R. V., 32 360
Grosch, K. A., The relation between the friction and viscoelastic properties of rubber, 37 386
     32 692
—, see Dogadkin, B. A., 31 756; 33 970
—, see Ratner, S. B., 32 471
—, see Ratner, S. B., 32 471
—, see Vakula, V. L., 34 562
Gurgiolo, A. E., see Hendrickson, J. G., 37 1
Gurney, W. A., see Cheetham, I. C., 34 1220
Gurnanova, E. N., see Feldshtein, M. S., 35 652
—, see Kuzina, L. S., 34 600
Guseva, V. I., see Dogadkin, B. A., 31 655
Gutowsky, H. S., see Kusumoto, H., 37 268
Gyul-Nazarova, T. A., see Dogadkin, B. A., 35 509
         HAAGEN-SMIT, A. J., M. F. BRUNELLE, AND J. W. HAAGEN-SMIT, Ozone cracking in the Los Angeles area,
                                     32 1134
       32 1134

HAAGEN-SMIT, J. W., see HAAGEN-SMIT, A. J., 32 1134

HAFNER, K., see FRANCK, A., 35 76

HALL, G. L., J. D. RIGBY, AND J. W. LISKA, Liquid metal bath stress strain apparatus, 38 782

HALPIN, J. C., Fracture of amorphous polymeric solids: Time to break 38 263

Molecular view of fracture in amorphous solids, 38 1007

—, AND F. BUECHE, Fracture of amorphous polymeric solids: Reinforcement, 38 278

—, see Bueche, F., 37 808
```

HALLUM, J. V. AND H. V. DRUSHEL, The organic nature of carbon black surfaces, 31 941
HAMMETT, R. E., R. E. WINGARD, AND J. E. LAND, Growth rate of natural rubber crystallites, 39 206
HANK, R., Determination of double bonds in ethylene propylene terpolymer rubbers, 40 936

DECENNIAL AUTHOR INDEX 1629 HOGE, H. J., see CARWILE, L. C. K., 39 126
HOLDEN, G., see BOOTH, C., 38 314
HOLLINGSHEAD, W. S., see SPACHT, R. B., 37 210; 38 134
HOLLINGSHEAD, W. S., see SPACHT, R. B., 37 210; 38 134
HOLLY, E. D., Interaction parameters and heats of dilution for ethylene propylene rubber in various solvents, 39 1451
HOMEST, A. D. H. E. VIETE, Schlegerichter and death of dilution for ethylene propylene rubber in various solvents, 39 1451

HOMMA, T. AND H. FUJITA, Sedimentation analysis of styrene butadiene copolymer rubber, 39 622

—, see YASUDA, G., 40 1470

HOPKINS, I. L. AND R. P. WENTZ, Reduced variables and integral equations in design of plastics and rubber structures, 39 1065

HOPPER, J. R., Effect of oil and black on SBR rheological properties, 40 463

HORR, E., see IWARURA, Y., 33 416

HORR, E., see EDELMANN, K., 31 681; 32 1050

HORN, P., see DONNET, JEAN-BAPTISTE, 40 919

HOWARD, W. H. AND M. L. WILLIAMS, VISCOEIASTICITY and flatspotting, 40 1139

HOWLAND, L. H. AND R. W. BROWN, Recent developments in synthetic rubber latex, 34 1501

—, A. NISONOFF, L. E. DANNALS, AND V. S. CHAMBERS, Crosslink density in polybutadiene, 32 706

HSEH, H. L. Microstructures of polydienes prepared from alkyllithium, 38 863 —, A. NISONOFF, L. E. DANNALS, AND V. S. CHAMBERS, Crosslink density in polybutadiene, 32 706

HSIEH, H. L., Microstructures of polydienes prepared from alkyllithium, 38 863

Solution polymerization initiated with alkyllithiums, 39 491

HUBBARD, G. D., see BULGIN, D., 32 915

HUFF, K., see MULLER, F. H., 32 1027

HUGHES, B. G., D. A. W. IZOD, R. C. W. MOAKES, A. L. SODEN, AND W. F. WATSON, Fluid bed vulcanization, 36 875 W. AND C. E. KENDALL, Ultraviolet absorption spectroscopy in the study of vulcanization, HUKE, D. 37 709 HULME, J. M. AND L. A. McLeod, An elution chromatography technique for cis-1,4-polybutadiene, 36 502 —, see HENDERSON, J. F., 38 817

HULOT, H. AND P. LEBEL, Analysis of elastomers by gas chromatography, 37 297

HUMMEL, D., Infrared spectroscopic identification of rubber before and after cure to the soft and hard rubber states, 32 854
HUMMEL, K., Vulcanization of elastomers. 45. Experiments to determine the Huggins interaction parameter, 37 446 7, AND G. KAISER, Vulcanization of elastomers. 44. Vulcanization of polybutadiene with cumyl peroxide. I., 38 581 

IBE, H., see Ohama, Y., 37 758
IGONIN, L. A., A. V. Ermolina, Y. V. Ovchinnikova, and V. A. Kargin, Molecular ordering in polymers precipitated from solution, 34 953
—, Y. V. Ovchinnikov, and S. A. Arzhakov, Effect of high pressure on self adhesion (autohesion) of high polymers, 32 527
INGHAM, J. D. And N. S. Rapp, Mechanism of thermal degradation of certain polyether polyurethanes, 40 1212 Itatani, H., see Tsuruci, J., 40 1222 Ito, Y., Nonnewtonian flow of poly(dimethyl siloxane), 42 1483

Ivey, D. G., see S. evens, J. R., 32 434
Iwakura, Y., T. Hori, K. Sizuki, T. Wakasugi, and G. Kobayashi, Synthesis of polysulfides containing polar linkages, 33 416
Ivengar, Y., Relation of water vapor permeability of elastomers to molecular structure, 39 751
Izod, D. A. W., see Hughes, B. G., 36 875

JACKSON, W. J., JR., see PERRY, K. P., 39 1008

JACKSON, W. L., see COLLINS, J. M., 38 400

JAMES, D. I., Measurement of friction between rubberlike polymers and steel, 35 379

LANGENE, D. E. Denetic for the street of the stre

JANACEK, J., Reactions of natural rubber, 35 563 Reactions of polymers in bulk. I. Influence of fillers on the degree of crosslinking of natural rubber, 35 503
II. Influence of crosslink density on the mechanical deformation properties of filled vulcanizates, 35 572
III. Influence of specific surface and of filler concentration on deformation behavior, 35 581
IV. Influence of structure and agglomeration of carbon black particles on deformation behavior, 35 590
V. Deformation behavior of vulcanizates filled with inorganic filler, 35 833

V. Deformation behavior of vulcanizates filled with inorganic filler, 35 833
V. Lindhuence of deformation on the decrease of crosslinking density, 35 839
JANSSEN, H. J. J. AND K. V. WEINSTOCK, Carbon black-latex masterbatches, 34 1485
JENKINS, M. C., see VANDERHOFF, J. W., Theoretical consideration of interfacial forces involved in coalescence of latex particles, 46 1246
JEMMYN, T. E., see BRENNAN, J. J., 40 817
JOHNSON, B. L., see WEISSERT, F. C., 40 500
JOHNSON, J. F., see PORTER, R. S., 38 243
JOHNSON, J. F., see DORTER, R. S., 38 243
JOHNSON, P. R., see MAYNARD, J. T., 36 882, 963
JOHNSON, W. D., see TOBOLSKY, A. V., 40 614
JOHNSON, W. D., see ENDERGY, A. V., 40 614
JONES, M. N., see BOOTH, C., 38 325
JONES, M. N., see BOOTH, C., 38 325
JONES, M. N., see BOOTH, C., 38 325
JOSE, K. A. AND S. BANERJEE, Studies of the compounding of nitrile rubber with shellac, 39 763

36 = 1963, 37 = 1964, 38 = 1965, 39 = 1966, 40 = 1967

```
JUVE, A. E., On testing rubber (Goodyear address), 37(2)xxiv

J. R. BEATTY, AND R. H. KLINE, The rotomill—a continuous mixing device, 33 98

P. W. KAPER, L. O. SCHROVER, AND A. G. VEITH, 37 434

AND A. G. VEITH, Abrasion-reinforcement: methods of evaluation, 35 1276; 36 313

see BEATTY, J. R., 38 719

see CONANT, F. S., 31 562
—, see Connat, F. S., 31 562

Kainradl, P. and F. Handler. Tear strength of vulcanizates, 33 1438

Kainradl, P. and F. Handler. Tear strength of vulcanizates, 33 1438

Kainradl, P. and F. Handler. Tear strength of vulcanizates, 33 1438

Kainradl, P. and F. Handler. Tear strength of vulcanizates, 33 1438

Kairradler, S., see Hummel, K., 38 581

Kairradler, S., see Butyagin, P. Y., 33 942

Kanawel, G. A., P. A. Koons, and R. E. Lauer, Fungus resistance of millable urethans, 39 1338

Kaplunov, M. I., see Dogadkin, B. A., 32 785

Kargin, V. A., T. I. Socolova, and T. K. Metelskaya, Reinforcement of polyisobutylene with anisodiametric filer dipleticles of poly(ethylene terephthalate), 36 111

—, see Berlin, A. A., 34 750

—, see Bookin, I. A., 34 953

—, see Pavlyuchenko, G. M., 36 1003

—, see Socolova, T. I., 37 647

—, see Zubov, P. I., 35 539

Karden, S., see Cubov, P. I., 35 539

Karden, W. L., see Dogadkin, B. A., 32 785

Kardin, B. K., see Anikanova, K. F., 31 30

Karper, P. W., see Juve, A. E., 37 434

Kardov, U., see Dogadkin, B. A., 32 785

Kasatkina, N. G., Determination of isoprene unit structures in polyisoprene rubbers, 33 587

—, see Yakubenhk, A. I., 32 284, 288

Kato, K., see Ohmaa, Y., 37 758

Kaytarader, N. N., see Lycin, V. I., 35 311

Kawabata, S. and P. J. Blatz, Creep failure studies on SBR vulcanizates. I, 39 923

Kazerkov, E. N., see Bresler, S. E., 33 462, 469; 39 318

Kearsley, E. A., see Bersler, S. E., 33 462, 469; 39 318

Kearsley, E. A., see Bersler, S. E., 38 76

Keller, H. E., see Lowman, M., 37 866

Keller, H. E., see Lowman, M., 37 866

Keller, H. E., see Lowman, M., 37 866

Keller, J. H. K. Garner, H. E. Hano, and W. R. Bingham, Ethylene propylene copolymers produced with soluble catalysts, 35 1101

Kemme, G., see Scheele, W., 33 326

Kemperman, T., Age resisters for rubber. A general study, 37 720

—, and R. Clamsouth, Determination of relative damping at various prestresses, 33 282

Kerder, W. F., Coefficient of wet friction of tire treads, 40 984

Kerder, L. M., see Pinkein, V.
         KEPERSHA, L. M., see PINEGIN, V. A., 32 503
KERN, W. F., Coefficient of wet friction of tire treads, 40 984

—, see Franck, A., 35 76
KERBUTT, G., see Scheele, W., 38 176
KERBUTT, G., see Scheele, W., 38 176
KERSCHER, J. F., see Brown, R. J., 35 546
KESKRUKIA, H., see Molau, G. E., 40 909
KEYTE, D. N., see Watters, M. H., 38 62
KHERASKOVA, E. P., N. A. OKHAPKINA, AND V. N. PROVOROV, Determination of free sulfur in stocks cured with sulfur containing accelerators, 35 498
KHODZHAEVA, I. V. AND V. A. KISSIN, Radiochromatographic separation of mixtures of sulfur and accelerators, 35 449
KHERNIKOVA, E. K., see TINYAKOVA, E. I., 31 353; 32 220
KIEDER, P. E., see BLY, R. M., 39 956
KILBOURNE, H. W., G. R. WILDER, J. E. VAN VERTH, J. O. HARRIS, AND C. C. TUNG, Chemical inhibition of coole degradation of SBR, 32 1155
KILLMANN, E., see PATAT, E., 39 36
KIME, J. M., see TRIVISONNO, N. M., 35 937
KIMMER, W. AND E. O. SCHMALZ, Infrared analysis of butadiene polymers, 33 639
KING, L. F., Solvents for synthetic rubbers, 40 1170
KIPKINA, B. T., see RETISOVA, E. V., 36 480
KIYEK, H. AND TH. G. F. SCHOON, Electron microscope investigation of states of distribution in elastomer blends, 40 1238
KLAUZEN, N. A. AND B. A. DOGADKIN, Infrared spectroscopy in the study of reactions between rubber and sulfur, 33 208

—, see DOGADKIN, B. A., 32 785
KLEBANSKII, A. L. AND L. P. FOMINA, Radical and ionic reactions of tetraethylthiuram disulfide, 33 1062

—, N. J. ZUKERMAN, AND L. P. FOMINA, Mechanism of sulfur reaction in the polymerization of chloroprene and of thiuram reaction in the degradation and structurization of polychloroprene, 32 588

—, see BUULLER, B. E., 38 452

KLEEBANSKII, A. L. AND L. P. FOMINA, Mechanism of sulfur reaction in the polymerization of chloroprene and of thiuram reaction in the degradation and structurization of polychloroprene, 32 588

—, see BUULLER, B. E., 38 452

——, see Muuller, M. AND G. ERBEN, Thermostability of sulfenamide accelerators in tire compounds, 37 204
                     chloroprene and of thiuram reaction in the degradation and structurization of polychloroprene,
—, see Myuller, B. E., 38 452
KLEEMAN, W. AND G. ERBEN, Thermostability of sulfenamide accelerators in tire compounds, 37 204
KLEINPELD, M. J., see HUNTER, B. A., 38 211
KLINE, R. H., see AMBELANG, J. C., 36 1497
—, see JUNE, A. E., 33 98
KLITENICK, G. S., see RATNER, S. B., 32 471
KNILL, R. B., see BROWN, R. J., 35 546
KNIPP, E. A., see GAMBLE, L. W., 38 823
KOBAYASHI, G., see IWAKURA, Y., 33 416
KOLBE, G., see EBELMANN, K., 32 1039
KOLECKHOVA, M. F., see BRUSELE, L. S., 37 121
                           KOLECHKOVA, M. F., see BRESLER, L. S., 37 121
```

KOLOBENIN, V. N., see BLOKH, G. A., 31 356
KOLOMYTSEVA, A. I., see BUIKO, G. N., 33 556
KOMSKAYA, N. F. AND G. L. SLONIMSKII, Mutual solubility of polymers. I. Physico-mechanical properties of stocks prepared from a mixture of polymers, 31 49
—, see ANIKANOVA, K. F., 31 30
—, see SLONIMSKII, G. L., 31 244 —, see Slonmskii, G. L., 31 244
Kondarov, G. S., see Barteney, G. M., 36 668
Konvarovskava, S. F., see Votinov, M. P., 33 988
Koons, P. A., see Karavel, G. A., 38 1358
Koorajian, S., see Raible, D. A., 39 1276
Korablev, Y. G., see Levitin, I. A., 32 889; 1675
Korchadina, E. P., see Glikman, S. A., 32 531
Kormileva, Z. P., see Blokh, G. A., 33 770
Kornev, A. E., see Levitin, I. A., 32 889; 1675
Kornlizeva, Z. P., see Blokh, G. A., 31 356
Korotkov, A. S., N. N. Chesnokova, and L. B. Truchmanova, Catalytic polymerization of isoprene with butyllithium, 33 610
Korotkov, A. A. and G. V. Rakova, Synthesis of isoprene tagged with C<sup>14</sup>, 34 991
—, see Bresler, S. E., 33 669
—, see Rakova, G. V., 33 623
Korvushenko, Z. A., see Dolgoplosk, B. A., 32 328
Korvushenko, Z. A., see Dolgoplosk, B. A., 32 328
Korvushenko, Z. A., see Dolgoplosk, B. A., 32 328
Korvushenko, V., see Salvatalov, V. P., 32 701 Konvushenko, Z. A., see Dolgoplosk, B. A., 32 328
Kostiukov, N., see Shatalov, V. P., 32 701
Kovacic, P. and Hein, R. W., Crosslinking of unsaturated polymers with dimaleimides. I. 35 520
Crosslinking of polymers with dimaleimides. II. 35 528
Kovaleva, N. V., see Lygin, V. I., 35 311
Kovasekava, B. M., L. M. Golubenkova, M. S. Akutin, and I. I. Levantovskava, Production and properties of block polymers, 38 964
Krasnoselskava, I. G., see Erusalimskii, B. L., 38 991
Kraus, G., Swelling of iller-reinforced vulcanizates, 37 6
Interaction of elastomers and reinforcing fillers, 38 1070
— C. W., Childers, and K. W. Rollmann, Stress softening in carbon black reinforced vulcanizates.
Strain rate and temperature effects, 39 1530
— And R. L. Collins, Odd electrons in rubber reinforcing carbon blacks, 32 107
—, and J. T. Gruver, Rheological properties of cis-polybutadiene, 38 907
Rheological properties of cis-polybutadiene, 38 907 Rheological properties of cis-polybutadiene, 38 907 Steady state melt viscosity of plasticized hydrocarbon elastomers, 40 734 Rheological properties of cis-polybutadiene, 38 907
Steady state melt viscosity of plasticized hydrocarbon elastomers, 40 734

—, and K. W. Rollmann, Behavior of cis-polybutadiene during mastication, 38 493
Carbon black surface areas by the Harkins and Jura absolute method, 40 1305

—, see Arnold, P. M., 34 265

—, see Childers, C. W., 40 1183

—, see Collins, R. L., 33 993

—, see Grouver, J. T., 38 881

—, see Short, J. N., 32 614
Krighaum, W. R., J. V. Dawkins, G. H. Via, and Y. I. Balta, Effect of strain on thermodynamic melting temperature of polymers, 40 788

—, and R.-J. Roe, Survey of the theory of rubberlike elasticity, 38 1039

—, see Roe, R.-J., 36 351
Krimian, J. A., see England, W. D., 32 1143
Kroll, L. H., Butadiene and isoprene rubber in giant tire treads, 39 452
Kroll, V. A., see Bresler, S. E., 31 278
Kropachev, V. A., see Bresler, S. E., 31 278
Kropachev, V. A., see Dolloglosk, and N. E. Nikolaev, Complex formation and chain structure in the polymerization of divinyl with butyllithium, 33 636
Kropacheva, E. N., see Bolybera, I. I., 33 985

—, see Bresler, L. S., 37 121

—, see Dolloglosk, B. A., 32 1036

—, see Ermakova, I. I., 35 618
Kroman, A. G., see Berlin, A. A., 34 760
Krotova, B. A., see Morozova, L. P., 33 240, 1180
Kruder, B. A., see Morozova, L. P., 33 240, 1180
Kruder, B. A., see Morozova, L. P., 33 240, 1180
Kruder, B. A., see Morozova, L. P., 33 240, 1180
Kruder, B. A., see Morozova, L. P., 33 240, 1180
Kruder, B. A., see Morozova, L. P., 33 240, 1180
Kruder, B. A., see Morozova, L. P., 33 240, 1180
Kruder, B. A., see Morozova, L. P., 33 240, 1180
Kruder, B. A., see Morozova, L. P., 33 240, 1180
Kruder, B. M., see Morozova, L. P., 33 240, 1180
Kruder, B. M., see Morozova, L. P., 33 240, 1180
Kruder, B. M., see Breven, N. W. S. 807, 21 KRYGINA, M. K. G., see SHATALOV, V. P., 32 701 KRYMOV, B. M., see PAVLOV, N. N., 32 907 KUHN, W., E. Peterli, and H. Majer, Relation between the anomalous freezing point depression and the mechanical-elastic behavior of gels, 33 245 KUKHTENKO, I. I., see BLOKH, G. A., 33 1015 KULEZNEV, V. N., see DOGADKIN, B. A., 33 940 Kuntz, I. and Gerber, A., The butyllithium-initiated polymerization of 1,3-butadiene, 33 628 KURTZ, S. S., JR., see FERRIS, S. W., 32 379 Kusov, A. B., Work of rubber elongation, 32 40 -, V. I. TROFIMOVA, AND YU. I. NILOVA, Changes in the specific volume of rubber during elongation, 31 513 KUSUMOTO, H. AND H. S. GUTOWSKY, Proton magnetic resonance in natural rubber: comparison with dielectric measurements, 37 268 Kusy, P., see Erickson, E. R., 32 1062 Kuvshinskii, E. V. AND M. M. Fomicheva, Effect of primary molecular weight on the dynamic properties of cured rubber, 32 651

—, AND E. A. Stroopovich, Effect of vulcanization on the dynamic properties of rubber, 32 662 , see FOMENKO, B. A., 37 365 , see RUDAKOV, A. P., 37 291 , see SIDOROVICH, A. V., 37 355 , see VOTINOV, M. P., 32 1016; 33 988

KUZINA, L. S. AND GURYANOVA, E. N., Isotopic exchange of free sulfur with thiurams, isothiocyanates and dithiocarbamates, 34 600

KUZMINSKII, A. S., Aging and stabilization of raw and cured rubbers, 39 88

— AND L. V. BORKOVA, Vulcanization of hard rubber, 32 195

— AND V. F. CMERTKOVA, The nature of optimum vulcanization in natural rubber, 32 562

— L. S. FELDSHETEIN, AND S. A. REITLINGER, The blooming of sulfur and other ingredients from compounded stocks, 35 147

— V. D. ZAITSEV, AND N. N. LEZHNEV, Suppression of the activity of metal ions in the oxidation of rubber, 36 541

— see ANGER, L. G., 24 807 of rubber, 36 541

—, see Angert, L. G., 34 807

—, see Lezhnev, N. N., 33 796

—, see Lyubchanskaya, L. I., 34 922

—, see Postovskaya, A. F., 31 747 LACINA, J. L., see GOOD, W. D., 35 661
LADD, M. W., see LADD, W. A., 34 697
LADD, W. A. AND M. W. LADD, Modern role of the electron microscope in rubber research, 34 697
LAKE, G. J. AND P. B. LINDLEY, Cut growth and fatigue of rubbers. II. Experiments on a noncrystallizing rubber, 38 301

Mechanical fatigue limit for rubber, 39 348

Role of ozone in dynamic cut growth of rubber, 39 1053

LAL, J. AND J. E. McGrath, Effect of sulfur during radiation curing of poly(vinyl ethyl ether) and ethylene propylene rubber, 36 248

Vulcanization of poly(vinyl alkyl ethers) with dicumyl peroxide and sulfur, 36 1159

— AND K. W. Scott, Properties and structure of elastomers, 39 881

LAMM, A. AND G. LAMM, Reinforcement of natural latex rubber by carbon black and ionizing radiation, 35 848

Section 1 AND 4 28 848 rubber, 38 301 Lamm, G., see Lamm, A., 35 848
Land, J. E., see Hammett, R. E., 39 206
Landel, R. F. And R. F. Fedors, Fracture of amorphous polymers, 46 1049
—— AND T. L. Smith, Viscoelastic properties of rubberlike composite propellants and filled elastomers, 35 291 AND P. J. STEDRY, Stress as a reduced variable: stress relaxation of SBR rubber at large strains, 34 884 9. Steber, Stees as a teductal variable. Sites teacher of SBR tables at Mag 34 884 9. see Fedors, R. F., 39 712

Lane, J. H., see Bahar, W. S., 49 1529

Lane, J. H., see Bahar, W. S., 40 1529

Lane, J. H., see Bahar, W. S., 40 1529

Lane, J. T. S., see Screedeer, H., 39 1184

Larehar, T. B., see Screedeer, H., 39 1184

Larehar, T. B., see Creedeer, H., 39 1184

Larehar, C. M., see Gehman, S. D., 40 969

Lauer, R. E., see Kanavel, G. A., 39 1338

Layertey, V. V., Static friction and the law of rubber friction, 36 365

—, see Barterey, G. M., 34 461, 1162; 36 64

Layer, R. W., Absence of free radical cracking of stressed rubber, 33 78

Reaction of ozone with p-phenylenediamine and related compounds, 39 1594

Lazar, M., I. Pavliner, Z. Manasek, M. Micko, and D. Berek, Ozonation of atactic polypropylene, 36 527

—, see Manasek, Z., 36 532 34 884 36 527

—, see Manasek, Z., 36 532

Le Beau, D. S., Science and technology of reclaimed rubber (Review), 40 217

Lebelt, P., see Hulot, H., 37 297

Lebelt, P., see Hulot, H., 37 297

Lebelt, P., see Hulot, H., 37 297

Lebelt, P., see Hulot, A., Effect of high hydrostatic pressure on the permeability of elastomers to water, 39 1298

Le Bras, J., Reinforcement of rubber by resins, 35 1308

—, J.-C. Danjard, Ard M. Boucher, Mechanism of protection by the deactivating effect, 31 849

—, see De Merlier, J., 36 1043

Lee, D. F., Cyclization of natural rubber, 36 1005

Lee, L.-H., see Shelton, J. R., 31 415

Lee, T. C. P., see Lyons, P. F., 39 1634

—, see Norling, P. M., 38 1198

Leeming, P. A., R. S. Leerle, And J. C. Robb, Polymerization of chloroprene II. Role of dimers in thermal polymerization, 39 1390

Lehr, M. H., Some stereoregular polymerizations of conjugated dienes, 36 1571 thermal polymerization, 39 1390
LEHB, M. H., Some stereoregular polymerizations of conjugated dienes, 36 1571
LEHBLE, R. S., see LEEMING, P. A., 39 1390
LEINEWEBER, G., see WESTLINNING, H., 35 615
LEININGER, R. I., see FALB, R. D., 59 1288
LENAS, L. P., EVALUATION of crosslinking coagents in ethylene-propylene rubber, 37 229
LEVANTOVSKAYA, I. I., see KOVABSKAYA, B. M., 33 964
LEVENGUE, J., see DE MERILER, J., 37 457
LEVINE, N. B., see GREEN, J., 39 1222
LEVITIN, I. A., Y. G. KORABLEV, A. E. KORNEV, AND B. L. BARITSKII, Bond strength of tread and breaker stocks under repeated deformations, 32 889, 1675
LEWIS, F. M., Science and technology of silicone rubber, 35 1222
LEWIS, F. M., Science and technology of silicone rubber, 35 1222
LEWIS, J. E. AND M. L. DEVINEY, JR., Migration of extender oil in natural and synthetic rubber,

Lewis, J. E. and M. L. Deviney, Jr., Migration of extender oil in natural and synthetic rubber, 40 1570
Lewis, J. H., Physical properties of two O-Ring compounds after exposure to reactor radiation, 39 1258
Lezhney, N. N., T. S. Nikitina, and A. S. Kuzminskii, Modification of carbon black with ionizing radiations, 33 796
—, see Kuzminskii, A. S., 36 541

LINDLEY, P. B., see GENT, A. N., 31 393; 34 925; 38 292 , see Lake, G. J., 38 301; 39 348, 1053

LINHARDT, F., Entropy elasticity in high polymers, 40 777

LINNIG, F. J., E. J. PARES, AND R. D. STIEHLER, Effect of certain crystalline substances on physical properties of elastomers. I. Stress strain behavior, 39 1041

— E. J. Pares, and L. A. Wood, Ethylene propylene copolymers: Crystallinity, infrared, and creep studies, 39 940

— AND J. E. STEWART, Infrared study of some-structural changes in natural rubber during vulcanization, 31 719 1719 LIPKINA, B. G., see REZTSOVA, E. V., 33 946
LIPKINA, B. G., see REZTSOVA, E. V., 33 946
LIPKINA, B. G., see REZTSOVA, E. V., 33 946
LISKA, B. W., see CLAXTON, W. E., 34 777
—, see COANNT, F. S., 33 1218
—, see HALL, G. L., 38 782
LITILE, J. R. AND R. A. GREGC, Relation of modulus of urethan rubber to molecular weight of polyester,
39 1089 , see TAWNEY, P. O., 33 229
, S. AND N. R. AMUNDSON, Analysis of polymerization kinetics and the use of a digital computer, 34 995 34 995
LIVANOVA, I. V., see RAEVSKII, V. G., 35 1041, 1047
LIVINGSTON, D. I. AND L. E. HILDENBRAND, A compact test instrument for determining the indentation failure of elastomers, 37 14

—, see Gehman, S. D., 34 506

—, see Yeh, G. S., 34 937
LLOYD, D. G., see DIBBO, A., 38 911
LOAN, L. D., Reaction between cumyl peroxide and butyl rubbers, 38 15 Loan, L. D., Reaction between cumyl peroxide and butyl rubbers, 38 15
Peroxide crosslinking of ethylene propylene rubber, 88 22
Crosslinking efficiencies of cumyl peroxide in unsaturated synthetic rubbers, 38 573
Mechanism of the peroxide vulcanization of elastomers, 40 149
LOEFFLER, B. B., see HAWKINS, W. L., 32 1171
LOBMARDI, G. E., see NATTA, G. E., 40 400
LONG, D. M., Jr., see FOLKMAN, J.,40 928
LORD, S. S., Jr., see MITCHELL, J., Jr., 34 1553
LORENZ, O. AND E. ECHTE, Vulcanization of elastomers. 13. Vulcanization of natural rubber with sulfur in the presence of mercaptobenzothiazole. 11, 31 117
18. Vulcanization of natural rubber with sulfur in the presence of mercaptobenzothiazole. 11, 31 548

AND C. R. Parks Antioxidant efficiency of natural rubber in natural rubber vulcanizates. AND C. R. PARKS, Antioxidant efficiency of p-phenylenediamines in natural rubber vulcanizates, 34 816 Titrimetric determination of N,N'-disubstituted p-phenylenediamines, 35 676 Mechanism of antiozonant action. I. Consumption of p-phenylenediamines in rubber vulcanizates during ozonization, 36 194 ozonization, 38 194

II. Effect of antiozonants on the ozonization of 2,6-dimethyl-2,6-octadiene and 2-butene, 36 201

—, see Ambelant, J. C., 36 1497

Lowman, M. And H. E. Keller, Dynamic testing of automotive rubber parts by the resonant beam tester. Effect of polymer, deflection, age, and temperature on dynamic rate, 37 866

Lubwig, R., Diffusion of sulfur in rubber in relation to vulcanization, 33 1029

Luffer, C. H., see Strammer, P. H., 34 964; 35 257

Lukin, B., see Dogadkin, B., 31 361 LUKIN, B., see DOGADKIN, B., 31 361
LUKOMSKAYA, A. I., Features of the reinforcing action of carbon blacks deduced from the tear propagation of filled vulcanizates, 34 57
Approximate analysis of the stressed state of rubber specimens, tear tested by various methods, 34 119
—, see TSYDZIK, M. A., 33 42
LUMB, P. B., see DORKO, Z. J., 35 705
LUND, J. K. AND H. A. FOHL, Anomalous flow of polyisobutylene, 40 1492
LUPTON, G. N., see SABEY, B. E., 37 878
LUTTROPP, H., Thermal vulcanization of synthetic rubber, 31 132
LUTZ, G. A., see UNGAR, I. S., 34 205
LUGIN, V. I., N. V. KOVALEVA, N. N. KAVTARADZE, AND A. V. KISELEV, Adsorption properties and infrared spectra of oxidized carbon blacks, 38 311
LYON, F., see SWEITZEZ, C. W., 34 709
LYONS, P. F., T. C. P. LEE, AND A. V. TOBOLSKY, Labile crosslinks in "saturated" elastomers as measured by stress relaxation, 39 1634
LYUBCHANSKAYA, L. I. AND A. S. KUZMINSKII, Degradation of main chains and crosslinks in the aging of vulcanizates, 34 922 of vulcanizates, 34 922 McCool, J. C., Studies of ozone attack of vulcanizates in a closed system, 37 583

McCoullough, J. P., see Good, W. D., 35 661

McDonel, E. T., see Shelton, J. R., 33 342

McGavack, J., Preservation and concentration of hevea latex, 32 1660

One hundred top contributors to the world's rubber literature. II. 1932–1963, 39(2)liv

McGarath, J. E., see A. N. Gent, 39 643

—, see Lal, J., 38 248, 1159

McHenry, W. D., Tritium tracer study of antioxidant action in SBR, 35 692

McHenry, W. D., Tritium tracer study of antioxidant action in SBR, 35 692

McLeod, L. A., see Forbers, W. G., 32 48

—, see Hulme, J. M., 36 502

McManus, S. P., Elastomeric seals for the Army's Lance Missile, 39 1233

MacKnight, W. J., see Torolsky, A. V., 39 524; 40 614

McNell, L. C., Radiochemical investigation of polymer unsaturation. Reaction of butyl rubber with radiochlorine, 36 1071

McPherson, A. T., Electrical properties of elastomers and related polymers, 36 1230

McSweeney, E. E., see Palinchak, S. T., 31 374

—, see Stickney, P. B., 31 369

Magnusson, A. B., see Smith, T. L., 33 1092; 35 753

Maisey, L. J. and J. Scanland, Crosslink formation during aging of natural rubber vulcanizates, 38 374

Maisey, L. J. and J. Scanland, Crosslink formation during aging of natural rubber vulcanizates, 38 374

36 = 1963, 37 = 1964, 38 = 1965, 39 = 1966, 40 = 1967

Majer, H., see Kuhn, W. E., 33 245
Makowski, H.-S., W. P. Cain, and P. E. Wei, Readily curable chlorinated poly-α-olefins and ethylene-α-olefin copolymers, 38 599
Malerina, K. E. and A. P. Pukhov, Enhancement of bond strength in tire casings by heat treatment, G-olefin copolymers, 38 599

MALKINA, K. E. AND A. P. PUKHOV, Enhancement of bond strength in tire casings by heat treatment, 32 513

MALNEY, A. F., see BLOKH, G. A., 32 628

MANAMESI, P., see ZANNETII, R., 36 459

MANAMESI, Z., D. BEREK, M. MICKO, M. LAZAR, AND J. PAVLINEC, Formation and decomposition of hydroperoxides of atactic polypropylene, 36 532

MANAMEK, Z., See LAZAR, M., 36 527

MANOMEKY, S. L., see STRAUS, S., 32 748

MADOMSKY, S. L., see WOOD, L. A., 33 1132

MAEKAWA, E., R. G. MANCKE, AND J. D. FERRY, Dynamic mechanical properties of crosslinked rubbers.

II. Effects of crosslink spacing and initial molecular weight in polybutadiene, 39 905

—, see FERRY, J. D., 39 897

—, see YASUDA, G., 40 1470

MAGNUS, G., R. A. DUNLEAVY, AND F. E. CRITCHFIELD, Stability of urethan elastomers in water, dry air and moist air environments, 39 1328

MANCKE, R. G., see FERRY, J. D., 39 897

—, see MAEKAWA, E., 39 905

MANDEL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDELL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDELL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDELL, J., F. L. ROTH, M. M. STEEL, AND R. D. STIEHLER, 33 502

MANDELLE, J., F. L. ROTH, M. N. STEEL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. ROTH, M. M. STEEL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. ROTH, M. STIELL, AND R. D. STIEHLER, 33 502

MANDEL, J., F. L. Thermal expansion and viscoelasticity of rubber in relation to crosslinking and molecular packing, 39 408 Thermal expansion and viscoelasticity of rubber in relation to crosslinking and molecular packing, 39 408 MASSON, P.-V., Injection molding of rubber, 37 88 MATREVEK, W., see HAWKINS, W. L., 32 1164, 1171 MAU, G., see SCHELE, W., 31 315; 32 150; 33 326 MAURER, J. J., Relation between glass transition temperature and composition of ethylene propylene copolymers, 38 979 MAYRIGAN, G., Evaluations of the tire contour integral by elliptic integrals, 40 961 MAYRY, F. S., see GRIMAN, S. D., 38 757 MAY, W., Level and variation of tensile strength in relation to dispersion of compounding ingredients, 37 826 MAYER, R., see GALLOT, B., 40 932
MAYARD, J. T. AND P. R. JOHNSON, Ionic crosslinking of chlorosulfonated polyethylenes, 36 882
Crosslinking chlorosulfonated polyethylenes, 36 963 Crosslinking chlorosulfonated polyethylenes, 36 963
MAYOR, R. H., see SCHORNBERG, E., 37 103
MAYOROVA, V. E., see SCIORODIN, Y.A. M., 38 674
MAZUREK, V. V., see ERUSALIMSKII, B. L., 38 991
MAZZANTI, G., see NATTA, G., 36 988
MEDALIA, A. I., Dispersion of carbon black in rubber: Revised calculation procedure, 34 1134
—, see BOONSTRA, B. B., 36 115
MEDUEDEVA, A. M., B. V. DERYAGIN, AND S. K. ZHEREBVOV, Adhesion effects in bonding rubber to metal by leukonat adhesive, 32 67
—, see DERYAGIN, B. V., 38 757
MEIER, D. J., see DAVISON, S., 38 457, 475
MELAMED, C. L., see BLOKH, G. A., 34 588
MELNIKOVA, N. V., see RATNER, S. B., 32 1199
MELTZER, T. H. AND W. J. DERMODY, Fraction of effective sulfur crosslinking in SBR vulcanizates, 37 221, 225
MERCURIO, A. AND A. V. TOBOLSKY, Stress relaxation studies of scission in rubber vulcanizates, 33 72

MERCURIO, A. AND A. V. TOBOLSKY, Stress relaxation studies of scission in rubber vulcanizates, 33 72

MERRETT, F. M., The separation and characterization of graft copolymers from natural rubber, 31 819
Graft polymers with preset molecular configurations, 31 829
METELSKAVA, T. K., see KARGIN, V. A., 36 111
METENDER, A. B., J. L. WHITE, AND M. M. DENN, Behavior of viscoelastic materials in short time processes,
40 1426

MEYER, G. E., see PIERSON, R. M., 31 213

20

MICKO, M., see LAZAR, M., 36 527

—, see MANASEK, Z., 36 532

MIDDLETON, K. R., Iodimetric determination of milligram amounts of rubber hydrocarbon, 37 733

MIKHALOV, G. P. AND B. I. SAZHIN, Effect of crystallization of polymers on dielectric loss, 33 741

MIKHALOV, M. F., Fower and thrust force of mill rolls during the mastication of rubber, 33 868

MIKHALIOVA, S. S., see TAUBERMAN, A. B., 36 143

MIKLURKIN, G. P., see BLORKI, G. A., 38 1013

MILDERY, G., see LEBRAS, J., 31 664

MILLER, C. B., see BORNIC, H. V., 39 974

MILLER, H. T. AND G. E. WARNAKA, Strain-dependent properties of polymers. II. 39 1428

—, see G. E. WARNAKA, 39 1421

MILLIOAN, B., Vulcanization accelerator and activator complexes. 2. Chemistry of amine and zinc carboxylate complexes of zinc and cadmium benzothiazolyl mercaptides, 39 1115

MILLOWAY, W. T. AND J. H. WIEGAND, Failure criteria for some polyurethan propellants, 37 511

MILLOWAY, W. T. AND J. H. WIEGAND, Failure criteria for some polyurethan propellants, 37 511

MILLOWAY, Y., Organic sulfides and polysulfides. I. Desulfurization reactions, 31 608

II. Reactions with hydrazine, ethylenediamine and ammonia, 31 612

III. Reactions with mimes, 31 615

IV. Reactions with mimes, 31 615

IV. Reactions with methyl iodide, 31 621

VI. Reactions with adoctor solution, silver nitrate, cupric acetate and lead acetate, 31 618

V. Reactions with adoctor solution, silver nitrate, cupric acetate and lead acetate, 31 618

V. Reactions with adoctor solution, silver nitrate, cupric acetate and lead acetate, 31 618

V. Reactions with acetalic oxides with polysulfide rubbers, 31 624

Structure and molecular refraction of organic polysulfides, 31 808

MISHUSTIN, I. U., see Allerseenko, V. I., 32 519

MITCHELL, J., L., and S. S. Lord, J., polybutadiene, 38 921

MITCHELL, J. M., see RUPAR, W., 35 1028

MITCHELL, J. M., see RUPAR, W., 35 1028

MITCHELL, J. M., see RUPAR, W., 35 102 MITCHELL, J. C., Melting point of cis-1,4-polybutadiene, 38 921
MITCHELL, J. M., see RUPAR, W., 35 1028
MOKER, R. C. W., see HUGHES, B. G., 36 875
MOCKER, V. D., NMR compositional analysis of copolymers, 40 1200
MOCKER, F., Polarographic determination of accelerators, antioxidants, and other rubber chemicals. I.
32 1254
MORNEY, G. See Processor M. C. C. Modini, G., see Bruzzone, M., 37 451
Molau, G. E. and H. Keskkula, Heterogeneous polymer systems. IV. Mechanism of rubber formation in rubber modified vinyl polymers, 40 909 Molau, G. E. and H. Keskkula, Heterogeneous polymer systems. IV. Mechanism of rubber formation in rubber modified vinyl polymers, 40 909

Montermoso, J. C., Fluorine-containing elastomers, 34 1521

Mooney, M., Rheological unit in a high polymer under continuous shear, 37 503

Moore, C. G., Crosslinks in TMTD, zinc oxide, natural rubber vulcanizates, 33 394

—, L. Mullins, And P. M. Swift, Structural characterization of vulcanizates, I. Crosslinking efficiency of sulfur in unaccelerated natural rubber-sulfur systems, 35 105

—, and M. Porter, Structural characterization of natural rubber vulcanizates, 36 547; 1173

—, B. Saville, and A. A. Watson, Acceleration by thiourea and related compounds of the tetramethylthiuram disulfide vulcanization of natural rubber, 44 795

— and J. Scanlan, Determination of degree of crosslinking in natural rubber vulcanizates. Part VI. Evidence for chain scission during the crosslinking of natural rubber with organic peroxides, 34 309

— and B. R. Teego, Structural characterization of vulcanizates. II. Use of triphenylphosphine to determine the structures of sulfur linkages in unaccelerated natural rubber vulcanizates, 35 113

— and W. F. Watson, Determination of degree of crosslinking in natural rubber vulcanizates, Part II, Erratum, 31 958

—, see Bateman, L., 31 1055, 1065, 1090; 35 633

Moore, G. R., see Sciollensberger, C. S., 35 742

Moore, G. R., see Sciollensberger, C. S., 35 742

Moore, G. R., see Sciollensberger, C. S., 35 374

Morand, J., Photodegradation of rubber, 39 537

Morita, E. and E. J. Young, Study of sulfenamide acceleration, 36 844

—, see Trivette, C. D., Jr., 38 1360

Morozova, L. P. and B. A. Krotova, Electrical and diffusion processes in the adhesion of two polymers, 32 40

— And N. A. Krotova, Nature of an adhesion bond between two high-molecular weight compounds, 38 1150 33 1180

MOROZOVA, N. A., see DOGADKIN, B. A., 33 970

MORNIS, M. C., Rates of crystallization of cis-1,4-poly-butadiene in elastomer blends, 40 341

MORTON, M., S. KAIZERMAN, AND M. W. ALTIER, Swelling of latex particles, 32 814

MOSEVITSKII, M. I., see BRESLER, S. E., 33 669, 689, 696; 34 986

MUELLER, W. J., S. PALINCHAK, AND P. B. STICKNEY, Accelerated ozone test for predicting outdoor effectiveness of ozone protective waxes in SBR, 37 990

—, see PALINCHAK, S. T., 31 374

—, see SCHULZ, G. V., 35 908

MULLER, F. H. AND K. HUFF, Dependence of dielectric relaxation spectrum of rubber on stretching, 32 1027

MULLER, F. H. AND K. HUFF, Dependence of dielectric relaxation spectrum of rubber on stretching, 32 1027 AND N. A. KROTOVA, Nature of an adhesion bond between two high-molecular weight compounds, MULLER, H., see SCHEELE, W., 87 910 MULLINS, L., Reinforcement of rubber by fillers. Tear resistance, 33 315
Determination of degree of crosslinking in natural rubber vulcanizates. Part III, 34 279, 708
Part IV. Stress-strain behavior at large extensions, 34 290 - AND A. G. THOMAS, Determination of degree of crosslinking in natural rubber vulcanizates. Part V. Effect of network flaws due to free chain ends, 34 301 — AND N. R. TOBIN, Carbon-black loaded rubber vulcanizates: volume changes in stretching, 31 505
Stress softening in rubber vulcanizates. Part I. Use of a strain amplification factor to describe elastic behavior of filler reinforced vulcanized rubber, 39 799

— AND D. T. TURNER, Radiation crosslinking of rubber. III. Chain fracture, 33 1072

— AND W. F. WATSON, Mastication. IX. Shear dependence of degradation on hot mastication, 33 91 36 = 1963, 37 = 1964, 38 = 1965, 39 = 1966, 40 = 1967

—, see Harwood, J. A., 39 814
—, see Moore, C. G., 35 105
MUEREAM, Y., see Ame, M., 39 609
MUERPHY, E. A., Some early adventures with latex, 39(3) laxiii
MUERLY, R. M., Factors influencing the ozone resistance of neoprene vulcanizates under flexure, 32 1117
— AND J. D. DETENBER, First and second order transitions in neoprene, 34 668
MUSTY, J. W. G., R. E. PATILE, AND P. J. A. SMITH, Swelling of rubber in liquid and vapor (Schroeder's paradox), 49 1166
MYULLER, B. E., N. P. APURHTINA, AND A. L. KLEBANSKII, Influence of chemical structures of polyurethans on their crystallization capacities, 38 452

NAAKE, H. J. AND K. TAMM, Sound propagation in plates and rods of elastomeric materials, 32 21 NABORS, L. G. AND M. L. STUDEBAKER, Determination of carbon black type in filled rubber vulcanizates, 40 1323

— , see STUDERAKER, M. L., 32 941, 1676; 36 863; 40 1319

NAKAJIMA, N., see MARON, S. H., 33 798

NAKAJIMA, N., see PLERSON, R. M., 33 1218

NATELS, F. J., see PLERSON, R. M., 31 213

NATELS, From stereospecific polymerization to asymmetric autocatalytic synthesis of macromolecules,

38(1)xxxvii

AND P. CORRADINI, General considerations on the structure of crystalline hydrocarbon polymers, 33 703

Crystal structure of cis-1,4 polybutadiene, 33 732

—, G. Crespi, A. Valvassori, and G. Sartori, Polyolefin elastomers, 36 1583

—, E. Lombarddi, A. L. Serge, A. Zameelii, and A. Marinangeli, NMR study of polypropylenes of different structure and steric order, 40 400

—, G. Mazzanti, G. Crespi, A. Valvassori, G. Sartori, Sulfur vulcanizable ethylene-propylene rubbers,

36 988

36 988

M. Pegoraro, F. Severini and S. Dabhade, Improvement of impact strength of polystyrene by compounding with styrene-grafted ethylene propylene elastomeric copolymers, 39 1667

Nawakowski, A. C., see Hunter, B. A., 33 510

Naylor, F. E., 32 614

Needer, S. E., see Blokh, G. A., 37 714

Needer, S. V., see Dolopelosk, B. A., 32 1036

—, see Boldpireva, I. I., 33 985

Newban, S. And S. Streella, Stress strain behavior of rubber reinforced glassy polymers, 39 1019

Newban, S. And S. Streella, Stress strain behavior of rubber reinforced glassy polymers, 39 1019

Newban, S. And S. Streella, Stress strain properties of filled polymers, 40 801

Nieleen, L. E., Simple theory of stress strain properties of filled polymers, 40 801

Nieleen, L. E., Simple theory of stress strain of butadiene and ene-yne diols, 37 774

Nieleen, T. S., see Lezhney, N. N., 33 796

Nikolley, N. I., see Kropachey, V. A., 33 605

Nikulina, R. V., see Blokh, G. A., 33 1015

Nilowa, Yu. I., see Kusov, A. B., 31 513

Nikomiya, K. and G. Yasuda, Molecular weight dependence of relaxation spectra of amorphous polymers

NINOMIYA, K. AND G. YASUDA, Molecular weight dependence of relaxation spectra of amorphous polymers in the rubbery region. VI. Relationship between relaxation spectrum and molecular weight distribution estimated from the empirical blending law for two component systems, 40 493

NINOMIYA, K., see YASUDA, G., 40 1470

NISONOFF, A., see HOWLAND, L. H., 32 706
NOBLING, P. M., T. C. P. LEE, AND A. V. TOBOLSKY, Structure and reactivity in oxidation of elastomers. 38 1198

, AND A. V. TOBOLSKY, Oxidation of two isomeric elastomers: Poly(propylene oxide) and poly(vinyl methyl ether), 39 278

NORTH, A. M., see BAWN, C. E. H., 40 602 NOVIKOV, A. S., T. V. DOROKHINA, AND P. I. ZUBOV, Influence of molecular shape on the tensile strength of vulcanizates, 31 27

-, see DEVIRTS, E. Y., 33 790; 35 700 -, see SHVETSOV, V. A., 34 959; 35 335

NOVIKOVA, E. N., Sorption of antioxidant from solution, 33 528

OBERTH, A. E., Principle of strength reinforcement in filled rubbers, 40 1337

O'DRISCOLL, K. F., T. YONEZAWA, AND T. HIGASHIMURA, Interpretation of microstructure of polyisoprene and polybutadiene obtained in anionic polmerization, 40 883

OGILBY, S. R., see GEHMAN, S. D., 38 757

OHAMA, Y. AND H. IBE, Cement mortars modified by SB latexes with variable styrene, 37 758 OHORI, Y., see ROBBINS, R. F., 37 154

OMORI, Y., SEE ROBBINS, R. F., 37 154
OKHAPKINA, N. A., SEE KHERASKOVA, E. P., 35 498
OKHAPKINA, N. A., SEE KHERASKOVA, E. P., 35 498
OKHAPKINA, N. A., SEE KHERASKOVA, E. P., 35 498
OLSHANSKAYA, L. A., SEE BLOKH, G. A., 31 356
ORLOVSKY, P., SEE FELDSTEIN, M., 31 526; 32 164
OSSEFORT, Z. T., Ozone resistance of elastomeric vulcanizates, 32 1088
Influence of accelerator residues on age resistance of vulcanizates, 33 490
—, AND F. B. TESTROET, Hydrolytic stability of urethan elastomers, 39 1308
OSTILLIVAN D. F. SEE AMBILIAN, I. C. 38 92

OSULLIVAN, D. F., See AMBELANG, J. C., 35 92
OSWALD, H. J., see PAPERO, P. V., 38 999
OTH, J. F. M. AND P. J. FLORY, Thermodynamics of shrinkage of fibrous (racked) rubber, 31 485
OURRIDGE, P. S., see Collins, J. M., 38 400
OVCHINNIKOV, Y. V., see Igonin, L. A., 32 527; 34 953
OVANICA, V. SEE FERNAL J. D., 98 937

OYANAGI, Y., see FERRY, J. D., 39 897

PAKOMOVA, E. A., see BUIKO, G. N., 33 556
PALINCHAK, S. T., E. E. McSweeney, W. J. Mueller, and P. B. Stickney, Bound rubber and mechanical properties of diene polymers, 31 374 mechanical properties of diene polymers, 31 374

—, see Mueller, W. J., 37 990

—, see Stickner, P. B., 31 369

Panich, R. M., see Voyutskii, S. S., 31 1105

Papero, P. V., R. C. Wincklhoffer, and H. J. Oswald, Mechanism of tire flatspotting and its relation to fiber properties, 38 999

Papero, P. V., R. C. Wincklhoffer, and H. J. Oswald, Mechanism of tire flatspotting and its relation to fiber properties, 38 999

Papero, P. V., see Cipelani, C., 40 947

Parish, G. J., Calculation of the behavior of rubber-covered pressure rollers, 35 403

Parisher, R., see Aufdermansh, C. A., Jr., 38 526

Parker, C. A., Analysis of accelerators and antioxidants, 31 953

Parker, C. A., Analysis of accelerators and antioxidants, 31 953

Parker, C. R., see Ambelano, J. C., 36 1497

—, see Cox, W. L., 39 785

—, see Corenz, O., 34 316; 35 676; 36 194, 201

Parrick, E. J., see Linnig, F. J., 39 940, 1041

Parrick, E. G., Harry Linn Fisher (biographical sketch), 36(2)xix

Patat, F., E. Killmann, and C. Schilleener, Adsorption of macromolecules from solution, 39 36

— and G. Spott, Nonnewtonian flow of polymer solutions, 39 1411

Parrick, J. B. and S. M. Martin, Jr., J. C. Patrick—Goodyear Medalist, 35(5)cl

Patrikery, G. A., Basic problems in the theory of bond strength between the plies of a rubber article, 32 1192 PATRIKEEV, G. A., Basic problems in the theory of bond strength between the plies of a rubber article, 32 1192

PATTERSON, D., Thermodynamics of non-dilute polymer solutions, 40 1

PATTERSON, R. G., Mechanism of bias filament rupture in fatigue of nylon, 39 1382

—AND R. K. ANDERSON, Fatigue failure in nylon reinforced tires, 38 832

PATTISON, D. A., see BEERBOWER, A., 37 246

PATILE, R. E., see MUSTY, J. W. G., 40 1166

PAUL, D. R. AND A. T. DIBENEDETTO, Diffusion in amorphous polymers, 39 1496

PAULSON, R. A., see WOOD, L. A., 33 1132

PAUTEAT, R., see PINAZZI, C., 36 282, 1054, 1056

PAVLIKOVA, A. V., see YAKUBCHIK, A. 1., 35 1052

PAVLINEC, J., see LAZAR, M., 36 527

PAVLINEC, J., see MANASEK, Z., 36 532

PAVLOV, N., N., E. Y. YAMINSKAYA, AND B. M. KRYMOV, Application of strain gages to the study of (tire) cord at high elongation rates, 33 907

—, see DOGADKIN, B. A., 36 262

PAVLOVSKAYA, T. E., see YAKUBCHIK, A. I., 32 284

PAVLYUCHENKO, G. M., T. V. GATOVSKAYA, AND V. A., KARGIN, Poly(1-butene) chain flexibility from sorption data 36 1003

PAYNE, A. R., Sinusoidal-strain dynamic testing of rubber products, 36 422

Dynamic properties of carbon black-loaded rubber vulcanizates. Part I, 36 434

Effect of compression on the shear modulus of rubber, 36 675 Part II, 36 444

Effect of compression on the shear modulus of rubber, 36 675

Determination of cure time with the curometer, 36 922

Transmissibility through and wave effects in rubber, 37 1190

Study of carbon black structures in rubber, 38 367

Effect of dispersion on dynamic properties of filler-loaded rubbers, 39 365

Note on conductivity and modulus of carbon black loaded rubbers, 39 915

—, and W. F. Watson, Carbon black structure in rubber, 36 147

—, see Eacles, A. E., 31 673

—, see Groscri, K., 40 815

—, see Debron Transmission of the seem Effect of compression on the shear modulus of rubber, 36 675 PETERLIN, A., SEE BANKING AND THE MINISTRY OF THE MARKET STREET, A. M. L., Introduction to the molecular viscoelastic theo 36 1422
PETERE, M. C., see WARFIELD, R. W., 39 143
PETERSON, D. L., see COLE, H. M., 39 259
PEVZNER, D. M., see DOGADKIN, B. A., 31 348, 751; 32 976; 33 384 -, see EITINGON, I. I., 35 644 , see Fel'DSHTEIN, 32 983 PHILLIPS, J. K., Identification of rubber polymers by mass spectrometry, 36 794 PIACENTINI, R., see FIORENZA, A., 36 1119 PIERIE, W. R., see D. A. RAIBLE, 39 1276 36 = 1963, 37 = 1964, 38 = 1965, 39 = 1966, 40 = 1967

PIERSON, R. M., W. E. GIBBS, G. E. MEYER, F. J. NAPLES, W. M. SALTMAN, R. W. SCHROCK, L. B. TEWKSBURY, AND G. S. TRICK, Adduct rubbers: a versatile family of elastomers, 31 213
PINAZZI, C., J.-C. DANJARD, AND R. PAUTRAT, Addition of unsaturated monomers to rubber and similar polymers, 36 282
—, R. PAUTRAT, AND R. CHERITAT, Reaction products of chloral with cis-1,4-polyisoprene, 36 1056
—, see LEBBAS, J., 31 664
PINEGIN, V. A., S. A. VASIL'EVA, AND L. M. KEPERSHA, Influence of surface condition, duration of molding, pressure and temperature upon bond strength between components of tire casings, 32 503
PISABENNO, A. P., see ALBAM, M. A., 33 1193; 34 357
—, see SHAPOVALOVA, A. I., 31 89
—, see OVUVISKII, 31 712
PLATT, B., see BARRIE, J. A., 35 153, 166
PODDUBNYI, I. YA AND E. G. EHRENBURG, Branching in macromolecules of different synthetic rubbers, 31 699
Branching in butadiene rubber, 34 975
State of branching in regular polysoprene, 36 807

Branching in butadiene rubber, 34 975
State of branching in regular polyisoprene, 36 807
—, see Bresler, S. E., 33 669, 689: 34 986

—, see Bresler, S. E., 33 669, 689: 34 986

—, J. A. Thorne, A. W. J. K., 40 1492

POLMANTER, K. E. AND J. D. Helmer, Complexities of crosslink density in filled elastomers, 38 123
—, J. A. Thorne, And J. D. Helmer, Shift in Tg by elastomer orientation, 39 1403

POLVARA, O., see Anglolletti, A., 38 1115

POPE, A. W., Use of rubber models as a stress aid 37 199

POPJAK, G., see Archer, B. L., 40 679

POPOJA, E., see Archatalov, V. P., 32 701

POPOVA, Z. V., see Berlin, A. A., 33 1188

PORTER, M., Structural characterization of filled vulcanizates. Part I. Determination of the concentration of chemical crosslinks in natural rubber vulcanizates containing high abrasion furnace black, 40 866
—, see Batemank, L., 31 1055, 1090

—, see BATEMAN, L., 31 1055, 1090
—, see MOORE, C. G., 36 547, 1173

PORTER, R. S. AND J. F. JOHNSON, Polyisobutene degradation in laminar flow: Composition and shear variables, 38 243 Porter, R. S. and J. F. Johnson, Polyisobutene degradation in laminar flow: Composition and shear variables, 38 243

—, see Barball, E. M., 39 1513

—, see Barball, E. M., 39 1513

Postovskaya, A. F., M. A. Sallmov, and A. S. Kuzminskii, Changes in polysulfide chain length in sulfur structures of vulcanizates by light, 31 747

Powerse, P. O., Resins used in rubber (Review), 36 1542

Pbat, C., Correlation between laboratory abrasion and road testing, 31 387

Pbat, C., P., see Geseinnk, H. A. O. W., 31 104

Pbat, C. P., see Geseinnk, H. A. O. W., 31 104

Prayennikova, S. I., see Zuev, Y. S., 32 278; 35 411, 437

Premilat, S., see Donnert, J.-B., 46 919

Presentar, S., see Donnert, J.-B., 46 919

Presentar, S., see Donnert, J.-B., 46 919

Presentar, S., see Couch, W. H., 33 1104

Presentar, S., see Couch, W. B., 36 016

Price, L. D., see Marbine, S., 40 359

Priklonskaya, N. V., Speed of mixing rubber as a factor in processing, 31 907

Priss, L. S., see Annkanova, K. F., 31 30

Provorov, V. N., see Kheraskova, E. P., 35 498

Pruhanskaya, N. A., see Burko, G. N., 33 556

Pruhanskaya, N. A., see Burko, G. N., 33 556

Pruhanskaya, N. A., see Burko, G. N., 33 556

Pruhanskaya, N. A., see Burko, G. N., 33 556

Pruhanskaya, N. A., see Burko, G. N., 33 1015

Purhova, V. S., see Anakkina, K. E., 32 513

Purhova, V. S., see Yakubchik, A. I., 35 1060

RABINOVITCH, D. I., see Spasskova, A. I., 34 211
RAE, J. A., see BANKS, S. A., 38 158
RAEVSKII, V. G. AND S. S. Vovutskii, Influence of vulcanization on adhesion to nonvulcanizing polymers, RAEVSKII, 1 84 879

S. S. VOYUTSKII, I. V. LIVANOVA, AND Z. D. SHTEINBERG, Elastomer structure and adhesion. I. Effect of sulfur vulcanization on the adhesion of rubber to fiber forming compounds, 35 1041
II. Effect of sidechain double bonds, 35 1047
AIBLE, D. A., D. P. KELLER, W. R. PIERIE, AND S. KOORAJIAN, Elastomers for use in heart valves,

39 1276

RAILSBACK, H. E., W. T. COOPER, AND N. A. STUMPE, Cis-polybutadiene natural rubber blends, 32 308
RAKOVA, G. V. AND A. A. KOROTKOV, The copolymerization of isoprene and 1,3-butadiene by butyllithium, 33 623

—, see Korotkov, A. A., 34 991
RAMAN, N. K., see BARRER, R. M., 36 642, 651
RAPP, N. S., see Ingham, J. D., Mechanism of thermal degradation of certain polyether polyurethans, 40 1212

RATNER, S. B., The abrasion of vulcanized rubber against wire gauze, 32 471
—, AND N. V. MELNIKOVA, Abrasion of rubber against abrasive paper, 32 1199

RAUSCH, K. W., R. F. MARTEL, AND A. A. R. SAYIGH, Structure-property relationships in one-step urea-urethan elastomers, 38 140

RAZIKOV, K. K. AND G. S. MARKOVA, Preparation of ultrathin sections of polymeric materials, 36 799
RAZUMOVSKAYA, I. V., see BARTENEV, G. M., 35 178
REBINDER, P. A., see YAMPOLSKII, B. Y., 35 877

REDETZKY, W., see SCHEELE, W., 33 834 REGENASS, F. A., see SEMON, W. L., 31 847

81 = 1958, 32 = 1959, 33 = 1960, 34 = 1961, 35 = 1962

REHAGE, G., Thermodynamics of swelling. I. Thermodynamic properties of crosslinked binary systems, Rehage, G., Thermodynamics of swelling. I. Thermodynamic properties of crosslinked binary systems, 38 651

Rehner, J., Jr., Proposed method for estimating polymer molecular weight distribution without fractionation, 34 453

Whither Rubber Reviews? 39(1)xxxiii

—, see Sentiuk, G. E., 39 1105

—, see Wanless, G. G., 35 118

—, see Tinnyakova, E. I., 32 220, 231

—, see Tinnyakova, E. I., 32 220, 231

—, see Tinnyakova, E. J., 32 220, 231

—, see Tinnyakova, E. J., 32 250

Reilly, P. J., see Gemman, S. D., 40 969

Reissinger, S., see Fromandi, G., 32 295

Reitlinger, S., see Fromandi, G., 32 295

Reitlinger, S., see Fromandi, G., 32 395

Reitlinger, S., see Fromandi, G., A., 33 1015

Relyra, D. I., see Tawney, P. O., 38 352

Rettinger, S., see Fromandi, G., A., 33 1015

Rezynkowskii, M. M., Determination of static and dynamic bond strength between vulcanizates, 33 581

—, see Anikanova, K. F., 31 30

Rezistova, E. V., G. V. Chudarova, and G. L. Slonimskii, Mechanochemical effects in fatigue of rubber, 38 657

—, B. G. Kifkina, and G. L. Slonimskii, Mechanochemical phenomena in polymers. II. The effects of initiators and inhibitors of chain processes, 33 946; 36 480

—, see Slonimskii, G. L., 33 457, 959; 36 473

Riballier, D., T. C. Cuono, And P. Fournier, Influence of regeneration of reduced triphosphopyridine nucleotide (TPN) on formation of cis-polyisoprene in hevea brasiliensis, 38 450

Richardson, M. J., Direct observation of polymer molecules and determination of their molecular weight, 39 567 89 651 39 567 RIGBY, J. D., see HALL, G. L., 38 782 RIGBY, J. D., see HALL, G. L., 38 782 RIGB, W. AND H. J. CANTOW, Investigations of molecular weight "jump" reactions in polybutadienes, 40 895 40 895
RINKE, H., Elastomeric fibers based on polyurethans, 36 719
RITTER, F. J., Low temperature properties of natural rubber as affected by reaction with thio acids, 33 1
RIVERA, M., Elastomeric in space and in other high vacuum environments, 39 1127
RIVIN, D., Use of lithium aluminum hydride in the study of surface chemistry of carbon black, 36 729
ROBB, J. C., see Leeming, P. A., 399 1390
ROBBINS, R. F., Y. OHORI, AND D. H. WEITZEL, Linear thermal expansion of elastomers in the range 300° to 76° K, 37 154
ROBERTS, D. E. AND L. MANDELKERN, Some properties of polymer networks formed from oriented chains of natural rubber, 31 460° ROBERTS, D. E. AND L. MANDELKERN, Some properties of polymer networks formed from oriented chains of natural rubber, 31 469

ROBERTS, R. C., see Gee, G., 40 1159

ROBERTS, R. C., see Gee, G., 40 1159

ROBINSON, A. R., J. V. MARRA, AND L. O. AMBERG, Ethylene-propylene rubber vulcanization with aralkyl peroxide coagents, 35 1083

ROBISON, S. B., see BUCKLEY, D. J., 32 257

ROE, R.-J. AND L. MARRA, Contribution of internal energy to the elastic force of natural rubber, 36 351 38 351

—, see Krighaum, W. R., 38 1039

Rogan, J. B., see Cluff, E. F., 34 639

Rogers, C. E., see Tobolsky, A. V., 33 652, 655

Rogers, T. H., Jr., E. A. Murphy, biographical note, 39(3)lxxxv

Rohall, P., see German, S. D., 34 506

Rohee, E., see Schetel, W., 39 768

Rollmann, K. W., see Gruver, J. 7, 38 636

—, see Kraug, G., 38 493; 39 1530; 40 1305

Ronay, M., Nonhomogeneous straining and fracture mechanism in a filled elastomer, 38 248

Rosenbaum, R., see Folkman, J., 40 928

Ross, G. W., Kinetics of the reaction of sulfur with cyclohexene and other olefins, 31 1077

—, see Bateman, L., 31 1055 ROSENBAUM, R., see FOLKMAN, J., 40 yz.

ROSS, G. W., Kinetics of the reaction of sulfur with cyclohexene and other olefins, 31 1077

—, see BATEMAN, L., 31 1055

ROSS, J. A., see DEVINE, F. E., 37 491

—, see SHARP, T. J., 35 726

ROSSMAN, R. P., see BOLT, T. D., 34 1141

ROTH, F. L., G. W. BULIMAN, AND L. A. WOOD, Compliance, time, temperature relationships from indentation measurements on a pure-gum rubber vulcanizate, 39 397

—, AND R. D. STIEHLER, Standard materials for rubber compounding, 34 798

—, see MANDEL, J., 33 502

—, see MOOD, L. A., 36 611

ROUSSEL, P. A., see SELIGMAN, K. L., 34 869

ROWSEE, E. R., International horizons in synthetic rubber, 36(2)xxvi

RUDAKOV, A. P. AND E. V. KUVSHINSKII, Mechanism of abrasion of vulcanized rubber, 37 291

RUPAR, W. AND J. M. MITCHELL, A study of synthetic rubber latexes by the electron microscope, 35 1028

RUSCH, K. C., see Gent, A. N., 39 389

RUSSELL, R., D. A. SMITH, AND G. N. WELDINO, Kinetics of thiazole accelerated sulfur vulcanization of natural rubber, 36 35; 37 553

Estimation, from swelling, of the structural contribution of chemical reactions to the vulcanization of natural rubber. Part III. Restricted method, 37 576

Standy B. F. Eriction between conical and spherical shaped sliders and wet rubber, 33 119

SABEY, B. E., Friction between conical and spherical shaped sliders and wet rubber, 33 119
Road surface characteristics and skidding resistance, 40 684
—, AND G. N. LUPTON, Friction on wet surfaces of tire-tread-type vulcanizates, 37 878
—, see Gilles, C. G., 33 151: 38 840

SADRON, C., see GALLOT, B., 40 932

SALCEDO, F. S., see BILLS, K. W., Jr., 35 284

SALIMOV, M. A., Changes in polybutadiene rubber under various conditions of aging, 36 747

—, see POSTOVSKAYA, A. F., 31 747

SALTMAN, W. M., see PERESON, R. M., 31 213

SALYER, I. O., see BELLANCA, C. L., 39 1215

SAMINISKII, E. M., see BERSLER, S. E., 33 462, 469; 34 318

SAMOLETOVA, V. V., see SUBBOTIN, S. A., 31 44

—, see VOTINOV, M. P., 33 988

SAMSONOVA, N. G., see DOGADKIN, B. A., 31 569

SAMPIROVA, T. P., see ZHURKOV, C. N., 35 813

SAPOZHKOVA, L., see DOGADKIN, B., 32 184

SAPOZHKOVA, L., see DOGADKIN, B., 32 184

SAPOZHKOVA, L., see BAHARY, W. S., 40 1529

—, see WU, R. T., 38 730

SARGENT, D. T., see STAFFORD, W. E., 31 202

SARCENT, D. T., see STAFFORD, W. E., 31 202

SARCENT, D. T., see STAFFORD, W. E., 31 202

SARCENT, D. T., see SALONG, AND S. FAINA, Ethylene propylene dicyclopentadiene terpolymerization, 38 620. 38 620 , see Natta, G., 36 988, 1583
Satas, D., Porous sprayed sheets and coatings, 40 1296
Sato, Y. And J. Furukawa, A molecular theory of filler reinforcement based on the concept of internal deformation, 35 857; 36 1081 SAUNDERS, J. H., Reactions of isocyanates and isocyanate derivatives at elevated temperatures, 32 337 Relations between polymer structure and properties in urethans, 33 1259 Formation of urethan foams, 33 1293

—, AND J. K. Backus, Thermal degradation and flammability of urethan polymers, 39 461

—, SEC STEINGISER, S., 37 38

VILLE, B. AND A. A. WATSON, Structural characterization of sulfur vulcanized natural rubber networks, 46 100

—, see Bell, C. L. M., 39 1565

, see Moore, C. G., 34 795

Saville, R. W., Reactions of amines and sulfur with olefins. IV. The chemical and thermal decompositions of N.N'-thiobisamines and their reactions with olefins, 32 577

, see Batemank, L., 31 1055

Savkoor, A. R., Friction of rubber, 39 306

Saxena, K. K. and S. Bakerjer, Compounding of styrene-butadiene rubber with shellac, 36 561

II. 38 212

Savich, A. A. R. see Raischt W. W. 32 140 SAVILLE, H. 38 212
SAYLOH, A. A. R., see RAUSCH, K. W., 38 140
SAYLOH, D. C., Applications of elastomers in solid rocket powerplants, 39 112
SAELIN, B. I., see MIKHAILOV, G. P., 33 741
SAELIN, B. I., see MIKHAILOV, G. P., 33 741
SWelling of vulcanized rubbers in binary solvent mixtures, 38 940
—, and W. F. Warson, Statistical treatments of rubber structure, 33 1201
—, see Dunn, J. R., 33 739; 33 423, 433
—, see Lef, D. F., 36 1005
—, see Maisev, L. J. 38 375
—, see Mose, C. G., 34 309
SCHAFFLING, O. T., see SCHROEDER, H., 39 1184
SCHAFFRIER, L. J. SEE AUER, E. F. 31 185 SCHAFFNER, I. J., see AUER, E. E., 31 185 SCHALLAMACH, A., Friction and abrasion of rubber, 31 982
Role of hysteresis in tire wear and laboratory abrasion, 33 857
Theory of dynamic rubber friction, 39 320
—, D. B. Sellen, and H. W. Greensmith, Dynamic behavior of rubber during moderate extensions, 39 328 —, see Grosch, K. A., 35 1342; 39 287
SCHAY, G. AND P. Szor, Stress-strain relation in rubber blocks under compression. I., 32 409 SCHALF, G. AND P. SZOR, Stress-strain relation in rubber blocks under compression. I., 32 409
SCHEELE, W., Kinetics studies of the vulcanization of natural and synthetic rubbers, 34 1306
Forms of combination of sulfur in vulcanization of rubber, 49 849
—, AND K. BRIGHAN, Vulcanization of elastomers. 16. The vulcanization of natural rubber with sulfur in the presence of dithiocarbamates I, 31 301
—, AND M. CHERUBIM, XV. The vulcanization of natural and synthetic rubber with sulfur in presence of organic bases I, 31 286
30. Kinetics of the decrease of sulfur concentration during vulcanization, 34 606
— AND A. FRANCK, 20. Sulfur vulcanization accelerated with thiuram compounds. I., 32 139
—, H. GEASEMANN, AND G. MAU, 17. The role of the oxide in vulcanization with thiuram compounds. II., 31 315 II., 31 315 II., 31 315

And P. Strange, 19. The function of oxides in thiuram vulcanization, 32 150

AND J. Helberg, 40. Vulcanization of natural rubber and synthetic rubber with sulfur in presence of sulfenamides. III., 38 189

AND K.-H. HILLMER, 23. The chemical kinetics of vulcanization reactions and the physical properties of the vulcanizates. I., 33 335
46. The kinetics of crosslinking, 37 698

Degradation of elastomers. 4. Continuous chemical stress relaxation of natural rubber vulcanizates, 39 1640 39 1640 - AND K. HUMMEL, Vulcanization of elastomers. 21. Vulcanization of natural rubber with thiuram disulfides. VI., 32 566 CAND G. KERRUTT, 39. Vulcanization of natural and synthetic rubbers by sulfur and sulfenamides. II., 38 176 MAU, AND G. KEMME, 24. The effect of fillers on the course of vulcanization reactions. I. 

AND E. ROHDE, 47. Vulcanization of natural rubber and polybutadiene with benzoyl peroxide, 39 708

- W. Schulze, and K.-H. Hillmer, 38. The reactivity of synthetic rubbers. I. 36 236

- AND H. D. Stemmer, 22. Thermal vulcanization of synthetic rubbers. I., 32 962

- AND W. Triebel, Kinetics of the reaction of organic sulfides with methyl iodide. I., 32 208

- AND H.-E. Toussant, Vulcanization of elastomers. 12. Perbunan with thiuram monosulfide and sulfur. I., 32 128

- H.-E. TOUSSAINT, AND Y.-K. CHAI, 25. Natural rubber and synthetic elastomers with sulfur and sulfenamides. I. 33 846

- H.-E. TOUSSAINT, AND P. STRANGE, 14. Pole of the cycle in vulcanization with compounds of the suitenamides. I. 38 846

— H.-E. Toussant, and P. Strange, 14. Role of the oxide in vulcanization with compounds of the thiuram series, I., 31 539

—, see Echte, E., 33 1051

—, see Hillmer, K.-H., 32 759

Schildebener, C., see Patat, F., 39 36

Schinde, E. O., see Kimmer, W., 33 659

Schinde, E. O., see Kimmer, W., 33 659

Schinde, E. And P. H. Biddison, Determination of latex particle size distributions by fractional creaming with sodium alginate, 34 1228

Schinder, K., see Henner, H. D., 25 776 SCHMEDER, K., see HEINZE, H. D., 35 776
SCHNEIDER, W. C., see CHINAI, S. N., 40 522
SCHNELL, G., see HEINZE, H. D., 35 776
SCHOENBECK, M. A., A new hydrocarbon elastomer. III. Compounding with fillers and plasticizers, 35 SCHOENBERG, E., D. L. CHALFANT, AND R. H. MAYOR, Preformed aluminum triisobutyl, titanium tetrachcloride catalysts for isoprene polymerization, 37 103
SCHOLLENBERGER, C. S., H. Scott, and G. R. Moore, Polyurethan VC, a virtually crosslinked elastomer, 35 742 OD 1742

SCHOON, TH. G. F., see Kiyek, H., Electron microscope investigation of states of distribution in elastomer blends, 40 1238

SCHROCK, R. W., see PERSON, R. M., 31 213

SCHRODER, E., Analytical chemistry of plastics. XIX. Analysis of rubberlike mixed polyurethans, 37 146

SCHRODER, H., O. T. SCHAPFLING, T. B. LARCHAR, F. F. FRULLA, AND T. L. HEYING, Poly-m-carboranesiloxanes as thermoresistant elastomers, 39 1184 boranesiloxanes as thermoresistant elastomers, 39 1184

Schrover, L. O., see Juve, A. E., 37 434

Schulz, G. V. And A. Mula, Size, form, and flexibility of the rubber molecule, 35 908

Schulz, G. V. And A. Mula, Size, form, and flexibility of the rubber molecule, 35 908

Schulz, G., Nature of the particle surface in hevea latex and pastes of rubber hydrochloride and polyvinyl chloride, 31 436

Scott, C. E. and F. J. Eckert, Solution masterbatching studies, 39 553

Scott, C. E., see Hess, W. M., 40 371

Scott, H., see Schollenberger, C. S., 35 742

Scott, J. R. and A. L. Soden, Microhardness testing, its possibilities and limitations, 33 876

Scott, K. W., Introduction to papers on polymer blends, 40 323

— see Lal, J., 39 881

Scotlier, W. E., Jrs., see Boor, L., 33 1114

Seares, D. S., see Newton, E. B., 34 1

Seeley, R. D. and G. W. Dyckes, Determination of effective crosslink density in silicone rubber, 38 924

Sekhar, B. C., Aeration of natural rubber latex. I. Effect of polyamines on the hardness and aging characteristics of aerated latex rubber, 31 425

II. Graft polymerization of vinyl monomers with aerated latex rubber, 31 430

Inhibition of hardening in natural rubber, 35 889

— see Barkman, L., 39 1608 Inhibition of hardening in natural rubber, 35 889

—, see Bateman, L., 39 1608

Seligman, K. L., and P. A. Roussel, Stabilization of neoprene. II. Protection of neoprene vulcanizates against heat aging, 34 869

Seligman, K. L., see Becker, R. O., 34 856

Seligman, K. L., see Schallamach, A., 39 328

Seligman, S. L., see Schallamach, A., 39 328

Seligman, S. W., M. P. Waoner, B. J. de Witt, C. C. Stueber, and J. B. Bachmann, Peroxide and radiation cured compounds filled with reinforcing fine particle silica, 34 729 radiation cured compounds filled with reinforcing fine particle silica, 34 729

—, see Bachmann, J. H., 32 1286

—, see Lanino, S. H., 33 890

Semon, W. L., David Cario, R. B. Fowler, F. A. Regenass, Harold Tucker, John A. Vanko, J. J. Shipman, and R. F. Belt, Perdeuterio SN rubber, 31 847

Sematorskaya, L. G., see Dogadkin, B. A., 31 655

—, see Pechikovskaya, K. A., 36 156

—, see Tarasova, Z. N., 38 661, 666

Serge, A. L., see Natta, G., 49 400

Semiuk, G. E., P. E. Wei, and J. Rehner, Jr., New vulcanizing agents for ethylene propylene elastomers IV. 39 1105

—, see Wei, P. E., 38 1004

Severini, F., see Natta, G., 39 1667

Shaddicheva, T. A., see Zakharov, N. D., 36 575

Shaddicheva, T. A., see Zakharov, N. D., 36 575

Shaddicheva, T. S., S. Vovutskii, and A. P. Pisarenko, Adhesion of high polymers. 2. A method for determination of the mutual adhesion of high polymers, 31 89

—, see Vovutskii, S. S., 31 712 adhesion of high polymers, 31 89

for determination of the mutual adhesion of high polymers, 31 89

—, see VOVUTSKII, S. S., 31 712

SHARMA, M. G., Failure of polymeric materials under biaxial stress fields, 40 710

SHARP, T. J. AND J. A. ROSS, Nitrile rubber, polyvinylchloride blends, 35 726

SHARD, T. J. AND J. A. ROSS, Nitrile rubber, polyvinylchloride blends, 35 726

SHARDALOV, V. P., T. V. BASHKATOV, N. KOSTIUKOV, E. N. POPOVA, T. A. CHULJUKOVA, AND M. K. G. KKYGINA, OII extended styrene butadiene rubber SKS-30M, 32 701

SHEEHAN, C. J. AND A. L. BISIO, Polymer, solvent interaction parameters, 39 149

SHEEHAN, W., see GREEN, J., 38 1222

SHELBERG, W. E. AND I. H. GEVANTMAN, X-ray diffraction comparison of radiation damage in rubber, 32 750.

SHELBERG, 34 250

SHELTON, J. R., Aging and oxidation of elastomers, 30 1251

—— AND L.-H. LEE, Structure of cyclized polybutadiene, 31 415

36 = 1963, 37 = 1964, 38 = 1965, 39 = 1966, 40 = 1967

SHELTON, J. R. AND E. T. McDonel, Investigation of radical and polar mechanisms in vulcanization reactions, 38 342

SHEBBINEV, V. A., see BRESLER, S. E., 34 318

\_, see DOGADKIN, B. A., 38 398, 401, 412, 1068; 35 1

SHETEVIN, E. B., see Anikanova, K. F., 31 30

SHEVIERNO, Y. G., see BLOKH, G. A., 37 714

SHEBAYAMA, K. AND Y. SUZUKI, Viscoelastic properties of multiple network polymers. IV. Copolymers of styrene and divinylbenzene, 40 476

SHIMOZATO, J. AND K. URA, A study of vulcanization accelerators. I. Compounds which react analogously to rubber, 31 211

SHIPMAN, J. J. AND M. A. GOLUB, Reaction of deuterio polyisoprene and deuterio polybutadiene with sulfur, 36 219

—, see SEMON, W. L., 31 847

SHORT, J. N., G. KRAUS, R. P. ZELINSKI, AND F. E. NAYLOR, Polybutadienes of controlled cis, trans and vinyl structures, 32 614

SHOTTAFER, J. E., see BOENIC, H. V., 39 974

SHOTTAFER, J. E., see BOENIC, H. V., 39 974 vinyl structures, 32 614
SHOTTAFER, J. E., see BOENIC, H. V., 39 974
SHTARKH, B. V., see SHVETSOV, V. A., 35 335
SHEINBERG, Z. D., see RAEVSKII, V. G., 35 1041
SHU-TSIU, U., see YAMPOLSKII, B. Y., 35 877
SHVARTS, A. G., EVALUATION of INDER-SOIVENT INTERCEPT.
SHVARTS, A. G., EVALUATION of VIDENTIAL OF INTERCEPT.
SHVETSOV, V. A., A. S. NOVIKOV, AND A. P. PISARENKO, STRUCTURE OF filled NBR vulcanizates by the stretching method (Mullins effect), 34 959
——, A. P. PISARENKO, B. V. SHTARKH, AND A. S. NOVIKOV, An electron microscope study of filler-rubber mixtures, 38 335 — , A. P. Fibarenko, B. V. Shtarkh, and A. S. Novikov, An electron microscope study of filler-rubber mixtures, 33 335
Sidorovich, A. V. and E. V. Kuvshinskii, Thermomechanical studies of amorphous and crystalline polymers, 37 355
—, see Fomenko, B. A., 37 365
Sidorovich, E. A., see Kuvshinskii, E. V., 32 662
—, see Marei, A. I., 40 517
Sieron, J. K., High temperature elastomers for extreme aerospace environments, 39 1141
Sieron, J. K., High temperature elastomers for extreme aerospace environments, 39 1141
Sieron, J. K., High temperature elastomers for extreme aerospace environments, 39 1141
Sieron, J. K., High temperature elastomers for extreme aerospace environments, 39 1141
Sieron, J. K., High temperature elastomers for extreme aerospace environments, 40 1230
Sieron, A. And L. Weissbein, Kinetics of urethan cleavage in crosslinked polyurethans, 40 1230
Sieror, A. K., see Bhaumik, M. L., 38 1059
—, see Chatteriele, P. K., 35 665, 671
Skewis, J. D., Measurement of rubber tack, 38 689
Self-diffusion coefficients and tack of some rubbery polymers, 39 217
Skordoumova, Z., see Docadkin, B., 31 361 Self-diffusion coefficients and tack of some rubbery polymers, 39 217
Skordodumova, Z., see Dolgodkin, B., 31 361
Sladkevich, E. G., see Dolgoplosk, B. A., 32 328
Slichter, W. P., Nuclear magnetic resonance studies of elastomers, 34 1574

—, and D. D. Davis, Nuclear magnetic resonance studies of molecular motion in natural rubber, 36 318; 38 517
Sliemmers, F. A., B. Bennett, P. B. Stickney, and R. G. Heiligmann, Factors influencing the stability of SBR lates, 33 535
SLIAME, V. A. see COLE H. M. 39 250 SLIEMMERS, F. A., B. BENNETT, P. B. STICKNEY, AND R. G. HEILIGMANN, Factors influencing the stability of SBR latex, 33 535
SLJAKA, V. A., see COLE, H. M., 39 259
SLOBODIN, YA. M., V. E. MAYOROVA, AND A. M. SMIRNOVA, Thermal degradation of ethylene propylene rubber. Cg-Ca hydrocarbons as thermal decomposition products of SKEP, 38 674
SLONIMSKII, G. L., Mutual solubility of polymers and properties of mixtures, 32 87
Status of the theory of bond strength in multiply articles, 33 306
—, V. A. KARGIN, AND E. V. REZTSOVA, Mechanochemical phenomena in polymers. IV. Modification of raw and vulcanized rubbers, 33 959
—, AND N. F. KOMSKAYA, Mutual solubility of polymers. III. The viscosity of mixed rubbers and the behavior of solutions of these, 31 244
—, AND G. P. DRUGOVA, Mechanochemical phenomena in polymers. III. Strength of the bond between elements of multiply polymer articles, 33 953
—, AND E. V. REZTSOVA, The mutual solubility of polymers. V. Mechanochemical blending, 33 457
Mechanochemical phenomena. I. Chemical flow in raw and vulcanized rubber, 36 473
—, AND G. V. STRUMINSKII, The mutual solubility, 31 257
—, see Gennchinovich, B. 1, 23 673
—, see Gennchinovich, B. 1, 23 673
—, see Gennchinovich, B. 1, 23 673
—, see SCHOMBAYA, N. F., 31 49
—, see REZTSOVA, E. V., 33 946; 36 480; 38 657
—, see STRUMINSKII, G. V., 31 250
—, see TRUMINSKII, G. V., 31 250
—, see TRUM Modification of a thermogravimetric balance for pyrolysis in a controlled atmosphere, 37 934

—, see Dudley, M. A., 40 445

—, see Russell, R., 36 835; 37 576, 583

SMITH, D. E., see MARTEL, R. F., 34 658; 35 141

SMITH, D. S., see COLE, H. M., 39 259 SMITH, F. B., Response of elastomers to high temperature cure, 34 571 SMITH, K. J., JR., A GREENE, AND A. CIFERRI, Crystallization under stress and non-gaussian behavior of macromolecular networks, 39 685 - AND D. PUETT, Stress optical behavior of rubber networks at large deformations, 39 1436 , see GREENE, A., 40 650 SMITH, P. J. A., see MUSTY, J. W. G., 40 1166 SMITH, R. K., see COOPER, W., 40 1553

SMITH, R. W., Vacuole formation and the Mullins effect in SBR blends with polybutadiene, 40 350
—, and A. L. Black, Service-induced diffusion and nodule formation in rubber stocks, 37 338
SMITH, T. L., Dependence of the ultimate properties of a SBR rubber on strain rate and temperature, 32 992 Volume changes and dewetting in glass bead-polyvinyl chloride elastomeric composites under large volume changes and dewetting in glass bead-polyvinyl chioride elastomeric composites under large deformations, 34 123

Nonlinear viscoelastic response of amorphous elastomers to constant strain rates, 36 682

I. Characterization by a time and temperature independent failure envelope, 37 777

II. Comparison of failure envelopes for unfilled vulcanizates, 37 792

III. Dependence of the failure envelope on crosslink density, 40 544

—, AND J. E. Frederick, Ultimate tensile properties of elastomers. IV. Dependence of the failure envelope, maximum extensibility, and equilibrium stress strain curve on network characteristics, 40 694 , AND A. B. MAGNUSSON, Diisocyanate-linked polymers. II. Mechanical and swelling properties of some polyurethane elastomers, 33 1092

III. Relationships between the composition and ultimate tensile properties of some polyurethane 1. Relationships between the composition and ultimate tensile properties of some polymentane elastomers, 38 753
, AND P. J. STEDRY, Time and temperature dependence of the ultimate properties of an SBR rubber at constant elongations, 34 897 at constant elongations, 34 897

—, see Landel, R. F., 35 291

Smith, W. A. and J. M. Willis, Diene rubber: compounding and testing, 34 176

—, see Adams, H. E., 31 838

Snisarenko, A. M., see Tarasova, Z. N., 38 666

Snisarenko, A. M., see Tarasova, Z. N., 38 666

Snowdon, J. C., Choice of resilient materials for anti-vibration mountings, 32 1209

Dynamic properties of rubberlike materials and the isolation of mechanical vibration, 34 148

Isolation from vibration with a mounting utilizing low- and high-damping rubberlike materials, 35 798

Representation of the mechanical damping possessed by rubberlike materials and structures, 37 370

Occurrence of wave effects in rubber antivibration mountings, 39 740

Snyder, C. E. and D. S. Weir, Controlled instability of polymers for grid-type satellites, 39 1161

Soden, A. L., see Houches, B. G., 36 875

Soden, A. L., see Houches, B. G., 36 875

Socolova, T. I., G. L. Stonmskii, and V. A. Kargin, Viscous flow and flow temperature of polymers, 37 627

—, see Kargin, V. A.. 36 111 —, see Kargin, V. A., 36 111
Soininen, A., W. Bask, and A.-L. Pehu-Lehtonen, Effect of piperidine on rubber solutions, 37 477

—, A. Pehu-Lehtonon, and E. Auterinen, Atmospheric ozone in Helsinki and its effects on rubber, 36 516 — A. Pehu-Lehtonon, and E. Auterinen, Atmospheric ozone in Helsinki and its effects on rubber, 36 516 Sonnenberg, S., see Echte, E., 33 1051
Sonnenberg, S., see Echte, E., 33 1051
Southern, E. and A. G. Thomas, An oscillating blade microtome for rubber, 36 514
Spacht, R. B., Best paper committee, 39(4)cxviii
—, W. S. Hollinoshead, H. L. Bullard, and D. C. Wills, Volatility of antioxidants and antiozonants. I. Pure compounds in absence of rubber, 37 210
II. Effect on rubber testing, 38 134
Spasskova, A. I. and D. I. Raeinbovitch, Structure of the spongy polymer of isoprene, 34 211
—, see Yakurchik, A. I., 34 200
Spott, G., see F. Patat, 39 1411
Staffin, G. D., see Beerbower, A., 37 246
Stafford, W. E., J. B. Allergoff, and D. T. Sargent, Contributions to the mechanism of devulcanization. II., 31 202
—, and R. A. Wright, Modern theories of rubber reclaiming, 31 599
Stange, P., see Scheele, W., 31 539; 32 150
Starmer, P. H. and C. H. Lupter, Swelling effect of liquids on NBR (nitrile rubber), 34 964; 35 257
Starosinets, G. L., Sorption of binary solutions by vulcanizates of natural and synthetic rubber. I. Isotherms of effective sorption, 32 77
Stareny, F. W., P. H. Biddison, M. J. Forster, H. G. Dawson, and J. J. Binder, Structure of various natural rubbers, 34 423
Stearns, C. A., see Trivisonno, N. M., 35 937
Stearns, R. S. and L. E. Forman, Stereoregular polymerization of isoprene with lithium and organolithium compounds, 33 595
—, see Adams, H. E., 31 338
Stereny, P. I. see Lander, R. E., 34 884 lithium compounds, 33 595

—, see Adams, H. E., 31 838

Stedry, P. J., see Landel, R. F., 34 884

—, see Smith, T. L., 34 897

Steel, M. N., see Mandel, J., 33 502

Stein, R. S., see Yau, W., 38 58

Steingiser, S., W. C. Darr, and J. H. Saunders, Permanence properties of flexible urethan foams, 37 38

Stemmer, H. D., see Scheele, W., 32 962

Stevens, J. R. and D. G. Ivey, Mechanical behavior of a polymer at temperature sthrough the glass

transition temperature, 32 434

Stewmer, L. F., see Lunno, F. L. 31 710 Transition temperature, 32 434
STEWART, J. E., see Linnig, F. J., 31 719
STEWART, R. A., see Angove, S. N., 39 755
STICKNEY, P. B. AND R. D. FALB, Carbon black-rubber interactions and bound rubber, 37 1299
— E. E. McSwenney, W. J. Mueller, and S. T. Palinchak, Bound-rubber formation in diene polymer stocks, 31 369
— , see Kell, R. M., 31 499
— , see Mueller, W. J., 37 990
— , see Palinchak, S. T., 31 374
— , see Sliemers, F. A., 33 535
STERLIER, R. D. AND F. L. ROTH, Comparison of standard and microtests for international rubber hardness.

STIEHLER, R. D. AND F. L. ROTH, Comparison of standard and microtests for international rubber hardness,

36 82

-, see Linnig, F. J., 39 1041 -, see Mandel, J., 33 502 -, see Roth, F. L., 34 798

STOREY, E. B., Oil-extended rubbers, 34 1402
—, see Briggs, G. J., 36 621; 37 128
—, see Gelinas, L. P., 35 339
Strads, S. and S. L. Madorsky, Thermal degradation of polyacrylonitrile, polybutadiene, and copolymers of butadiene with acrylonitrile and styrene, 32 748
STRELLA, S., see Newman, S., 39 1019
STREL'NIKOVA, N. P., see Feldshtein, M. S., 32 983
STRUMINSKII, G. V. AND G. L. SLONIMSKII, Mutual solubility of polymers, 31 250
— see Stonimskii G. I., 31 257 STRUMINSKII, G. V. AND G. L. SLONIMSKII, Mutual solubility of polymers. 31 250

—, see SLONIMSKII, G. L., 31 257

—, see SLONIMSKII, G. L., 31 257

—, see SLONIMSKII, G. L., 31 257

STUDEBAKER, M. L., Chemistry of carbon black and reinforcement, 30 1400

Changes in polysulfide content during road tests of SBR tires, 39 1526

Effect of curing systems on selected physical properties of natural rubber vulcanizates, 39 1359

—, and L. G. Nabors, Sulfur group analyses in natural rubber vulcanizates, 32 941; 1676

Benzothiazyl disulfide-accelerated vulcanization of carbon black loaded natural rubber, 36 863

Determination of carbon black particle size by reflectance, 40 1319

—, see Dollinger, R. E., 40 1323

STUEBER, C. C., see Sellers, J. W., 34 729

STUBPER, N. A., see RAILSBACK, H. E., 32 308

STUARS, N. A., see RAILSBACK, H. E., 32 308

STUBARS, S. A., V. V. SAMOLETOVA, AND A. K. ZNAMENSKAYA, SKI rubber, a new polyisoprene, 31 44

—, see Votinov, M. P., 33 988

SUITO, E. AND M. ARAKAWA, Infrared studies of the rubber-filler system. I. Infrared absorption spectra of inorganic fillers, 38 219

II. Identification of rubbers compounded with fillers by infrared absorption spectra, 38 227

SULLIVAN, V. S., see YAKUBCHIK, A. I., 35 1063

SULLIVAN, A. B., see WISE, R. W., 35 684

SULLIVIAN, F. A. V. AND A. R. DAVIS, A method of screening antiozonants, 33 899

SULLYEN, K., see I WAKURA, Y., 33 416

SUZUKI, YASUKIRA, See SHIBAYAMA, K., 40 376

SVEPLIK, I. F., see CONNAT, F. S. 31 562 Suslikarov, A. v., see Iwakura, Y., 33 410
Suzuki, Yasukira, see Shibayama, K., 40 376
Suzuki, Yasukira, see Shibayama, K., 40 376
Svetlik, J. F., see Conant, F. S., 31 562
Sweelly, J. S., see Ferens, S. W., 32 379
Swelly S., see Ferens, S. W., 32 379
Swelly S., see Ferens, S. W., 32 379
Swelly S., see Seering, S. W., 32 379 Swiff, P. M., Bulk polymerization in natural rubber swollen by methyl methacrylate, 32 799—, see Grosch, K. A., 39 1656—, see Moore, C. G., 35 105
Szor, P., see Schay, G., 32 409
Szukiewicz, W., see Berger, S. E., 38 150 TABOR, D., Hysteresis losses in the friction of lubricated rubber, 33 142

—, see Greenwood, J. A., 33 129

TARAHASHI, M., see TOROLSKY, A. V., 37 285; 39 524, 1030

TAKENAKA, TOHRU, see GOTOH, R., 40 663

TALALAY, L., Agglomeration and reinforcement of synthetic latexes by freezing, 36 581

TAMASHEVSKII, E. E., see ZHURKOV, C. N., 35 813

TAMM, K., see NAAKE, H. J., 32 21

TANAKA, T. AND T. YOKOYAMA, Relation between structure and physical properties in polyurethans, 35 507. TANAKA, 7 TANEJA, H. L. AND S. BANERJEE, Studies on the kinetics of vulcanization of rubber, 37 557
TANGORRA, G., New indentor hysteresimeter, 34 347
Indenter hysteresimeter for testing dynamic properties, 36 1107
Pressures and flow rates in extruders with axially-variable geometry, 39 418
Hardness, modulus, and thickness, 39 1520
TARABOVA, Z. N. AND B. A. DOGADKIN, Thermal stress relaxation of vulcanizates of various structures, SO 1625

1. I. ETTINGON, L. G. SENATORSKAYA, T. V. FEDOROVA, AND B. A. DOGADKIN, Phenothiazine as an antifatigue agent for natural rubber, synthetic polyisoprene and SBR, 38 661

1. I. ETTINGON, L. G. SENATORSKAYA, T. V. FEDOROVA, A. M. SNISARENKO, G. I. ANDRONOVA, AND B. A. DOGADKIN, Effect of thio derivatives of amines and phenols on the behavior toward thermomechanical treatment and on fatigue of vulcanizates, 38 666

3. see DOGADKIN, B., 31 361; 32 785

TARKOWSKI, H. L., see VANDERHOFF, J. W., Theoretical consideration of interfacial forces involved in coalescence of latex particles, 40 1246

TAUBMAN, A. B., S. N. TOLSTAYA, V. N. BORODINA, AND S. S. MIKHAILOVA, Adsorption modification of fillers and structure formation in solutions of polymers, 36 143

TAWNEY, P. O., J. R. LITTLE, AND P. VIOLIN, Vulcanization of butyl rubber with phenol formaldehyde derivatives, 38 229

W. J. WENDSCH, S. VAN DER BURG, AND D. I. RELYEA, Vulcanization with maleimides, 38 352 39 1625

Genvatures, 33 229

—, W. J. Wenisch, S. Van Der Burg, and D. I. Relyea, Vulcanization with maleimides, 38 352

Taxlor, C. E., Diaphragm vulcanized adhesion test method, 38 791

Taxlor, G. L., see Boonstra, B. B., 38 943

Taxlor, W. D., see Boonstr, C., 38 325

Tettelbaum, B. Va. And N. P. Anosinna, Thermographic study of elastomers. III. Peculiarities of crystallization of natural rubber, 40 458

Thermography of the molecular weight of linear control of the molecular weight of linear controls. Crystalization of natural rubber, 40 458

—, AND E. F. GUBANOV, Thermomechanical characterization of the molecular weight of linear polymers exemplified by natural rubber, 37 99

TESTROET, F. B., see OSEFORT, Z. T., 39 1308

TEWKSBURY, L. B., see PIRESON, R. M., 31 213

THACKRAY, G., see HAWAED, R. N., 38 539

THELAMON, C., Vulcanization of rubber by means of resins, 36 268

31 = 1958, 32 = 1959, 33 = 1960, 34 = 1961, 35 = 1962

THEOCARIS, P. S., Relaxation response of polyurethan elastomers, 39 375
THEORN, P. AND R. CHASSET, Relative contributions of viscoelasticity and aging to the relaxation of
rubber vulcanizates, 36 50
Relative contributions of viscoelasticity and aging to the relaxation of cured rubber, 37 617 Relative contributions of viscoelasticity and aging to the relaxation of cured rubber, 37 617

—, see CHASSET, R., 36 317; 39 870

—, see DESANGES, H., 31 631

THOMAS, A. G., Rupture of rubber. V. Cut growth in natural rubber vulcanizates, 32 477

VI. Further experiments of the tear criterion, 34 66

—, see GENT, A. N., 36 597; 38 292

—, see MULLINS, L., 34 301

—, see SOUTHERN, E., 36 514

THOMAS, D. K., Limitations of the Tobolsky 'two network' theory in interpretation of stress relaxation data in rubbers, 40 621

Network scission processes in peroxide cured methylvinyl silicone rubber, 40 629 data in rubbers, 40 621
Network scission processes in peroxide cured methylvinyl silicone rubber, 40 629
Thorne, J. A., see Polmanterr, K. E., 39 1403
—, see Whipper, C. L., 39 1247
Horney, E. R., Role of antiozonants in modern tire compounding, 37 973
Tikhomero, B. P., see Blukh, G. A., 32 770
—, see Yakuberik, A. I., 35 1052, 1060, 1063
Timm, T., see Kruse, J., 33 763
Tinman, T., see Kruse, J., 33 763
Tinman, T., see Kruse, J., 38 763
Tinman, E. I., B. A. Dolgoplosk, and V. N. Reikh, Oxidation-reduction systems for initiation of radical processes. VI. Systems involving oxygen for initiation of oxidative degradation of polymers, 39 731 radical processes. VI. Systems involving oxygen for initiation of oxidative degradation of polymers, 32 231

— E. K. Khrennikova, and B. A. Dolgoplosk, Role of hydrogen disulfide in vulcanization, 31 353

— V. N. Reikh, and T. G. Zhuravleva, Role of oxidation-reduction systems in vulcanization with sulfur, 32 220

—, see Dolgoplosk, B. A., 32 244, 321

Tobin, N. R., see Mullins, L., 31 505; 39 799

Tobolsky, A. V., V. Johnson, and W. J. Macknight, Cleavage reactions in crosslinked urethan elastomers, 40 614

— W. J. Macknight, and M. Takahashi, Relaxation of disulfie and tetrasulfide polymers, 39 524

— and C. E. Rogers, Anionic polymerization of isoprene: Effect of ionic character of the growing ion pair on polymer structure, 33 652

Isoprene polymerization by organometallic compounds. II. 33 655

— and M. Takahashi, Characteristic viscoelastic parameters for amorphous polymers, 37 285

Elemental sulfur as a plasticizer for polysulfide polymers and other polymers, 39 1030

—, see Lyons, P. F., 39 1634

—, see Meltize, T. H., 37 221

—, see Mercurio, A., 33 72

—, see Norling, P. M., 38 1198; 39 278

Todd, N., see Brown, R. J., 36 546

Tokita, N., see Tumman, A. B., 36 143

Tolstukhina, F. S., see Dogadkin, B. A., 31 569

—, see Zarhamerko, N. V., 35 326

Tomashevskii, E. E., see Bresler, S. E., 33 462

Tomashevskii, E. E., see Bresler, S. E., 33 462

Tomashevskii, E. E., see Scheele, W., 31 539; 32 128; 33 846

Trapeznikov, A. A., Elastorelaxometer for large reversible deformation of elastomeric systems and polymer solutions, 34 165

—, and T. V. Assonova, Strength and elastomeric properties of rubber solutions and their vulcanizates at high deformation rates, 33 921 Trapeznikov, A. A., Elastocelaxometer for large reversible deformation of elastomeric systems and polymer solutions, 34 165

—, AND T. V. Assonova, Strength and elastomeric properties of rubber solutions and their vulcanizates at high deformation rates, 33 921

Trapeznikova, O. N. And G. E. Smirnova, Scattering of light in crystalline polymers. I. Formation and melting of the crystalline phase in neoprene, 32 463

Treco, B. R., see Moder, C. G., 35 113

Trecoar, L. R. G., Interpretation of the mechanical properties of covered-rubber yarns, 35 949

—, see Wilson, N., 34 1169

Trick, G. S., Crystallization of modified cis-polybutadiene, 33 699

—, see Pireson, R. M., 31 213

Tripeznikova, G. N., E. Morita, And E. J. Young, 2-Mercaptothiazole and derivatives as vulcanization accelerators, 35 1360

Trivesting, C. D., Jr., E. Morita, And E. J. Young, 2-Mercaptothiazole and derivatives as vulcanization accelerators, 35 1360

Trivisono, N. M., C. A. Stearns, and J. M. Kime, Dynamic testing apparatus for rubbers and plastics, 35 937

Tropimova, V. I., see Kusov, A. B., 31 513

Trichmanula, H. L., David Craig (Obituary), 37(4)xxiii

Tritornisev, V. A., see Lishanskii, M. S., 40 934

Tsurkog, J., Action of amines on the reaction of diphenylmethane with sulfur, 31 773

II. Kinetics of bydrogen sulfide evolution during the reaction of diphenylmethane and sulfur, 31 769

The chemistry of vulcanization. I. Diphenylmethane and 2,2'-dibenzothiazoly disulfide, 31 800

Action of 2,2'-benzothiazolyl disulfide on the reaction of diphenylmethane and sulfur, 31 788

Chemistry of vulcanization. VI. Action of the zinc salt of 2-mercaptobenzothiazole on the reaction of diphenylmethane with sulfur, 31 788

Chemistry of vulcanization by I. Action of the zinc salt of 2-mercaptobenzothiazole on the reaction of diphenylmethane with sulfur, 31 788

VII. Role of zinc butyrate in the reaction of diphenylmethane, sulfur, and 2-mercaptobenzothiazole, 33 217

-, F. TSUGIO, Y. MASAYUKI, AND I. HIROSHI, Radiation induced cis and trans isomerization of polyisoprenes and temperature dependence of the equilibria, 40 1222

-, AND T. NAKABAYASHI, Action of 2-mercaptobenzothiazole on the reaction of diphenylmethane and sulfur, 31 779

-, see FUKUDA, H., 34 648; 35 484, 491

TSVETKOV, V. N., Flexibility and shape of macromolecules, 36 337
TSYDZIK, M. A., A. I. LUKOMSKAYA, AND G. L. SLONIMSKII, Dynamic methods for determination of bond strength between rubbers and between rubber and cord, 33 42
TUCKER, H., Reaction of ozone with rubber, 32 269
—, see DIEM, H. E., 34 191
—, see SEMON, W. L., 31 847
TUCKER, H. A. AND A. G. VEITH, Ring-alkylated p-phenylenediamines as antiozonants, 36 537
TUMANOVA, A. I., see BUIKO, G. N., 33 556
TUNO, C. C., see KILBOURNE, H. W., 32 1155
TUNNICLIPPE, M. E., see COOPER, W., 39 964
—, see CORISH, P. J., 39 226
TURNER, D. T., Radiation crosslinking of rubber effect of additives, 31 737
IITRADIATION of Tubber and styrene. Graft polymer formation, 32 1243
Radiation of rubber and styrene. Graft polymer formation, 32 1243
Radiation crosslinking of rubber. Yields of hydrogen and crosslinks, 34 735
—, see BUEOW, S. P., 39 631
—, see BULLINS, L., 38 1072
TUTORSKII, I. A., L. B. GINSBURG, AND B. A. DOGADKIN, Mechanism of disulfide decomposition under vulcanization conditions, 34 334
—, V. V. MARKOV, L. P. FOMINA, V. B. BELYANIN, B. A. DOGADKIN, Cyclization of diene polymers, 36 1019
—, see DOGADKIN, B., 81 343, 348, 361, 751; 32 184

—, see DOGADKIN, B., 31 343, 348, 361, 751; 32 184
TYLER, W. P., Analysis of composition and structure of rubber and rubber products, 40 238

UELZMANN, H., Theoretical study of the mechanism of Ziegler-type polymerizations, 32 597
UETZ, H., see Wellinger, K., 34 482
UNBEHEND, M., see HOFFMANN, M., 36 815
UNGAR, I. S. AND G. A. LUTZ, Ozonation of butyl rubber to estimate unsaturation, 32 205
URA, K., see SHIMOZATO, J., 31 211
URANECK, C. A., M. G. BARKER, AND W. D. JOHNSON, Determination of molecular weight distributions of diene-containing rubbers by precipitation chromatography, 38 802
UZINA, R. V. AND M. S. DOSTYAN, Bond strength at the cord-impregnant (adhesive)-rubber boundary layer, 32 870

1. S. GROMOVA, AND S. A. VASIL'EVA, Methods for determination of rubber to cord bond strength,

VACCA, G. N., Comparison of accelerated and natural tests for ozone resistance of elastomers, 32 1080 VAKULA, V. L., H. YUN-TSUI, V. E. GUL, AND S. S. VOYUTSKII, Adhesion of high polymers. VI. The effect of molecular weight on NBR copolymers of various polarities on adhesion to polar and nonpolar materials, 34 562

materiais, 34 502

—, see Voyutskii, S. S., 35 794; 37 1153
VALAN, K. J., see Pellon, L., 39 1617
VALVASSORI, A., see NATTA, G., 36 988, 1583

VALAN, K. J., see PELLON, L., 39 1617
VALVASSORI, A., see NATTA, G., 36 988, 1583

—, see SARTORI, G., 36 620
VAN AMERONGEN, G. J., Diffusion in elastomers, 37 1065

—J. F. BENDERS, AND H. C. J. DEDECKER, Tire abrasion at different temperatures, 31 650
VAN BEEK, L. AND B. VAN PUL, Internal field emission in carbon black loaded natural rubber vulcanizates,
36 740; 37 348
VAN BEEK, L. AND B. VAN PUL, Internal field emission in carbon black loaded natural rubber vulcanizates,
W. V. C., see Bussemaker, O. K. F., 37 28
VAN DER BURG, S., see TAWNEY, P. O., 38 352
VAN DER BURG, S., see TAWNEY, P. O., 38 352
VAN DER BURG, S., see TAWNEY, P. O., 38 352
VAN DER BURG, S., see TAWNEY, P. O., 38 352
VAN DER BURG, S., see TAWNEY, P. O., 37 345
VAN DER BURG, S., see TAWNEY, P. O., 37 345
VAN VERTH, D., See CONCESS INVOICED in coalesence of latex particles, 40 1246
VAN KREVELEN, D. W. AND P. J. HOFTYZER, Practical evaluation of the viscosity and molecular weight
relation, 40 806
VAN PUL, B. I. C. F., Ozone resistance of natural rubber vulcanizates, 31 866
—, see VAN BEEK, L., 36 740; 37 348
VAN VERTH, J. E., see KILBOURNE, H. W., 32 1155
VANZO, E., Ordered structures of styrene butadiene block copolymers, 40 1526
VASIL'EVA, S. A., see PENEGIN, V. A., 32 503

—, see Uzina, R. V., 32 398
VAUGHAN, G., see COOPER, W., 36 488; 39 964
—, see Greman, R., 40 569
VEERMANN, A., see De KOCK, R. J., 40 563
VEITH, A. G., Quantitative measurement of rate of ozone cracking, 32 346
New tear test for rubber, 38 700
—, see TUCKER, H. A., 36 537
VEERMAN, A., see BCOCPER, W., 36 488; 39 1627
VIA, G. H., see KRIGDAUM, W. R., 40 788
VEERMAN, W., Surface heating by friction and abrasion by thermal decomposition, 31 925
VILMITS, S. A., see GUL, V. E., 32 692
VILNOCARDOVA, N. D., see LISHANSKII, M. S., 40 934

VILNITS, S. A., see Gul, V. E., 32 692 VINOGRADOVA, N. D., see LISHANSKII, M. S., 40 934

VIOHL, P., see TAWNEY, P. O., 33 229

VISHNITSKAYA, L. A., see BARTENEV, G. M., 36 59

VOEKS, J. F., Cohesive energy density and internal pressure of high polymers, 39 969

Voet, A., New dispersible carbon blacks, 37 1006 Surface area of nonporous carbon black and area of the adsorbed nitrogen molecule, 37 630 Fundamental properties of high structure blacks, 38 677

31 = 1958, 32 = 1959, 33 = 1960, 34 = 1961, 35 = 1962

```
VOET, A. AND F. R. COOK, Mild stress softening and dynamic properties of rubber vulcanizates, 40 1364

—, see DONNET, J.-B., 40 919

—, see MARSH, P. A., 40 359
VOHWINKEL, K., Use of white pigments in the rubber industry, 36 158
VOLODIN, V. P., see FOMENKO, B. A., 37 365
VON ARNIM, E., see CHARLESBY, A., 31 98
VOSK, M. J. AND J. J. HEBMANS, Wandering of crosslinks in rubber at high temperature, 32 696
VOSKRESENSKII, V. A., see BYL'EV, V. A., 37 770
VOSKRESENSKII, V. A., see BYL'EV, V. A., 37 770
VOTINOV, M. P. AND E. V. KUVSHINSKII, Thermoelastic phenomena in SKS-30A and SKB rubber compounds in adiabatic deformation, 32 1016

—, S. A. SUBBOTIN, V. V. SAMOLETOVA, S. P. KONYTOVSKAYA, AND E. V. KUVSHINSKII, Crystallizability of SKI vulcanizates by adiabatic stretching, 33 988

—, L. L. SULZHENDO, AND E. V. KUVSHINSKII, Thermoelastic phenomena in natural rubber compounds during cyclic deformation, 32 1020
VOYUTSKII, S. S. Diffusion theory of adhesion, 33 748
Elastometic adhesion and adhesives, 34 1188

—, AND R. M. PANICH, Stability of high polymer latexes and their electrokinetic potentials, 31 1105

—, A. I. SHAPOVALOVA, AND A. P. PISARENKO, Adhesion of high polymers. 3. Effects of the size, shape, and polarity on adhesion to cellophane, 31 712

—AND V. L. VAKULA, Adhesion of synthetic rubbers to various high molecular substrates, 35 794

Effects of self-diffusion and inter-diffusion in polymer systems, 37 1153

—, see SHAPOVALOVA, A. 1, 31 89

—, see SHAPOVALOVA, A. 1, 31 89

—, see SHAPOVALOVA, A. 1, 31 69

—, see SHAPOVALOVA, A. 1, 31 69
           Wadelin, C., see Ambelang, J. C., 36 1497
—, see Hively, R. A., 32 123
Wagner, M. P., see Bachmann, J. H., 32 1286
—, see Laning, S. H., 33 890
—, see Sellers, J. W., 34 729
Wakasugi, T., see Iwakura, Y., 33 416
Wall, L. A. And J. H. Flynn, Degradation of polymers, 35 1157
—, see Yu, H., 39 982
Wallenregger, F. T., Structure of angular polycycloisoprene, 36 558
Walters, M. H., Fibrous structure in stretched crystalline elastomers, 37 839
—, AND D. N. Keyter, Helerogeneous structure in blends of rubber polymers, 38 62
Wanless, G. G., P. E. Wei, And J. Rehner, Jr., Reactions of isoparafins with sulfur and di-t-butyl peroxide, 35 562
Reactions of isoparafins with sulfur and di-t-butyl peroxide, 35 118
           Wanless, G. G., P. E. Wei, and J. Rehner, Jr., Reactions of isoparaffins with sulfur and di-t-butyl peroxide, 35 518

Warfield, R. W. and M. C. Petrere, Thermodynamic properties of natural rubber and isoprene, 39 143

Warfield, R. W. and M. C. Petrere, Thermodynamic properties of natural rubber and isoprene, 39 143

Warfield, R. W., see Case, L. C., 39 1489

Warnaka, R. V., see Case, L. C., 39 1489

Warnaka, G. E., Dynamic strain effects in elastomers, 36 407

—, and H. T. Miller, Strain dependent properties of polymers. I, 39 1421

—, see Miller, H. T., 39 1428

Watanabe, K., Stress relaxation and creep of several vulcanized elastomers, 35 182

Watson, A. A., see Saville, B., 40 100

—, see Moore, C. G., 34 795

Watson, W. F., Chemical reactions induced by polymer deformation, 33 80

—, and D. Wilson, A uni-rotor mixer for rubbers and plastics, 31 667

—, see Angler, D. J., 31 58, 73

—, see Dunn, J. R., 33 423, 433

—, see Hughers, B. G., 38 875

—, see Lee, D. F., 38 1005

—, see Mullins, L., 33 91

—, see Pane, A. R., 36 147

—, see Scanlan, J., 31 1201

Wattan, H., Streaming birefringence as a rheological research tool, 40 748

Wei, P. E. and J. Rehner, Jr., New vulcanizing systems for ethylene-propylene elastomers, 35 133

New vulcanizing agents for ethylene-propylene elastomers. II, 35 1091

—, G. E. Serniuk, and J. Rehner, Jr., New vulcanizing agents for ethylene propylene elastomers. III, 39 1094

—, see Makowski, H.-S., 38 509

—, see Serniuk, G. E., 39 1105
                 G. E. SERRIUK, AND J. KEHNER, JR., New vulcanizing agents for ethylene propylene elastomers. 111, 39 1094

—, see Makowski, H.-S., 38 599

—, see Serniuk, G. E., 39 1105

—, see Serniuk, G. E., 39 1105

—, see Wanless, G. G., 35 118

Weidner, C. L. and G. J. Crocker, Elastomeric adhesion and adhesives, 33 1323; 34 1190

Weinner, C. L. and G. J. Crocker, Elastomeric adhesion and adhesives, 33 1323; 34 1190

Weinner, C. L. and G. J. Crocker, Elastomeric adhesion and adhesives, 33 1323; 34 1190

Weinner, C. L. and G. J. Crocker, Elastomeric adhesion and adhesives, 33 1323; 34 1190

Weinner, L., see Jonsen, C. E., 39 1161

Weinner, L., see Singh, A., 40 1230

Weinzel, D. H., see Robbins, R. F., 37 154

Welding, G. N., see Ellis, B., 37 563, 571

—, see Russell, R., 36 835; 37 576, 583

Wellinger, K. and H. Uetz, Abrasive wear research on rubber, 34 482

Wenisch, W. J., see Bevilacoua, E. M., 38 647

—, see Tawner, P. O., 38 352

Wenterman, L., see Gamble, L. W., 38 823

Westfahl, J. C., and D. Crano, Aldehyde-amine accelerators. The structure of some substituted dihydropyridines, 36 259
                                                                                                                                                                                                                                                                                              36 = 1963, 37 = 1964, 38 = 1965, 39 = 1966, 40 = 1967
```

WESTLINNING, H. AND G. BUTENUTH, Swelling and network (crosslink) density of carbon black filled

natural rubber vulcanizates, 35 274.

AND G. Edikovita, Swelling and network (clossink) detailed black in natural rubber, 35 615, AND G. Leineweber, Crystallization phenomena in filled, unstretched, natural rubber, 35 615, see Butenutri, G., 37 311

IPPLE, C. L. AND J. A. THORNE, Performance of elastomeric silicones in ablative and senvironments, 39 1,245. THORNE, Performance of elastomeric silicones in ablative and space

environments, 39 1247

Whittby, G. S., Carl Dietrich Harries (biographical), 34(4)xxii

Sir William A. Tilden (biographical), 38(1)xii

Johan Rudolf Katz (biographical), 39(3)xcii

Whitte, F. L., see Ancove, S. N., 39 755

Whitte, J. L. and N. Tokita, Rheological analysis of raw elastomers with the multispeed mooney shearing disk viscometer, 39 436

——, see Metzner, A. B., 40 1426

—, see Metane, A. B., 40 1426

Wiener, F. M. and C. M. Goods, Determination of the damping characteristics of fabric reinforced rubber strips for flexural waves at audio frequencies, 34 158

Wilder, G. R., see Kilbourne, H. W., 32 1155

Willer, R. A., see Cunneen, J. L., 40 921

Williams, H. L., see Henderson, J. F., 38 817

Williams, M. L., see Henderson, J. F., 38 817

Williams, M. L., see Howard, W. H., viscoelasticity and flatspotting, 40 1139

Williams, M. L., see Howard, W. H., viscoelasticity and flatspotting, 40 1139

Williams, A. A., see Saith, W. A., 34 176

Williams, A. A., see Saith, W. A., 34 176

Williams, J. A., see Saith, W. A., 34 176

Williams, J. H., see Blils, K. W., 37 524

Williams, J. C., see Specht, R. B., 37 210; 38 134

Williams, D., see Watson, W. T., 37 210; 38 134

Wilson, D., see Watson, W. F., 31 667

Wilson, N., and L. R. G. Teeloar, Rubber models of yarns and cords; the "doubling" of single rods, 31 1109

Winckhofer, R. C., see Papero, P. V., 38 999

8

S4 1169
WINCKLIDFER, R. C., see PAPERO, P. V., 38 999
WINGARD, R. E., see HAMMEIT, R. E., 39 206
WINSLOW, F. H., see HAMKINS, W. L., 32 1164, 1171
WISE, R. W., see CASPBELL, R. H., 37 635, 650
—, see Decker, G. E., 36 451
—, and A. B. Sullivan, Determination of amine type antidegradants by high-temperature gas chromatography, 35 684
WOFFORD, C. F., see Zelinski, R. P., 38 871
WOLF, K. A., see Heinze, H. D., 35 776
WOLF, K. A., see Heinze, H. D., 35 776
WOLF, R. F., International Rubber Science Hall of Fame, 39(3)|xxxix
—, see Bachmann, J. H., 32 1286
WOLFE, J. R., Jr. and J. R. Albin, Polyisocyanates as curing adjuvants for ethylene-propylene terpolymers, 37 927
WOLSTENDOLME, W. E., Polymer flow behavior from multispeed viscometry, 38 769 WOLSTENHOLME, W. E., Polymer flow behavior from multispeed viscometry, 38 769

Woop, L. A., Elasticity of rubber, 31 959
Glass transition temperatures of copolymers, 31 459

Grass transition temperatures of copolymers, 31 439.

Stress strain relation of pure gum rubber vulcanizates, in compression and tension, 32 1

Tables of physical constants of rubbers, 39 132

—, I. Mapossky, and R. A. Paulson, Determination of copolymer composition by combustion analysis for carbon and hydrogen, 33 1132

—, AND G. M. Martin, Compressibility of natural rubber at pressures below 500 kg/cm², 37 850

—, AND F. L. ROTH, Creep of pure-gum rubber vulcanizates from indentation-time measurements,

36 611

YABUTA, S., Shape of specimen and the measurement of permanent set, 34 342
YAKUBCHIK, A. I., S. Y. GRILIKHES, B. I. TIKHOMIROV, AND V. S. PURLOVA, Bonding of polyethylene to metals and rubber with hydrogenated polybutadiene, 33 1050
——, AND G. N. GROMOVA, Hydrogenation of butadiene rubber, 31 156
III. Influence of the solvent with palladium-on-calcium carbonate catalyst, 31 588
——, N. G. KASATKINA, G. I. DEMIDOVA, AND G. B. FEDOROVA, Oxidative decomposition of the ozonide of butadiene rubber, 32 288

——, N. G. KASATKINA, AND T. E. PAVOLVSKAYA, Ozonization of unsaturated compounds. III. The addition of ozone to internal and external double bonds in butadiene rubber, 32 284

——, V. N. REIKH, B. I. TIKHOMIROV, AND A. V. PAVLIKOVA, Effect of hydrogenation on the properties of polybutadiene rubbers, 35 1052

—, V. N. Reikh, B. I. Tikhomikov, and A. V. Pavlikova, Effect of hydrogenation on the properties of polybutadiene rubbers, 35 1052

—, and A. I. Spasskova, Chemical structure of the "popcorn" polymer of butadiene, 31 581 Studies on the structure of SKN-26 and SKN-40 rubbers using ozonolysis methods, 34 200

—, B. I. Tichomikov, and V. S. Sulimov, Hydrogenation of natural and synthetic cis-1,4-polysionerne, 35 1063

— B. I. TICHOMIROV, AND V. S. SULIMOV, Hydrogenation of natural and synthetic cis-1,4-polyisoprene, 35 1063
Yamagami, M., see Tsurugi, J., 40 1222
Yaminskaya, E. Y., see Paylov, N. N., 32 907
Yampolskin, B. Y., U. Shu-Tsuu, and P. A. Rebinder, Structurization in hydrocarbon suspensions of carbon black in relation to the behavior of active rubber fillers, 35 877
Yanko, John A., see Semon, W. L., 31 847
Yanovskii, D. M., see Berlin, A. A., 33 1188; 34 760

YAROSHEVICH, A. G., see Blokh, G. A., 32 118
YASUDA, G., Molecular weight dependence of relaxation spectra of amorphous polymers in the rubbery region. VIII. Comparison of experimental relaxation spectra of commercial synthetic rubbers with those estimated from molecular weight distributions, 40 484

—, E. Markawa, T. Homma, and K. Ninomiya, VII. Comparisons of experimental relaxation spectra with those estimated from molecular weight distributions, 40 1470

, see NIMOMIYA, K., 40 493 W. AND R. S. Stein, Light scattering from crystalline super-structure in stretched natural rubber, YAU, W. 38 58

YER, G. S. AND D. I. LIVINGSTON, Indentation and puncture properties of rubber vulcanizates, 34 937 YERRICK, K. B. AND H. N. BECK, Solvent resistance of silicone elastomers: solvent-polymer interactions,

37 261
YOROYAMA, T., see TANAKA, T., 35 970
YONDZAWA, T., see O'DRISCOLL, K. F., 40 833
YOUMANS, R. A. AND G. C. MAASSEN, Correlation of room temperature shelf aging with accelerated aging, 32 647
YOUNG, E. J., see MORITA, E., 36 844
——, see TRIVETTE, C. D., JR., 35 1360
YU., H. AND L. A. WALL, Radiolytic stress relaxation of an ethylene propylene copolymer, 39 982
YUE-JIN, U., see ZUEV, Y. S., 36 437
YUN-TSUI, H., see VAKULA, V. L., 34 562

Zaitseva, V. D., see Bartenev, G. M., 34 1201
Zaitsev, V. D., see Kuzminskii, A. S., 36 541
Zakharchenko, P. I., see Docadkin, B. A., 31 655
Za'harchenko, N. V., F. S. Tolstukhina, and G. M. Bartenev, Flow of rubberlike polymers with and without carbon black, 35 326
Zakharov, N. D., Vulcanization of carboxylic rubbers, 36 568
—, and T. A. Shadricheva, Influence of acids on scorching and vulcanization of carboxylic rubbers, 36 568

36 575 ZAMBELII, A., see NATIA, G., 40 400
ZANNETH, R., P. MANARESI, AND L. BALDI, Beta ray absorption in polymers and determination of first and second-order transition temperatures, 36 459

—, see Baldi, L., 36 660 Zapas, L. J. and Γ. Craft, Correlation of large longitudinal deformations with different strain histories, 40 506

ZAPAS, L. J. AND T. CZART, COTTELATION of large longitudinal deformations with different strain histories, 40 506

—, see BERNSTEIN, B., 38 76
ZELENEY, Y. V., see BARTENEY, G. M., 36 709
ZELINSKI, R. P. AND C. F. WOFORD, Synthesis of trichain and tetrachain radial polybutadienes, 38 871

—, see Short, J. N., 32 614
ZENCHENKO, A. I., see Anguer, L. G., 34 807
ZERBINI, V., see ANGUELTI, A., 38 1115
ZHAKOVA, V. G., see ANIEANOVA, K. F., 31 30
ZHERBENOY, S. K., see DERYAGIN, B. V., 33 757

—, see Middyeddy, A. M., 32 67
ZHURRINA, Z. N., see ZUBOV, P. 1., 32 539
ZHURROY, C. N., T. P., SANFIROVA, AND E. E. TAMASHEVSKII, Mechanical properties of rubber at high rates of elongation, 38 813
ZHURROY, C. N., T. P. SANFIROVA, AND E. E. TAMASHEVSKII, Mechanical properties of rubber—optimum processing procedures, 35 467
ZIGOLER, K., Consequences and development of an invention, 38(1)xxiiii
ZINCHENKO, N. P., see BUIKO, G. N., 33 556
ZMAMENSKAVA, A. K., see SUBBOTIN, S. A., 31 44
ZOBLI, U., Simple theory of filler reinforcement in elastomers subjected to shear, 40 1330
ZUBOV, P. I., Z. N. ZHURKINA, AND V. A. KARGIN, Structure of gels. X. Globulization of rubber under the action of nonsolvents, 32 539

—, see GAVEISHCHUK, V. Y., 35 517

—, see GAVEISHCHUK, V. Y., 35 517

—, A. Z. BORSHCHEVSKAVA, S. I. PRAVEDNIKOVA, AND U. YUE-JIN, Influence of the temperature upon the durability of rubber in corrosion cracking, 35 437

—, AND S. I. PRAVEDNIKOVA, Effect of degree of elongation on ozone cracking of rubbers, 32 278
Influence of concentration of ozone upon cracking of vulcanized rubber, 35 411
ZUKERMAN, N. J., see KLEBANSKII, A. L., 32 588
ZVEREY, M. P. AND P. I. ZUBOV, Structure of Gels. IX. Effects of plasticizers on the physical properties of styrene butadiene rubber, 32 536

36 = 1963, 37 = 1964, 38 = 1965, 39 = 1966, 40 = 1967

## SUBJECT INDEX

Abrasion, 35 1342; 39 287
against abrasive paper, 32 1199
and-carbon black structure, 34 43
and friction, 31 982
and high-speed tensile strength, 39 823
and hysteresis, 38 836ctivity, 40 969
of polybutadiene, natural rubber blends, 39 452
-reinforcement; methods of evaluation, 35 1276;
38 313. and electrical effects, 33 1180 and filler reinforcement, 49 801 of high polymers, 31 89 of high polymers to cellophane, 31 712 at high pressure, 32 527 hydrogenated polybutadiene, used in, 35 1060 of multiply structures, 33 953 of nitrile rubbers, 34 562 in plied-up rubber articles, 32 1192; 33 3 in plied-up rubber articles, 32 1192; 33 306, 384, 581 of rubber to cords, 32 870, 898 and rubber friction, 39 306, 320 of rubbers to metals, 33 757 of subbers to metals, 33 757 36 313 resistance, ISO standard, du Pont method, 31 (1)xiv resistance, of latex masterbatch, 31 147 and road wear, 31 387 by sand, 34 482 and strength of rubber, 39 287 and temperature, 31 650 or rudgers to metals, 35 757 of synthetic rubbers to polymers, 35 794 Adsorbents, 39 36 Adsorption, of butyl rubbers, 37 1044 and carbon black surface area, 40 1305 on fillers, 36 143 testing,
laboratory apparatus, 38 475
laboratory and road, 31 387
Pico tester, 34 1
towing rig, 35 339
by thermal decomposition, 31 925
of tire tread stocks, 31 166; 35 354; 38 457
of vulcanized rubber, 37 291
against wire gauge, 32 471
Absorption spectra of polysulfides, 31 808
Abstracts, 91st Meeting Division of Rubber Chemistry, 40 1583.
Accelerated vulcanization, delay model, 37 689
Accelerators—see also individual compounds, Vulcanization testing, on filters, 36 143
of macromolecules from solution, 39 36
of nitrogen on carbon black, 37 630
Aeration of natural rubber latex, 31 425,430
Age resisters, 37 720
Aging, see also Antioxidants, Antiozonants, Age resisters, Oxidation, Stress relaxation, Tensile strength scelerated and natural, correlation of, 32 1088, 1104, 1117, 1134 and accelerators, 33 490 of butyl, 39 581 chain and crosslink scission in, 34 922 chain and crosslink scission in, 34 922 with dithiocarbamates present, 32 739 effect, on diffusion, 37 1130 effect, on diffusion, 37 1150 effect, on compounds, 34 834 of latex (review), 38 1214 by light in sulfur vulcanizates, 31 747 of natural rubber, 39 1565, 1577 of neoprene, 37 76 and oxidation of elastomers, 39 1251 and oxidation (review), 38 1198 of polybutadiene, 36 747 of polybutadiene, 36 80 f radiation vulcanizates, 34 910 of raw natural rubber, 39 1608 and stabilization, of rubber (review), 39 88 of SBR, 33 510; 38 647 of thiuram vulcanizates, 31 327 ization
Accelerators, 32 976
Accelerators, 32 976
action of in vulcanization, 32 174, 184
analysis for, 31 953; 35 449, 665; 37 635, analysis for, 31 9 709; 40 238 analysis for, 37 950 basic, 38 834 binary systems, 33 373 exchange with radiosulfur, 34 588, 597, 600; 35 652 652
mechanism of action, 38 1
for nitrile rubber, 37 137
in polybutadiene, 31 329
reactions, with sulfur, 31 343
reactions, with rubber, 38 204
residues, and age resistance, 33 490
review, 35 1 of thiuram vulcanizates, 31 327 of TMTD vulcanizates, 31 327 sulfenamide, 85 484, 491; 37 204; 38 176, 189 thiocarbamoyl sulfenamides, 35 644 of transparent vulcanizates, 34 919 of tread compounds, 37 985 viscoelasticity and relaxation, 36 50 and ultimate elongation, 33 502 in ultraviolet light, 34 686 velocoration UV spectra, 37 709
Accidents and skid resistance, 40 684
Acidic monomers in elastomers, 30 1347
Acid rubbers, use of, in rockets, 39 112
Acids, effects, on vulcanization of carboxylic rubbers, 28 575 Acids, effects, or bers, 36 575 Agglomeration. of latexes by freezing, 36 581 and flex cracking, 36 754 Aldehyde-amine accelerators, 36 259 bers, 38 575
as vulcanization retarders, 35 501
Acrylate polymers, vulcanization of oriented, 40 650
Acrylic acid copolymers in rockets, 39 112
Acrylonitrile, see also Nitrile rubber
butadiene styrene resins, review, 38 1164,1180
methyl methacrylate copolymers, viscosity, 40 522
Activation energy of vulcanization, 35 76
Adduct rubbers, 31 213
Adduct rubbers, 32 123 Alfin polymers, molecular weight control, 38 103 tack, 32 48 Alkylaluminum halides, in butadiene polymerization, 39 508 in isoprene polymerization, 33 689,696 Adhesion, 33 1323
and adsorption, 39 36
comparison of electrical and diffusion theories, 33 Alkyllithiums, in butadiene polymerization, 34 176 in chloroprene polymerization, 38 991 in isoprene polymerization, 31 191; 38 863 in solution polymerization, 39 491 240
and compatibility, 32 519
of cured rubbers, 33 42
diffusion theory, 33 748
effect of vulcanization on, 34 879
and elastomer structure, 35 1041, 1047
of elastomers (polemical), 34 1188, 1190 Aluminum, alkyls in isoprene polymerization, 31 838 triisobutyl, in isoprene polymerization, 37 103 Amines in vulcanizate analysis, 40 100 Analysis, see also materials analyzed for: Accelerators, Rubbers, etc.

of accelerators and antioxidants, 31 953; 36 1119; 37 950 for amine antioxidants, 32 844 for amine antioxidants, 32 844
of antiozonant effectiveness, 38 809
for antiozonants during ozonation, 36 194
of butyl unsaturation, 34 205
of carbon black type, 40 1323
of copolymers by combustion, 33 1132
of copolymers, by NMR, 40 1200
of crosslink types, 40 866
for dicatecholborate, DOTG salt, 33 237
of dithiocarbamates and sulfur by chromatography, 35 449 of utinicaroamates and suitur by chromatography, 35 449
of EP copolymers by near infrared, 39 956
of ePT unsaturation, 40 936
of extender oils, 37 451
for free sulfur in accelerators, 32 123
for gel, 37 904
and identification of elastomers by gas chromatography, 37 741
infrared of ethylene to propylene ratio, 39 226
for latex rubber content, 37 736
of mechanical properties of tires, 40 271
of molecular weight distribution by elution chromatography, 36 502
for natural rubber, 37 733
of nitrile rubber structure by ozonolysis and chromatography, 36 502
for phenylene diamines, 34 816
of polybutadiene structure, 37 408; 39 945
of polybutadiene structure, 37 408; 39 945
of polybutadiene structure, 37 408; 39 945
of polymers, (review), 34 1553
by gas chromatography, 32 248; 39 259
by mass spectrometry, 36 794
of polyurethans, 37 146
of protective agents by gas chromatography, 35 684
rheological, 39 436
of rubber, 32 1452; 34 1553
(review), 40 238
MBT reaction products, 37 709
for rubber chemicals, by polarography, 32 1254
for sulfur groups, 38 941
swelling, rapid method, 37 668
for TMTD, 36 303
for thiazoles, 38 5665
of vulcanization intermediates, 37 635, 650
of vulcanization intermediates, 36 1071 phy, 35 449 of EP copolymers by near infrared, 39 956 for tulazoles, 35 005
for vulcanization intermediates, 37 635, 650
of vulcanization intermediates, 37 635, 650
of vulcanizate structures, 40 100
for unsaturation with radiochlorine, 36 1071
of zinc oxide concentration, 33 890
Anatase in rubber, 36 158
Anethesia by diffusion, 40 928
Anionic polymerization of isoprene, 33 652
Anisotropy of filled vulcanizates, 35 317
Anisotropy of thermal conductivity, 39 678
Anomaly in freezing point depression of gels, 33 245
Antifatigue agents, 38 657, 661, 666
Antioxidants, (review), 37 720; 39 88
amine, analysis, 32 844
analysis, 31 933
by gas chromatography, 35 684
and antiozonants, 37 720
for general purpose elastomers (review), 36 1497
for general purpose elastomers (review), 36 1497 and antiozonants, 37 720
for general purpose elastomers (review), 36 1497
carbon black as, 38 636
effect of, on bound rubber, 31 369
on cut growth, 39 348
on fatigue, 37 361
on ozone resistance, 31 882
efficiency of p-phenylendiamines, 34 816
and fatigue, 36 480
for polyerbylene, effect of carbon black 32 1164 for polyethylene, effect of carbon black, 32 1164, 1171 11/1 for SBR,, 33 510 sorption from solution, 33 528 thiazoles and dithiocarbamates as, 36 887 tritiated, 35 692 tritiated, 35 692 in ultraviolet light aging, 34 686 volatility, 34 807; 37 210; 38 134 Antiozonants, (review), 36 1497 analysis for, 37 960 analysis, and reaction with ozone, 36 194 and antioxidants, 37 720 chemical, 32 364

and fatigue, 37 1361
mechanism of action, 36 194; 36 201
p-phenylenediamines, ring-alkylated as, 36 537
reaction with ozone, 39 1584
screening, 38 899
for SBR, 32 1155
in tires, 37 210
Antirads, 38 476, 483; 34 228, 250; 34 741
Antivibration mountings, 32 1209
Apparatus, for abrasion studies, 38 475; 35 354
abrasion tester, laboratory, 34 1
for adhesion measurement, 33 42
adhesion test method, 38 791
for birefringence and photoelasticity (in review),
38 1115 To birefringence and photoelasticity (in reviews 38 115 for blowing agent evaluation, 34 357 CEPAR for cure studies, 34 765, 777 CEPAR for cure studies, 34 765, 777 CEPAR for contessing carbon black, 40 1311 for contact potential of pigments, 36 176 for continuous mixing, 33 98 for cure rate measurement, 38 922 cgrowth 38 34 750 dilatomer, 38 347 for dynamic adhesion testing, 32 889 for dynamic achiesion testing, 32 889 for dynamic setter, sinusoidal-strain, 38 422 for dynamic testing, 35 385; 34 790; 35 937 dynamic testing, 36 385; 34 790; 35 937 dynamic testing, 36 378; 866 extensometer, 31 673; 38 66 extensometer, 31 673; 38 60 for fatigue testing, 34 506 for flexcracking, 37 186 for friction measurements, 35 379 for friction measurements, 35 379 for hardness testing, micro, 33 876 for heat of immersion, 40 1305 for high speed tensile testing, 36 28 of cord, 32 907 hystersimeter, 24 147, 24 1407 of cord, 32 907
hysteresimeter, 34 347; 34 1107
for hysteresis measurement, 34 347
indentation failure tester, 37 14
Madelow-Smith plastometer, 37 491
for measuring wave propagation in rubber, 32 21
metal-bath stress-strain, 38 782
microtome with oscillating-blade, 36 514
for mixing small samples, 31 667
for ozone reaction studies in closed system, 37 583
for ozone resistance testing, 31 866; 32 346, 1080;
34 1220 for ozone resistance testing, 31 866; 32 346, 1080 34 1220
for polymer transitions determination, 34 705 for power loss measurement, 32 915 rheometer, oscillating disk, 38 451 ring crack-growth tester, 38 719 rotating cylinder viscometer, 34 165 skid resistance tester, 38 840 for static friction measurement, 34 461 for studying pore formation, 34 357 for swelling pressure measurement, 40 532 tack measurement, 32 48; 38 689 tackmeter, 37 28 tear test, 38 700 thermogravimetric analysis, 37 934; 40 445 Viscurometer, 37 434 vulcanization, fluid-bed, 36 875 for wear testing, 35 339 Area and identification of carbon black, 40 1323 Argon diffusion in rubber, 49 1156 Asphalt, improvement by rubber, 37 1049 and rubber in roads, 37 457 Atactic, see Stereoregularity, 39 14 Atmospheric attack on rubber, 39 1251; 31 1015 Attried carbon black, 34 16 Authors, 100 top, 39 (21) iv Authors' instructions, 40 (1) xviii Authors' instructions, 40 (1) xviii Authors' instructions, 40 (1) xviii Authors' no, See adhesion, 32 544 Azodicarboxylates, as blowing agents, 39 211 Baker-Williams apparatus, 36 502 Baker-Williams apparatus, 36 502
Balata, crystallization, 40 1394
effect of radiation, 39 992
molecular weight of, 36 488
Balloons, evaporating rubber, 39 1161
Banbury mixer, rotor speeds, 31 907
Basic monomers in elastomers, 30 1387
Battery jar, design, 39 1065

Benzene, freezing point depression by rubber, 40(1) interaction parameter with rubber, 37 446 vapor pressure over rubber, 40 1159
Benzothizzole suffenamides, 33 357, 36 40 1159
Benzothizzolinethione, acceleration of natural rubber vulcanization, 31 548
action, in yulcanization of model compounds, 31 779 analysis, 35 665 complexes, 39 1115 derivatives, 32 983; 33 357 and derivatives as vulcanization accelerators, 35 1360 in natural rubber vulcanization, 31 348 in natural rubber vulcanization, 31 348
reaction, with sulfur, 31 343
reaction with rubber, 32 184; 35 676; 27 709
vulcanizate structure from, 36 547
vulcanization with, 31 751; 37 557
—, and benzothiazolyl disulfide disappearance
during use, 37 635, 650
Benzothiazolyl disulfide, as antioxidant, 36 887
reaction, with diphenylmethane, 31 788, 800; 34
648 reaction, with radioactive sulfur, 34 334 in vulcanization of natural rubber, 36 863 Benzoyl hydroperoxide oxidation of isoprene poly-mers, 38 587 Benzoyl peroxide vulcanization of natural rubber, 39 763 a. W. Benzoyl peroxide vulcanization of natural rubber, 39 768
Berry, Scanlan, Watson hypothesis, 40 1060
Best paper committee, 39(4)cxviii
Beta ray absorption in polymers, 36 459
Biaxial, failure of polymers, 40 710
faitigue testing, 34 506
Binary solvent interaction with rubber, 32 77
Biographical sketches and obituaries, Behney, D. F., 39(5)xxxvi
Carothers, W. H., 37(1)xxviii
Craig, D., 37(4)xxxiii
Fisher, H. L., 36(2)xix
Gareve, B. S., Jr., 38(3)xxix
Garece, N. S., 38(4)iv
Harries, C. D., 34(4)xiii
Howland, L. H., 37(4)xii
Juve, A. E., 39(1)xxv
Katz, J. R., 39(3)xcii
Patrick, J. C., 39(5)cl
Staudinger, H., 40(3)xvi
Tilden, W. A., 38(1)xii
Biosynthesis of rubber, 34 378, 1229; 40 679
Birefringence, (review), 38 1115
of block copolymers, 40 1373
at high strain, 39 1436
as a measure of branching, 31 699
and melting point, 40 788
and photoelasticity, 38 1115
streaming, 40 748
Bisphenol polycarbonate elastomers, 39 1008
Bitumen, see Asphalt,
Blends, analysis of, by gas chromatography, 39 248,
Blends, analysis of, by gas chromatography, 39 248, Bitumen, see Asphalt, Blends, analysis of, by gas chromatography, 39 248, crystallization, 40 341 heat of mixing, 31 250 ozone cracking, 40 635 neat of mixing, 31 250
ozone cracking, 40 635
of polybutadiene and natural rubber, 32 308
of polybutadiene and natural rubber, 32 308
of polymers, 40 1119
properties, 38 62, 539
of rubbers, 38 49, 244
symposium on, 40 323
viscosity and solubility of, 31 244
Block copolymerization, by mechano-cher
means, 33 457; 38 964
Block copolymers, birefringence, 40 1373
of butadiene and styrene, 40 1183
structures, 40 932
solution structure, 40 1526
viscoelasticity, 40 1105
detection, by DTA, 39 1513
Blooming, internal, in rubber, 37 338
of sulfur, 35 149
Blowing agents, apparatus to study, 37 357
in microporous footwear, 33 1193
for polysulfide rubbers, 39 211
Bond energy, in disulfides, 35 661 mechano-chemical Bond strength, under dynamic conditions, 33 42 and mechanochemical effects, 33 953 between piles, 32 1193 in plied-up structures, 33 545, 556, 581 theory, 33 306 in tire carcasses, 32 503, 513 in tires, 33 556 Bonding rubber to metal, 32 67 Boron-containing elastomers, 39 1184 Bound rubber, 31 369, 374; 32 825, 1185; 37 1013, 1040, 1299, 38 1070 effect of filler loading, 35 599 and temperature, 35 613 effect of filler loading, 35 599
and temperature, 35 613
and vulcanizate properties, 40 817
Braking and traction, 38 158
Branching, in alkyllithium polymers, 40 590
in butadiene rubbers, 34 975
and elasticity, 39 147
of polybutadienes, 40 1529
in polyisoprenes, 36 807
and solution properties, 36 488
in synthetic rubbers, 31 699
Breakdown and vulcanization with MBT, 31 348
Breaking elongation and aging, 33 502 m polytsoprenes, 36 807
and solution properties, 36 488
in synthetic rubbers, 31 699
Breakdown and vulcanization with MBT, 31 348
Breaking elongation and aging, 33 502
Breeding of hevea brasiliensis, 34 413
Bromination, effect of, on dimensions of natural rubber molecule, 35 908
Bulk polymerization in natural rubber, 32 799
Buladiene, alkylithium polymers, 40 590
block copolymers, structure, 40 1526
copolymerization with en-yne diols, 37 774
copolymers, birefringence, 40 1373
polymerization, 35 1066
with alkylithium, 34 176
with cobalt octoate, 39 508
in "jump" reactions, 40 895
by rhodium salts, 40 602
polymers, peroxide vulcanization, 40 149
popcorn polymer, 31 581
rubber-see polybutadiene
styrene block copolymers, viscoelasticity, 40 1105
sulfone, isomerization with, 49 921
Ziegler polymerization, 36 1571
Ziegler copolymerization, 36 1571
Ziegler copolymerization, 36 1571
Butene-2, reaction with ozone, 36 201
Butyl peroxide chain scission during cure with, 34
309
Butyl rubber, see also Polyisobutene, 34 372; 38 940
review, 32 1475
abrasion, 37 291
and tensile strength, 39 287
adhesion, to metal, 32 67
in aerospace uses, 39 141
aging of vulcanizates, 39 581
analysis, by gas chromatography, 39 259
analysis of unsaturation, by ozonolysis, 34 205
in asphall, 37 474
carbon black identification in, 40 1323
chlorinated, for rocket seal, 39 1233
creep and compliance, 36 611
crosslinking efficiency in vulcanization, 38 590
cut growth in ozone, 33 1142; 33 1156
displacement from filters, 40 (1) xliv
dynamic properties, 37 866
energy of deformation, 32 40
failure envelope, 37 792
fatigue, 37 1341
friction, 37 386; 37 88
glass transitions, 31 495
high temperature cure, 34 571
hysteresis and strength, 40 815
injection molding, 40 (2) xiii
molecular weight distribution of, 38 823
oxidation (review), 38 1198
ozone attack, 35 200
permeability and tire durability, 38 158
photovulcanization, 32 557
physical constants, 39 132
in objectivelane lange. ozone attack, 35 200 permeability and tire durability, 38 158 photovulcanization, 32 557 physical constants, 39 132 in polyethylene blends, 37 144 qualitative analysis, 37 297; 37 748 reaction, with ozone, 32 257 reaction, with ozone, 32 257 reclaim, 31 202 reinforcement of, 37 1013, 1034

in rocket seals, 39 1215, 1233 in rocket seals, 39 1215,1233 self-diffusion and tack, 39 217 solubility parameters, 37 246 solvents, 40 1170 solvent swelling, 33 825 strength, 40 694 stress relaxation, 38 72; 38 76 stress softening, 39 597; 40 28 tensile strength, 31 27 thermal conductivity, 40 36 thermal decomposition, 37 937 vulcanization with peroxides, 38 15 with phenolic resins, 33 229 water absorption, 36 621 water permeability, 39 1298
Butyllithium polymerization, of butadiene, 33 628
of isoprene, 33 655 of isoprene, 33 655
Butyl phosphite, as vulcanizate chemical probe, 40
100
Chemistry 40(1)xxiii Bylaws, Division of Rubber Chemistry, 40(1)xxiii Calcium salts for neoprene heat stability, 37 76 Calendar of technical meetings, 40(1)xiv Carbenes, reactions with rubber, 40 934 Carbon black, see also Fillers, Reinforcement, Tensile strength analysis, of oxidized, 35 311 analysis in vulcanizates, 40 238 as antioxidant, 38 636 attrited, 34 16 attrited, 34 16
and bound rubber, 31 369; 31 374
chemistry of microstructure, 37 1245
of surface, 31 941
density of vulcanizates containing, 31 505
dispersible, 37 1006
dispersible, 37 1006
dispersible, 38 1134
color photos, 38 113
and dynamic properties, 39 365
and field emission in vulcanizates, 37 348
and properties, 36 115
displacement of elastomers on, 40(1)xliv
effect, of distribution, on properties, 49 371 attrited, 34 16 displacement of elastomers on, 40(1)xiiv effect, of distribution, on properties, 40 371 on aging (in review), 39 88 on antioxidants, 32 11.64 on benzothiazole disulfide vulcanization, 36 863 on conductivity and modulus, 39 915 on dielectric constant of vulcanized natural rubber, 31 631
on fatigue, 39 348
on ozone resistance, 31 874
on rubber morphology, 37 839
on rubber oxidation, 33 60
on scorch, 35 509 on slow relaxation, 36 697 on swelling, 38 943 on swelling, 38 943
on swelling of natural rubber, 35 274
on swelling of rubber, 32 825
on tearing resistance, 38 700
on viscoelasticity, 35 918
on viscoelasticity, of SBA, 40 463
on vulcanizate properties, 35 581 on viscosity, of SBR, 40 463
on vulcanizate properties, 35 581
on vulcanizate properties, 35 581
on vulcanization, 40 866
of EPT, 40 569
free electrons in, 32 107
miteraction with elastomers (review), 38 1070
with rubber, 40 817
with rubber and sulfur, 31 361
with sulfur, 32 118
and internal field emission, 37 348
latex masterbatching, 31 147; 34 1485
lithium aluminum hydride reduction of, 36 729
modification, with radiation, 33 796
and Mullins effect, 39 591; 39 1530
and natural rubber crosslink density, 35 563
oxidation and structural model, 39 1
oxidized, adsorption and infrared spectra, 35 311
pellet hardness, 39 1081
in polymer blends, 40 350, 359, 371
reaction, with sulfur, MBT and TMTD, 34 588
reflectance, 40 1323
and particle size, 40 1319
reinforcement of butyl rubber, 37 1013, 1034
reinforcement of latex, 35 848
36 = 1963, 37 = 1964, 38

in reinforcement of rubber, 34 709 reinforcement in swollen rubber, 39 1565 rubber interactions and bound rubber, 37 1299 in SBR latex compositions, 31 655 strain amplification by, 39 799; 39 814 and stress relaxation, 40 829 structure effects, 34 1141 structure, and compression, 40 1311 in hydrocarbon dispersion, 35 877 and light scattering, 40 919 in rubber, 36 147; 38 387, 677 at the surface, 31 941 at the surface, 31 941
and tear resistance, 32 1180
and wear, 34 43.
surface area, Harkins and Jura, 40 1305
surface area, 37 630
surface, chemistry, 31 941
and swelling of vulcanizates, 37 6; 37 326
thermal conductivity, 40 36
type determination, 40 1323
unpaired electrons in, 33 993
and vulcanizate freezing point dispersion, 37 311
Carbon dioxide flow through rubber, 40 1409
Carbon gel, 32 1185
Carbon, rubber bonds, 31 147
Carbon tetrachloride, swelling rubber in vapor, 40
1166 Carbon tetrachlorue, Succession 1166
1166
Carboranesiloxane elastomers, 39 1184
Carboral groups, in natural rubber, 31 86
in rubber, polyvinyl chloride and rubber hydrochloride, 31 436
Carboxylic elastomers, 30 1347; 32 321; 36 568
crosslinking of, 36 931
Carboxyl rubbers, stress relaxation, 39 1625
Carcass fatigue in tires, 40 1014
Carothers, W. H., biographical sketch of, 37(1) xxviii
Catalysts, effect on ethylene and propylene reactivity ratios, 39 241
for EPT polymerization, 40 556
for isoprene polymerization, 37 103
organometallic for butadiene-isoprene copolymerization, 37 121
Cellophane, adhesion of, to rubbers, 31 712; 34 879
Cement mortars modified with SBR, 37 758
Cement, rubber in benzene, 33 798
CEPAR apparatus, 34 765
Chain entanglement, 34 285
Chain scission, see also Sol-gel, Stress relaxation,
Degradation
during crosslinking, 34 309 Degradation during crosslinking, 34 309 by milling, 34 215 in peroxide vulcanization, 37 904 Chain transfer in Ziegler polymerization, 34 986 Charles Goodyear Medal, see Goodyear, Chemical effects in fatigue cracking, 36 399 Chemical modification and oxidizability, 36 1043 of rubber, 31 664 Chemical structure and transition temperatures, 36 1303 Chemistry of carbon black and reinforcement, 30 1400 of natural rubber production, 34 378 Chloral reaction with polyisoprenes, 36 1056; 34 Chlorobutyl rubber, processing, 35 467 Chloroprene alkyllithium polymerization, 38 991 dimers in thermal polymerization, 39 1390 infrared spectrum of, 32 628 Chlorosulfonated polyethylene, vulcanization of, 36 882, 963
Chromatography, see also Analysis,
of acids, 34 200
analysis of accelerator-sulfur mixtures, 35 449
column in analysis of accelerators and antioxidants, 31 933
elution of polybutadiene, 38 502
gel-permeation, 38 82.3
in polymer identification, 39 248, 259
precipitation, 38 802
rubber stationary phase, 36 310

Cracking, see also Cut growth, Fatigue, Ozone by corrosive agents, 35 437 by free radicals, 33 78 Cis-trans isomerization, see also Isomerization, Geometrical, Microstructure, 32 718 of polybutadiene, 40 1529 by free radicals, 33 78
groove, and polysulfides, 39 1526
and reagglomeration, 36 754
by ozone, 35 411, 421
Cracks, in natural rubber, stress around, 36 777
propagation of, in natural rubber, 35 210
and strength of solids, 35 178
Craig, D., obituary, 37(4)xxxii
Creep—see also Relaxation, Stress relaxation
failure of SBR, 39 923
and hysteresis, 31 1
from indentation-time measurements, 36 611
and ozone attack, 32 346 Coagulation. mechanism, SBR latex, 32 531 theory of latex, 40 1246
Coatings, porous sprayed, 40 1296
Cobalt, catalysts for butadiene polymerization, 35 Cobalt 1066 octoate, in butadiene polymerization, 39 508 Cohesion and adhesion, 31 712 Cohesive energy density, see also Solubility parameter of elastomers, 37.246 from indentation-time measurements, 36 611 and ozone attack, 32 346 and relaxation of natural rubber, 36 377, 389 and stress relaxation, 35 182 and tensile strength, 37 808 of EPR, 37 894; 39 940 theory of, 40 506 viscoelastic, 35 1013 glass transition and structure, 35 558 and internal pressure of polymers, 39 969 of poly(propylene oxide), 40 1421 of rubber and polyisoprene, 40 673 Colloid stability of SBR latex, 33 535 Combustion analysis for copolymer composition, 33 1132 of vulcanizates at low temperature, 33 1114 Critical solution temperatures, 40 1 Compatibility-see also Swelling, Solubility parameter Crosslink density, and breaking elongation, 39 726 chemical, 40 722 and deformation, 35 839 and adhesion of high molecular weight materials, 32 519
and diffusion, 37 1153
of elastomers, 36 668
and filer dispersion, 35 881
in polymer blends, 40 324
of polymers, 31 49, 244, 250, 257; 32 87
of SBR and polybutadiene, 40 359
Compliance, and creep, 36 611
of rubber, 39 39?
Compounding, of cis-1, 4 polybutadiene, 35 546
use of reference standards, 34 798
Compressibility of natural rubber, 37 850
Compression, and shear modulus, 36 675 and deformation, 35 839
effect of, on failure envelope, 40 544
of elastomers, 38 123
in filled vulcanizates, 40 866
of polybutadiene, 32 706
and swelling pressure, 40 532
two network model, 40 1060
Crosslinking—see also Aging, Swelling, Vulcanization, and individual rubbers
and dynamic properties of polybutadiene, 39 905
coagents in EFR, 37 229
degree of, 34 279, 290, 301
during aging, 38 374
effect of, Compression, and shear modulus, 36 675 stress-strain relations of rubber, 32 1 Concentration and preservation of natural latex, 32 1660
Conductivity, see also Resistivity
of black-loaded natural rubber, 37 348
electrical, and modulus, 39 915
of stretched elastomers, 35 317; 39 678
thermal, 39 841, 858, 863
and crystallization, 39 866
of polymers, 36 75
of rubber, 39 126
Configuration, see also Microstructure, Conformation, 5tercoregularity
of diene polymers, 40 1094
of polymer molecules, 36 337
Conformation, of polydienes, 39 14
of polymers, 33 703
of stereoregular polydienes in the crystal state, 39 effect of, on creep, 31 1 on second-order transitions, 35 776 on slow relaxation, 39 870 efficiency of sulfur, 35 105 efficiency of sulfur, 35 105
exchange,
in relaxation, 39 1640
in vulcanizates, 32 696
formation, in MBT-accelerated stocks, 37 679
kinetics, 37 698
of oriented molecules, 40 650
of oriented rubber, 31 98
by radiation, 33 1072
and relaxation of natural rubber, 39 897
and scission in aging, 34 927 and scission in aging, 34 922 and scission by radiation, 33 476 and strength properties, 40 694 and stress relaxation, 39 1634 of stereoregular polydienes in the crystal state, 39 Contact potentials and reinforcement, 36 176 Contour integral, evaluation of tire, 40 961 Contributors to rubber literature, 36(3)xvii; 35(5) and stress-strain properties, 40 1560 structure of, in accelerated vulcanization, 37 673 xly
Controlled polybutadiene structures, 32 614
Copolymerization, of butadiene and isoprene, 37 121
of butadiene and isoprene by butyllithium, 33 623
Copolymers, alkyllithium catalyzed, 40 590
analysis of, by DTA, 39 1513
analysis of, by NMR, 40 1200
chemical study of structure, 40 411
composition, analysis by combustion, 33 1132
glass transition temperatures of, 31 459
melting and crystallinity, 40 427
organized block, 40 932
viscoelasticity of block, 40 1105
Cord in vulcanizates, 35 113; 37 673 in TMTD-ZnO-rubber vulcanizates, 33 394 of yarn, and flatspotting, 40 947 Crosslinks, wandering, 32 696 Crystalline elastomers, fibrous structure on stretching, 37 839
polymers, melting, 32 1392
structure of cis polybutadiene, 33 699, 732
transitions in polybutadiene, 39 193
Crystallinity, and conformation of diene polymers, 39 14
and diffusion in elastomers, 35 166; 37 1137
and infrared spectrum of EPR, 39 226
and strain, 40 788
Crystallites in carbon black, 39 1
Crystallization, see also Freezing Cord
adhesion to rubber, 32 870, 898
failure in tires, 39 1382
-rubber elasticity (review), 37 1365
tensile testing of, 32 898, 907
in tire reinforcement, 40 271
and yarn, rubber models, 34 1169
Cornering, forces in tires, 33 158; 40 271
side forces and slip in, 32 490
Corona attack on polymers, 32 1104
Corrosion cracking, 35 437
Crack growth ISO DeMattia test, 34(1)xxvii Cord Crystallites in carbon black, 39 1 Crystallization, see also Freezing of balata, 40 1394 of copolymers, 40 427 and crack growth, 35 210 and dielectric loss, 33 741 effect of strain, 40 1381 of EP copolymers, 39 940 of filled rubber, 35 615 and melting by thermomechanical tests, 37 134

"Depolymerization" in reclaiming, 40 217
Design of plastic and hard rubber structures, 39
1065 of natural rubber, 38 33,45,58; 39 206; 40(3) Design of plastic and hard rubber structures, 39 1065
Determination, of accelerators, 35 665 of antidegradants, 35 684 of free sulfur, 35 498 of isoprene unit structures, 33 587 of p-phenylenediamines, 35 676 of rubber, 37 733
Deuterio substituted diene polymers, sulfur vulcanization, 36 219
Deuterium and polymer NMR, 40 400
Dicyclopentadiene, in EPT, 40 556
Devulcanization, 31 202
and reclaiming, 31 599
Diamine antiozonants, 34 819, 828
Dibutyl—see butyl
Dicatechol borate, DOTG salt of, 33 237
Dichroism, infrared, and stress relaxation, 40 663
Dicumyl, see Cumyl
Dicyclopentadiene, analysis of, in EPT, 40 936
effects of, on EPT structure, 39 964
Dielectric loss, effect of crystallization on, 33 741
Dielectric loss, effect of crystallization on, 33 741
Diene polymers, conformation of stereoregular, 39 14
Diene polymers, conformation of stereoregular, 39 14
Diene rubbers, 34 176
vulcanization, with sulfur, 40 849
Dienes in EPT, 40 569
Diethyl-2-benzothiazolesulfenamide, 33 361
Differential thermal analysis for microstructure determination in EPR, 39 1513 xxv, 458 in neoprene, 34 668 on orientation, 40 786 of polybutadienes, 33 699; 37 173; 40 1529 of polyurethans, 38 452 in rubber, 31 519 under stress (natural rubber), 39 685 temperature coefficient of, from thermal conduc-tivity, 39 866 of supercooled rubber, 37 404
Cumyl peroxide vulcanization of natural rubber, 37 Cure, see Vulcanization Curing systems, fate of, during sulfur vulcaniza-tion, 37 635, 650 and fatigue of natural rubber, 39 785 Curometers, 37 434 Curometer, Wallace-Shawbury, 36 922 Cut growth, see also Apparatus, Failure, Fatigue, Ozone, ring effect of temperature, 32 692 and fatigue, 38 292 in natural rubber, 32 477 of natural rubber in ozone, 39 1053 of natural rubbers in ozone, 39 1055 of rubbers, 39 348 of SBR, 31 185 Cyclization, of diene polymers, 36 1019 of natural rubber, 36 588, 1005 Cyclized polybutadiene, 31 415 Cyclized rubber structure, 37 486 Cyclosectediene traceles 37 writh a structure. Dienes in EPT, 49 569
Diethyl-2-benzothiazolesulfenamide, 33 361
Differential thermal analysis for microstructure determination in EPR, 39 1513
of natural rubber crystallization, 39 206
of polybutadiene melting, 39 193
traces for blends, 40 341
Diffusion, in adhesion, 33 240, 748
in aging of polymers, 39 88
and dissolution, 36 1024
in elastomers, 37 1065
of extender oils, 40 1570
in natural rubber, 36 642
and nodule formation, 37 338
in polymers, 39 1496
of rare gases in rubber, 40 1156
self and inter-, 37 1153
in silicone rubber, 38 642,651
and sorption in elastomers, 35 153,166
of sulfur, 31 356; 33 1015, 1029
in tires, 35 621
during vulcanization, 32 770
and tack in rubber, 39 217
theory of adhesion, 38 748; 34 1188
Dihydropyridines, structure of, 36 259
Disocyanate-linked polymers, 33 1092
Dilatancy, and flow, 40 1505
of plastisols, 40 1270
Dilation of natural rubber on stretching, 32 428;
37 615
Dilatometric determination of compatibility, 36 668 Cyclooctadiene, terpolymer with ethylene and propylene, 36 988

Cyclopropane derivative, of rubbers, 40 934 Damping, see also Dynamic properties, Loss modu-lus, Resilience, Viscoelasticity (review), 37 1190 apparatus for measuring, 35 937 through combinations of materials, 35 798 through combinations of materials, 35 798 in cyclic motion, 34 527 with different prestresses, 33 282 effect of strain, 35 927; 39 1421,1428 flexural waves at audio frequencies, 34 158 in mountings, 32 1209 of natural rubber, 38 432,444; 39 897 by open-cell foams, 39 389 resilience, and molecular weight of polybutadiene, 40 517 of rubberlike materials, 37 370 of rubberlike materials, 37 370 and vibration, isolation, 39 740 in vulcanizates, 36 407 Deactivating effect, mechanism of, 31 849 Deborah number, 40 1111, 1126 of polymers, 40 1426 n-Decane, swelling of rubber, 40 673 Deformation Dilation of natural rubber on stretching, 32 428; 37 615
Dilatometric determination of compatibility, 36 668
Dilatometry, of elastomeric PVC, 34 123
of elastomers, 37 154
of polybutadiene, 38 347
of polybultadiene, 38 347
of polybultadiene, 38 347
Dimetry of polybultadiene, 36 337
Dimetry of polymer molecules, 36 318
Dinetry of polymer molecules, 36 318
Diols, enever copolymers with butadiene, 37 774 effect, on crosslink density, 35 839 of rubber, 36 59 Degradation—see also Aging, Oxidation by chemical agents in solution, 34 1212 of elastomers in solution, 31 278 by hot mastication, 33 91 by mechanical means, 34 215 by mechanical means, 34 215 mechanical, of polymers, 38 509 of polymer solutions, 33 909 of natural rubber, 33 51, 60, 72 end groups in, 31 86 oxidative, 32 759 of polybutadiene, by mastication, 38 493 of polymers, 33 1157 of rubber, by latex oxidation, 31 425 shear, of polyisobutene, 38 243 and stress relaxation, 39 1640 Diols, eneyne, copolymers with butadiene, 37 774 Diphenylmethane, as model for vulcanization, 31 762,769,773,779; 33 211,217; 34 648; 35, 484,451 and stress remaining the strength of nitrile rubbers, 32 748 of polyurethans, 40 1212, 1230 of vulcanizates during aging, 34 922 Dehydrohalogenation of PVC, 40 177 Discoloration of PVC, 40 177 Discoloration of FVC, 40 177
Dispersion, of carbon black, 34 1134
and vulcanizate properties, 36 115
and dynamic properties, 38 365
of fillers, estimation, by microscopy, 35 250
in natural rubber, 35 881
theory, 35 819
and hardness of carbon black, 39 1081
and tensile strength, 37 826 Densichron, for carbon black studies, 40 1319 Density, apparent, of carbon black, 40 1323 of dissolved polymer, 40 1281 of EP copolymers, 39 940 of polymer blends, 31 257

Disulfides, analysis for, 40 100 bond energy in, 35 661 decomposition, 34 334 determination, in vulcanizates, 40 866 and nitrile rubber vulcanization, 36 236 Dithiocarbanates, and aging, 32 739 as antioxidants, 36 887 formation in thiuram vulcanization, 31 315 kinetics of vulcanization with, 31 301 Dithioamines as vulcanizing agents, 32 976 for temperature resistance, 39 1175, 1178, 1184, 1200
thermal conductivity, 37 841
for unusual conditions (symposium), 39(4-2)
for use at high temperatures, 39 1141
use, in the human body, 39 1276, 1288, 1293
use, in reinforcing plastics, 39 1019
use, in solid rockets, 39 112
in vacuum, 39 1127
uncer pressure over swellen, 40 1150 in vacuum, 89 1127
vapor pressure over swollen, 40 1159
water resistance, 39 1308, 1328
Elastorelaxometer, 34 165
Electrical changes, effect on fatigue, 33 970
Electrical conductivity of filled stocks, 87 848
and diffusion processes in adhesion, 33 240
Electrical properties, of black compositions, 31 631
of elastomers and related polymers (Review), 36 1230
Electrokinetic potentials of latexes (Review), 31
1105 kinetics of vulcanization with, 31 301
Dithioamines as vulcanizing agents, 32 976
Divinylbenzene, in copolymers with styrene, 40 476
Division of Rubber Chemistry, bylaws, 49(1)xxiii
officers, history, 40(1)xxxiii
technical paper policy, 40(3)xi
Drying, theory of latex, 40 1246
DTA, see Differential thermal analysis
Durability, of tires, 38 332
Durometer, Shore A, 39 1520
Dynamic behavior of rubber at high strain, 39 328
Dynamic damping, 34 158 1105 Dynamic damping, 34 158 Electron diffraction of natural rubber, 37 333 Dynamic loss, temperature dependence, 36 709 Electron diffraction of natural rubber, 37 333. Electron microscopy, see also Microscopy criterion for reinforcement, 35 250 of filled rubber, 35 228, 335 of fillers in latex, 36 156 in rubber research, 34 697 Electron paramagnetic resonance, 33 462, 469 and vulcanization, 33 1005 Electron spin resonance and TMTD vulcanization, 34 318. Dynamic modulus, and loss, **36** 709 and prestress, **33** 282 at small amplitudes, **33** 272 and strain, **39** 1421, 1428 Dynamic properties, 34 148 (review), 37 1090 of black-loaded vulcanizates, 36 432,444 34 318 and black structure, 36 147 of butyl rubber, 37 1022 and crosslinking in polybutadiene, 39 905 Electrons, in rubber-reinforcing carbon blacks, 32 unpaired, in carbon blacks, 33 993 Elongation at break and crosslink density, 39 726 Elution chromatography, 36 502 determination with an oscillating-disk rheometer, 36 451 36 451
effect of dispersion, 39 365
effect of radiation, 39 1268
of elastomers, 30 1202
of isoprene, butadiene copolymers, 37 121
of natural rubber, 37 336
of polybutadiene, 37 427
of SBR, 32 651 Emulsions, freeze agglomeration, 36 581 oil in oil, 40 909 End groups of oxidized rubber, 31 86 Energy, of breaking, 40 1036 critical, for ozone cracking, 46 635 density at break, 40 815 of disulfide bead, 35 661 storage and dissipation of, in macromolecules, 40 Entanglement of stretched natural rubber, 35 388 Dynamic strain in vulcanizates, 36 407 Dynamic testing apparatus, 35 937 rotary, 34 790 Entanglement, effect, on stress strain properties, 39 1489 of polysisobutylene, 40 1492 in polymer flow, theory, 39 1460 and polymer viscosity, 40 522 and slow relaxation, 39 897, 905 Entropy, of mixing polymer solutions, 40 1 in polymer elasticity, 40 777 EPR—see ethylene propylene rubbers EPT—see ethylene propylene terpolymers Ether, diffusion through silicone, 49 928 Equipalent curse, 31 50 cm 1489 polymers Entanglement, tests impact and rolling wheels, 34 555 nonlinear stress-strain measurements, 34 527 Dynamic vitrification and energy of activation, 34 Elastic contact and friction, 36 64 Elastic contact and friction, 36 64
Elasticity, see also Viscoelasticity
of cord in rubber, 37 1365
effect of filler, 40 801
and entropy, 40 777
of natural rubber, 37 606
of rubber (review), 31 959; 38 1039
of silicone gum, 40 722
theory, 33 763; 38 1459
of tires, 40 271
of thixotropic systems, 40 1505 Equivalent cures, 31 562 Esters as neoprene stabilizers, 34 869 Estels as incopine stablistics, 94 309 226 copolymerization, 38 599 copolymers and NMR, 40 385 copolymer with vinyl acetate, 40 149 effects in EPT synthesis, 40 556 in terpolymers, 40 569 Elastic protein, resilin, 36 90
Elastomers, see also specific polymers adhesion, 34 1188, 1190
adhesion and adhesives, 33 1323
from basic monomers, 30 1387
blends of, microscopy, 40 1238
butyl rubber, properties, 32 1475
compatibility with hydraulic fluids, 37 246
competition for filler surface, 40(1) xliv controlled instability, 39 1161
fibers based on polyurethans, 36 719
fungus resistant, 39 1338
heparin coating, 39 1288
identification, by gas chromatography, 37 741
in impact resistant polystyrene, 38 1164
milling, theory, 40 1126
in O-ring seals, 39 1215
from polycarbonates, 39 1008
resistant to rocket fuels, 38 1215,1222,1233 Elastic protein, resilin, 36 90 Ethylene propylene rubbers, see also Polyolefu elastomers (Review), 36 1583 analysis for ratio of combined monomers, 39 226 in blends for ozone resistance, 40 635 coagents in vulcanization, 37 229 see also Polyolefin crystallinity of, 37 134 crystallinity, creep, and infrared, 39 490 diffusion of gases in, 39 1496 fracture of, 40 1049 glass temperature and composition, 38 979 grafts, 39 1667 infrared analysis, 39 956 intrared analysis, 39 930 interaction parameters, 39 149, 1451 microstructure, 38 334 monomer reactivity ratios, 39 241 oils and viscosity, 40 734 oxidation of (in Review), 38 1198 preparation, compounding, and properties, 35 1101 radiation grafting, 39 1617 resistant to rocket fuels, 39 1215, 1222, 1233 segmented, 40 1105

and fillers, 39 348
ISO tests, 34(1)xx, xxvii
limit for rubber, 39 349
mechanisms, 38 248, 263, 278, 292, 301, 1382
of natural rubber, 32 457
of nitrile rubber, 32 454
of noncrystallizing rubber, 38 301
of nylon cord, 39 1382
phenomena, 38 946
and polysulfide content in tires, 39 1526
of rubber, 32 454; 37 1341; 38 657, 661, 666
of SBR, 32 454
of swollen rubbers, 32 454
atty acids, complexes of, with accelerators, 39
1115 radiolytic stress relaxation, 39 982 self-diffusion and tack, 39 217 structure by differential thermal analysis, 39 structure by differential thermal analysis, 39
1513
tensile strength, 36
thermal degradation, 38
674
vulcanization of, 35
isocyanates in, 37
927
with maleimides, 38
352
with perhaloolefines, 39
1094, 1105
with peroxides, 38
22; 40
149
with radioactive peroxide, 39
152
vulcanizing agents, 36
1083, 1091
water solubility, 36
621
Ethylene propylene terpolymers, see also Polyolefin
elastomers, 35
1114, 1126, 1142
abrasion and strength, 39
123
in aerospace uses, 39
1142
crosponding, 35
1142, 1126
creep, 37
894
crosslinking efficiency in vulcanization, 38
590
cyclooctadiene, 36
988
dicyclopentadiene in, 38
520
structures of, 39
964
structures of, 39
964 1513 Fatty 1115 Fibers Elastomeric from polyurethans, 36 719 rubber-covered, properties, 35 949 Fibrous structure in rubber, 37 839 neron emission internal, in rubber, 37 348 in vulcanizates, 36 740 Fillers, see also Carbon black, Reinforcement, Silica Field emission structures of, 39 964 structures of, 39 904
for dynamic uses, 38 967
entropy and elasticity, 40 777
injection molding of, 40(2) xiii
interaction with carbon black, 40 817
interaction parameters, 37 894
from nonconjugated dienes, 35 1114
oil diffusion, 40 1570
oils and viscosity, 40 374
oxidation (in review), 38 1198
solvents, 40 1170 Silica adhesion, to polymers, 40 1337 dispersion, 35 228, 250, 335, 881 effect on crosslinking, 35 563; 40 866 on diffusion in silicone rubbers, 36 651 on fatigue, 39 348 on diffusion in silicone rubbers, 36 651
on fatigue, \$9 348
on polymer swelling, 35 284
on relaxation, 36 697
on stress strain properties, 40 801
inorganic, 35 833
interactions, with rubber, in latex, 31 655
with vinylpyridine rubber, 36 975
molecular theory of reinforcement, 35 857
nonblack, 35 284, 291, 335, 833
reinforcement with, 36 325
spectra, 38 219, 227
theory of random, 35 819
theory of reinforcement, 40 1330, 1337
thermal conductivity, 40 36
Film formation from latex, 40 1246
Fine particle reinforcing silicas and silicates in
elastomers, 38 1286
Finite elasticity theory, 36 1459
First order transition—see Melting, Freezing
Fisher, H. L., biographical sketch, 36 (2) xix
Flammability and thermal degradation of polyurethans, 39 461
Flatspotting, measurement of 40 1139
and nylon crosslinking, 40 947
and viscoelasticity, 40 1139
of tires, 38 999
Flexcracking, see also Fatigue, 38 719, 730 oxidation (in review), 38 1198 solvents, 40 1170 stability of, to heat and light, 39 1347 stress relaxation of vulcanizates, 39 1634 stress softening, 39 597 synthesis, catalysts and solvents, 40 556 synthesis and properties, 40 569 tearing resistance, 38 700 tensile strength, 37 818/sis, 40 445 unsaturation, analysis, 40 936 reactivity, with propylene, 39 241 EVA, peroxide vulcanization, 40 149 Evaluation of abrasion and reinforcement, 35 1276; 38 313 86 313 Evaporation of polymers in space, 39 1161 Extender oils, interaction parameters of, 37 451 and viscosity, 40 734 Extension and dilation, 32 428 Extensometer, 30 673
semiautomatic, 36 68
Extruders, flow in axially-variable, 39 418 and viscoelasticity, 40 1139
of tires, 38 999
Flexcracking, see also Fatigue, 38 719, 730
apparatus, 37 186
ISO DeMattia test, 34(1)xx
Flory, molecular weight distribution theory, 40 1084
Flow, cold, in impact polystyrene, 40 1492
entanglement theory, 38 1460
in extruders, 39 418
nonnewtonian, of fluids, 40 1505
nonnewtonian, of slioxanes, 40 1483
of polymers and fillers, 35 326
of polymer solutions, 39 1411
Fluid-bed vulcanization, 36 875 Extrusion, and carbon black structure, 40 1311 theory of polymer, 40 1426 Fabric fatigue, 38 832; 39 1382 Fabrics, elasticity of, 37 1365 in tires, 40 271 Failure, see also Aging, Antiozonants, Fatigue, Flexcracking, Cut growth, Tensile strength in biaxial stress, 40 710 criteria of polyurethan propellants, 37 511 envelope, 40 694 envelope, 40 694 envelope and crosslink density, 40 544 mechanisms (review), 38 1007 of SBR in creep, 39 923 in strain and crosslinking, 40 694 and tensile strength, 36 1 Fluid-bed vulcanization, 36 875 Fluid-bed Vulcanization, 38 675 Fluorocarbon elastomers, 34 1521 in aerospace uses, 39 1141 fracture, 40 1049 solubility parameter, 39 253 strength, 40 621 stress relaxation, 35 182; 40 621 tensile strength, 37 792; 40 544 thermal expansion, 37 160 in seals, 39 1200 and tensue strength, 36 1

Fatigue, see also Cracking, Cut growth, Groove cracking, Review on fracture, 38 1007 and aging, Review, 39 88 biaxial, 34 506 of blends, 31 49 of carcass cords, 40 1014 cracking, chemical effects, 36 395 and cut growth of SBR, 31 185 effect of Fluorocarbon polymers, fuel resistance of, 39 1222 structure and NMR, 40 385 TGA of, 40 445 cure in natural rubber, 39 785 electric charge on, 33 970 temperature, 32 692 fabric, 35 1382 pams, elastic, mechanics, 36 597 formation of urethan, 33 1193, 1293 from NIR latex, 39 755

molar cohesion, and polymer structure, 35 558 by NMR, 37 268 in polyisobutylene, 31 499 Glassy polymer reinforcement, 40 1516 Globulization of rubber, 32 539 Glycerol effect on cure, 34 21 Goodyear, Charles, Medalists, 39(1)xvii; 40(1)xxxix Medal addresses, N. Bekkedahl, 40(3)xxv Garvey, B. S., Jr., 38(3)xi A. E. Juve, 37(2)xxiv M. Mooney, 35(5)xxvii E. A. Murphy, 39(3)lxxiii J. C. Patrick, 39(5)cl W. J. Sparks, 36(5)xxiii W. B. Wiegand, 35(4)xxiv Grafting, see also mechanochemical reactions, on EPR, 39 1617, 1667 by latex polymerization, 33 825 stability, 31 1142 stability of polyurethan, 37 38 viscoelasticity of open-cell, 39 389 Fractionation of graft polymers, 31 58 at LCST, 40 1544 Fracture, of amorphous polymers, 38 263,1007; 40 1049
of elastomers, 88 1007
high speed, 32 13
of polymers, 34 103; 40 1036
of reinforced polymers, 38 278,1164,1180
and stress strain properties of reinforced plastics, 89 1019
surfaces on brittle materials, 33 275
Free radicals, in carbon, 37 107
in cracking of stressed rubbers, 33 78
effect on polymers, 31 278
in vulcanization, 33 199
Freezing, to agglomerate latexes, 36 581
of natural rubber, 39 206
Freezing point, depression of gels, 33 245
by swelling, 49(1)Aifw
in swelled cured rubber, 37 311
of polybutadiens, 38 193 39 1019 on EFR, 39 1617, 1667
by latex polymerization, 33 825
on natural rubber, 32 799, 809, 1243
on oxidized natural rubber latex, 31 430
on polybutadiene, 38 655
radiation induced, 39 1617
reactions induced by deformation, 33 80
Graft polymers, 34 215
analysis by ozonolysis, 31 82
fractionation of, 40 1553
fractionation of, an 1533
fractionation of natural rubber, 31 819
by mastication, 31 58
with preset configurations, 31 829
from PVC and rubber, 40 1036
reinforcement of plastics with, 38 1164,1180; 40
1516 of polybutadiene, 39 193 Frequency, temperature, and strain as parameters, 39 1421, 1428 39 1421, 1428
Friction, 32 490
and abrasion of rubber, 31 982
abrasion, and tensile strength, 39 823
apparatus, 35 379
coefficient of, and rubber structure, 35 371
lubricated, and hysteresis, 38 119, 129, 142
on lubricated plastics, 33 105
roads and tire, 40 684
of rubber, 33 158; 34 461; 36 365; 38 112
adhesional theory, 39 306 1516
Groove cracking—see also fatigue, cut growth, flexracking, 38 719
caused by reagglomeration, 36 754
and polysulfides, 39 1526
Gum rubber, tensile strength of, 36 1
Gum vulcanizate, stress softening of, 40 840
Guth and Gold relation, 40 817
Gutta percha, isomerization of, 40 1222
microstructure of, 30 14 of rubber, 33 158; 34 461; 36 365; 38 112 adhesional theory, 39 306 on dry surfaces, 34 1162 on metal, 36 64 on polished surfaces, 33 1166 and slider shape on wet rubber, 33 119 studies of, on rubberlike materials, 33 1218 theory of dynamic, 39 320 of tires, 33 151 on wet roads, 40 984 and viscoelasticity, 37 386 and wear, 31 925 on wet surfaces, 37 878 uel tank sealants, 38 1200 microstructure of, 39 14 molecular weight of, 36 488 oxidation in solution, 39 530 Halides in vinylpyridine rubber, 35 453
Hall of Fame, Rubber Science, 39(3)lxxxix
Halogenated hydrocarbons, for vulcanizing EPR,
35 133, 1091; 39 1094, 1105
Hard rubber, design of structures, 39 1065
heat of reaction, 36 1059
infrared analysis, 32 854
vulcanization, 32 195
Hardness, of carbon black pellets, 39 1081 Fuel tank sealants, 39 1200 Fuels, effect on rubber seals, 39 1215 Fungus resistance of polyurethans, 39 1338 Garvey, B. S., Jr., Biographical sketch, 38(3)xxix Gas, chromatography, in analysis, 40 238 in EPT analysis, 40 936 identification of elastomers by, 37 741 in polymer analysis, 39 248, 259 and pyrolysis, 37 207 diffusion in polymers, 39 1496 permeability of rubber, 40 1409 Gel, formation during mastication, 33 940 in natural rubber, 36 1024 Gel permeation chromatography, 38 823 hardness, of carbon black pellets, 39 1081 comparison of tests, 36 82 effect of amines, 31 425 and friction, 37 878 ISO test, 31(1)xxy and friction, 37 878
ISO test, 31(1)xxv
microtesting, 33 876
as a measure of Youngs modulus, 31 896
modulus, thickness, 39 1520
of polysiobutylene, effect of temperature, 37 365
Harries, C. D., biographical sketch, 34(4)xxii
Heart valves, elastomers, 39 1276
Heat capacity of rubbers, 32 444
Heat, conductivity in elastomers, 39 678
of dilution, EPT, 39 1436
of formation, of TMTD and TMTM, 35 661
of fusion, of polychloroprene, 40 1071
generation in tires, 31 1
of mixing of elastomers, 31 250
resistance of neoprene, 37 76
transfer in rubber, 40 36
treatment and bond strength of tire carcasses, 32
503 Gel permeation chromatography, 38 823 Geometrical isomerism—see stereoregularity in polybutadiene, 37 169 Glass, beads as, polyurethan filler, 40 1337 bonding of, to elastomers, 38 379 bonding of, to elastomers, 38 3/9 temperature—see transitions transitions, 34 668, 705 (in Review), 36 1303 in blends of polymers, 36 668; 40 324 and crosslinking in fluorolefin polymers, 40 544 of elastomers, 34 1193 and orientation, 39 1403 of polyethers, 39 881 and properties of alkyllithium catalyzed poly-mers, 40 500 treatment and bond strength of three c 503 vulcanization, 31 132 vulcanization, 31 132 vulcanization, 31 132 Heium diffusion in rubber, 40 1156 Heparin, coating on elastomers, 39 1288 Hevea, see Natural rubber brasiliensis, breeding of, 34 413 Hexafluoroethylene, vinylidene mer, tensile strength, 40 544 mers, 40 590 transition temperatures, butyl, SBR, polybutadiene, nitrile rubber, 37 138 of copolymers, 31 459 and frequency, 34 1201 of isoprene butadiene copolymers, 37 124 fluoride copolyHexane, determination of surface area of carbon black with, 40 1305
High speed, fracture in rubber, 32 13 stress strain curing, 36 50 tensile testing of rubber, 33 813
High temperature, cure, 34 571 elastomeric compounds and polymers, 32 1587 vulcanization, 34 319
Historical summary, Division of Rubber Chemistry, 40(1) xxxiii 40(1) xxxiii

Howland, L. H., blographical sketch, 37(4) xli

Huggins constant, see Interaction parameter

Hydrazides, as blowing agents, 39 211

Hydrides, as blowing agents, 39 211

Hydrocarbons, diffusion of aliphatic, in rubber, 35 166
Hydrochloric acid evolution from PVC, 40 177
Hydrogen, and crosslinks in radiation curing, 34 Hydrogen, and crossinks in radiation curing, 34
735
disulfide in vulcanization, 31 353
peroxide reaction with rubbers, 32 231
sulfide evolution during vulcanization, 31 769
Hydrogenated natural rubber as infrared analytical
standard, 39 226
Hydrogenated polybutadiene as bonding agent,
35 1060 Hydrogenation, of cis-1,4-polyisoprene, 35 1063 of polybutadiene, 31 156, 588; 35 1052 Hydrolysis, of polyurethans, 39 1308, 1328 and relaxation of silicone rubber, 40 629 Hydroperoxides of atactic polypropylene, 36 532 "Hydrosolution" masterbatching, 39 553 Hydroxylated polyolefin rubbers, 31 446 Hydroxylated polyolefin rubbers, 31 446 Hypalon, 36 882 analysis for, 37 301 crosslinking of, 36 963 Hysteresimeter, 34 347; 36 1107 Hysteresis, see also Dynamic properties, Damping and tensile strength, 40 815 and lubricated friction, 33 129, 142 relaxation and creep, 36 377, 389 in skidding resistance, 33 151 in tire wear, 38 857 Identification, see also Analysis of elastomers, 36 1129 or eiastomers, 30: 1129
of polyisoprene, 33: 591
of polymers by mass spectrometry, 36: 794
Immersion, heat of, and surface area, 40: 1305
Impact, resistance and stress strain properties, 39: 1019 Impact resistant polymers, 38 1164, 1180; 40 909 Impact strength (reviews), 38 1164, 1180 Indentation, and creep, 38 611 failure of elastomers, 37 14 and puncture of rubber vulcanizates, 34 937 and puncture of rubber vulcanizates, 34 937 Indenter, hardness and modulus, 39 1520 hysteresimeter, 36 1107 Index of Rubber Reviews and authors, 39(1)xxxvii Infrared, see also Near-Infrared, analysis of unsaturation, 40 936 of butadiene polymers, 33 639 of natural rubber, 38 975, 982 of polybutadiene, 39 945 determination, of E/P ratio, 39 226 dichroism and stress relaxation, 40 663 identification of rubber, 38 854 spectra and copolymer structure, 40 427 of diene polymers, 35 57 of diene polymers, 35 57 of EPR, 38 334 and EPR properties, 39 940 and EPR properties, 39 940 of isomerized rubber, 40 921 of oxidized black, 35 311 of polychloroprene, 38 532 in polymer analysis, 40 238 of rubber, 32 628 for rubber identification, 38 1129 for the properties of the properties o for ruboer inentification, 36 1129 study of rubber and sulfur, 33 208 of vulcanization, 31 719; 37 652 Inhibition, of hardening of natural rubber, 35 889 Inhibitors of fatigue, 33 946 Initiation of radical processes, 32 244

Injection molding of rubber, 37 88; 40(2)xiii
Inorganic fillers, in vulcanizates, 35 833
Instructions to authors, 40(1)xviii
Instrumental methods for the analysis of polymeric
materials, 84 1553
Instruments, see Apparatus
Interaction parameters, 40 1,817
(Review), 39 149
n-decane and rubber, 40 673
of elastomers, 37 446
EPR, 39 1451
EPT, 37 894
of extender oils and elastomers, 37 451 EPT, 37 894
of extender oils and elastomers, 37 451
natural rubber, 37 326; 40 1159
of rubber and solvents, 31 691
in rubber solutions, 32 668
Intermolecular action and dynamic fatigue, 32 45
Intermolecular forces and chain flexibilities, 1000 Internal energy and elastic force, 36 351
Internal field emission in black loaded vulcanizates,
36 740; 37 348 38 740; 37 348
Internal pressure and CED, 39 969
of polyethylene glycol, 36 1000
Internal rupture in rubber cylinders, 34 925
Iodine chloride reaction with polybutadiene, 31 569
Iodine, radioactive for abrasion rating, 40 969
Iodometry of EPT, 40 936
Ionic elastomers, 30 1347, 1387
Ionizing radiation and elastomers, 33 1375
Irradiation of rubber and styrene, 32 1243
ISO, recommendations for tests 1957, 31(1)xiv
Isocvanate, adhesives, 32 67 Irradiation of rubber and styrene, 32 1243
ISO, recommendations for tests 1957, \$1(1)xiv
ISOCyanate, adhesives, 32 67
in EPT vulcanization, 37 927
and isocyanate derivatives, high temperature reactions, 32 337
Isomerization, 33 718, 1036
of natural rubber, 33 985
of polybutadiene, 35 536, 618
of polyisoprenes, 38 445; 40 921, 1222
ISOMERS, conformation of geometrical, 39 14
ISOPRIED, 1916
ISOMERS, 1917
IS "Jump" reaction, 40 895 Juve, Arthur Edgar, obituary, 39(1)xxv Katz, Johan Rudolf, biographical sketch, 39(3)xcii Kinetics of adsorption of macromolecules, 39 36 of cut growth in vulcanizates, 32 692 of polymerization, 34 904 of reaction of sulfur with cyclohexene, 31 1077 of rheology, 35 1013 of siloxane polymerization, 40 769 sulfur vulcanization, 40 769 of vulcanization, 34 1306; 37 557; 40 849 KOH number, ISO test, 34(1)xvii Krypton diffusion in rubber, 40 1156 Labeling, isotopic, of oil fractions, 40 1570 Laboratory abrasion and road testing, 31 387 Lambourn, see apparatus, abrasion resistance Langmuir adsorption isotherm, 39 36 Latex, addition, to asphalt, 37 1049 aging, effect of silica, 34 834 agglomeration by freezing, 36 581 analysis, for rubber, 37 736 coagulation of SBR, 32 531 coalescence of SBR, 40 1246

as a colloidal system (Review), 32 1627 creaming, 38 233 feam from NIR, 39 755 history, 39(3)1xxiii masterbatching, 31 147; 34 1485 compared with solution, 39 553 microscopy of filler-reinforced, 36 156 oxidation (Review), 38 1214 of natural rubber, 31 425, 430, 436 of synthetic, 31 262 particle size, 34 1228 distribution, 34 433 of sulfur interaction with mono-olefins and 1,5dienes, 31 1090 of vulcanization, 32 174 Mechanochemical, blending, see also Mechanical, 33 Mechanochemical, blending, see also Mechanical, 33
457
degradation of natural rubber, 36 102
modification, 33 923
of polybutadiene, 36 803
phenomena, 33 959; 36 473
in SBR, 36 480
reactions, see also mastication, fatigue, 33 80,
942, 964; 34 466, 474
and reinforcement, 33 929; 34 748
transformations, 34 215
Medal, Charles Goodyear, 39(1)xvii; 40(1)xxxviii
Meeting calendar, 40(1)xlv
Meeting, Division of Rubber Chemistry, 40(1)xxxiv
Melting, and crystallization, see also Crystallization, 32 463, 1005
of polychloroprene, 40 1071
of polymers, 32 1392
of natural rubber, 39 206
points, determination, by beta ray absorption, 36
459 of synthetic, 31 262
particle size, 34 1228
distribution, 34 433
polymerization, 33 825
preservation (Review), 32 1660
reinforcement by radiation, 35 848
rheology of, 32 1050
SBR, 33 535
stability of (review), 31 1105
study of, by the electron microscope, 35 1028
surface tension, 38 170
swelling of, 32 809, 814
synthetic (review), 34 1501
Light, effect of, on rubber aging, 39 88
scattering, of carbon black, 40 919
and melting of polychloroprene, 32 463
and molecular weight of polybutadiene, 36 488
of polyisoprenes, 34 446
stabilization of neoprene, 34 856
Liquid chromatography 36 310
Liquid crystals, of block polymers, 40 1526
Literature, most prolific authors, 39(2)liv
Lithium alkyls, block polymers with, 40 1183
in polymerization, 38 627, 863
styrene and butadiene polymers with, 40 590
Lithium aluminum hydride, as blowing agent, 39 211
reduction of in carbon black, 36 729
for sulfur group analysis, 36 863
in vulcanizate analysis, 46 863
in vulcanizate analysis, 46 100
Load deflection and surface strain, 31 395
Lorenz-Lorentz rule, 40 1281
Loss modulus and energy losses in tires, 38 400
Low and high damping rubbers in combination, 35
798
Low and high damping rubbers in combination, 35 459 of polybutadiene, 39 193 of polysobutylene, 31 499 of racked rubber, 31 485 and strain, 40 788 Mercaptan adducts, properties of natural rubber, 31 fig. Mercaptans, addition of, to SBR, 31 213
as reclaiming agents, 40 217
Mercaptobenzimidazole, 31 849
Mercaptobenzimidazole, 31 849
Mercaptobenzothiazole—see Benzothiazolinethione
Metals, effect of, on aging, 39 88
Metal balides in vinylpyridine rubber, 35 453
Metal ions, suppression of oxidation catalysis, 36 541
Metal oxides, as activators, 31 526
metal oxides, as activators, 31 526
in TMTD vulcanization, 33 394, 412
in vulcanization, 33 150
Methacrylate polymers for controlled instability, 39
1161 Methacrylates, polymerization in latex, 33 825 Methyl iodide reaction with organic sulfides, 32 208 Low temperature properties of natural rubber, 33 1 Lower critical solution temperature, 40 1544 Macromolecules, adsorption from solution, 39 36 flexibility and shape, 36 337
Macroradicals, in mechanical degradation, 33 942 in polymerization and degradation, 33 469
Magnesium, oxide, in vulcanization, 31 526 silicate reinlorement of fluoroelastomers, 39 1141
Maleic anhydride, polybutadiene reaction, 36 803 reaction, with rubber, 31 64; 36 282, 284
Mallory tubes and cord fatigue, 49 1014
Mark and Houwink relation, 40 800
Mass spectrometry and polymer analysis, 36 794
Mastication, see also degradation and degradation of natural rubber, 33 91 and gel formation, 33 940 of natural rubber, 31 73 of natural rubber, old, 36 102 of natural rubber, in nitrogen, 35 896 of polybutadiene, 38 493 power consumption during, 33 868 of rubber-poly/methylmethacrylate) blends, 31 58
MBT, see Benzothiazolinethione
MBTS, see Benzothiazolinethione
MBTS, see Benzothiazolinethione Methyl methacrylate, acrylonitrile copolymers, viscosity of, 40 522 fractionation of grafts on rubber, 40 1553 grafting on natural rubber, 31 430 grafting, radiation, 89 1617 polymerization in natural rubber, 32 799, 809 gratting, radiation, 39 1617
polymerization in natural rubber, 32 799, 809
pentenes, isomerization, 40 921
Mevalonic acid, in biosynthesis, 40 679
Microgel, removed with calcium sulfate, 36 488
Microhardness testing, 33 876
Microscopy, see also Electron microscopy,
of blends, Symposium, 40 323
of blends, 40 350
techniques, 40 359
techniques, 40 359
techniques, 40 359
felastomer blends, 40 1238
electron, 34 697
for molecular weight determination, 39 567
of filler dispersion, 35 228
of zoone resistant blends, 40 635
of pigment-elastomer systems (Review), 36 1175
of rubber latex, 35 1028
sample preparation, 36 799
Microstructure, see also Carbon black, Differential thermal analysis, Individual polymers, Infrared,
Stereoregularity
of alkyllithium polymers, 39 491
of carbon black, 37 1245
chemical studies, 40 411
of copolymers, 40 427
of diene anionic polymers, 40 883
determination by DTA, 39 1513
of EPR, 38 334; 39 956
of EP dicyclopentadiene terpolymers, 39 964
and infrared analysis of EPR, 39 226
by NMR, 40 385, 400
of polybutadiene, 39 945; 40 12
of polychloroprenes, 38 532 Mechanical behavior of nitrile rubber, 32 434 Mechanical breakdown, energy requirements, 33 909 of natural rubber, 31 348 of polystyrene, 34 474 theory of, 34 466 Mechanical damping of rubberlike materials, 37 Mechanical properties, 31 1 of propellants, 37 524, 542 of propellants, polyurethan, 37 511 Mechanics of ozone cracking, 35 200 Mechanism, of abrasion, 37 291 of "devulcanization", 31 202

of polydienes, 38 863
radiation and polyisoprene, 39 992
Microtome, 36 514
Migration, see Diffusion
Milling, of elastomers, 40 1126
MBT in, 32 184
reaction of MBT during, 31 751
Mischillity of polymers, 32 87
Mixers, internal, for small rubber samples, 31 667
Mixing, mixtures, see also Blends
and filler dispersion, 36 115
and polymer flow, 37 503
with the Rotomill, 38 98
and scorch, 32 295
of polymers, 40 119
Models of geometrical isomers of polymers, 39 14
of rubber, 34 1169; 37 199
Modulus, determination, from indentation hardness,
36 611
effect of curing system on, 39 1359 Mullins effect, see also Stress softening, 34 493; 35 259,839; 39 597
in blends, 40 350
in gum stocks, 39 799
in nitrile rubber, 34 959
variables in, 39 1530,1544
Multispeed viscometry, 38 769 Nairit, 32 519

Natural latex, as a colloidal system, 32, 1627 preservative and concent ratio, 32 1660 oxidation, 38 1214

Natural rubber, 32 67 abrasion, 37 291; 38 457 abrasion, 37 291; 38 457 abrasion and strength, 39 287, 823 abrasion, in tires, 31 166 absence of 3, 4 addition, 38 982 absence of free-radical cracking, 33 78 addiesion, to polymers, 35 794 addition of ofefins, 38 282 adsorption, 39 36 aging, 38 374; 39 1577 aging of TMTD vulcanizates, 31 327 analysis, for sulfur groups, 39 941 attack, by chemical agents, 34 1212 benzothiazolyl disulfide accelerated vulcanization, 36 863 38 611 effect of curing system on, 39 1359 entanglements, 39 1489 strain on dynamic, 39 1421, 1428 hardness, thickness, 39 1520 and molecular weight of polyurethans, 39 1089 of rubber in flat pads, 31 395 temperature dependence of, 33 763 Mold release agents, 36 1148 Molding, injection, of rubber, 40(2)xiii microporous parts, 33 1193 Molecular ordering in polymers, 34 953 packing in crosslinked rubber, 35 906 refraction of polysulfides, 31 315 sieves in vulcanization, 37 714 structure, of butadiene isoprene copolymers, 37 121 36 863
and benzoyl peroxide, 39 768
in binary systems, 32 87
biosynthesis stereochemistry, 40 679
birefringence of, 38 1115: 39 1436
in blends, 31 49; 38 62; 40 324, 1238
blend microscopy, 40 371
in blends with polybutadiene, 32 308
bound rubber from, 35 599, 611
branching, 36 807
breeding, 34 413
bulk polymerization in, 32 799
carbon black identification in, 40 1323
carbon black structure, 36 147; 38 387
carbon black structure, 36 147; 38 387
carbon gl., 32 1185 36 863 structure, of outadiene isopiene coponymens, 2, 121
of polybutadiene, 37 408
of polyborene, 37 112
and vapor permeability, 39 751
theory of reinforcement, 36 1081
view of fracture, 38 1007
viscoelastic theory (Review), 36 1422
Molecular weight, absolute, determination for linear
high polymers, 32 99 carbon black structure, 36 147; 38 38/ carbon gel, 32 1185 chain scission, 37 904 chain density, 40 1560 chemical effects in latigue, 36 399 as chromatograph stationary phase, 36 310 cis, trans isomerism, 40 921 competition with nitrile rubber for filler, 40(1) Iolecular weight, absolute, determination for linear high polymers, 32 99 and adsorption of macromolecules, 39 36 of alfin rubbers, control, 38 103 analysis by elution chromatography, 36 502 and density of polyisoprene, 36 1042 determination, from concentrated solution viscosity, 32 90 by direct observation, 39 567 of, by electron microscopy, 35 908 distribution, 38 802, 823 of EPTs, 40 569 of polybutadienes, 40 1529 of polybutadienes, 40 1529 of polybutadienes, 40 1529 of polymers, 33 669: 34 453 and properties, 40 590 and relaxation spectrum, 40 493, 470 competition with nature rubber for affect, xiiv compliance, 39 307 compressibility, 32 428; 37 850 compress ion and shear modules of, 36 675 conductivity of filled stocks, 39 915 crack growth, 35 210 creep of pure gum vulcanizates, 36 611 crosslinking, of oriented, 31 98 crosslinking, and second-order transitions, 35 776 crystallize growth, 38 206 crystallize growth, 38 206 crystallization, 35 615; 37 333, 404; 38 58; 40 458, (3) xxv crystallization of modified, 31 519 crystallization rate, 40 1381 crystallization, under strain, 38 45; 39 685 cut growth, 32 477; 38 292, 719, 730; 39 348, 1053 xliv and properties, 40 590 and relaxation spectrum, 40 493,470 of siloxanes, 40 1084 and swelling pressure, 40 593 and dynamic properties, 32 651 effect, on adhesion of rubber, 31 712 blending on distributions, 38 539 on vulcanization, 31 592 and entanglement viscosity, 40 522 of natural rubber, 39 99 of natural rubber, 39 99 of natural rubber after mastication, 31 73 osmotic, of polybutadiene, 36 488 of polyester and urethan modulus, 39 1089 and relaxation spectra, 40 493, 1470 resilience and damping of polybutadiene, 40 517 review of analytical methods, 40 238 and viscosity, 40 805 cut growth, 348, 1053 348, 1053
cut growth, in ozone, 33 1142,1156
cyclization, 36 1005, 1019
cyclized, structure of, 36 558
degree of crosslinking, 34 301
differences in peroxide cured, 35 166
diffusion of solvents, 36 642
dithiocarbamate accelerated vulcanization, 31 301
dynamic properties, 32 662; 36 407, 709
of filled, 36 432
at high strain, 39 328
effect of carbon on crosslinking, 35 563
of fillers, 35 500
of fillers and waxes on ozone resistance of, 31
874 review of analytical methods, 40 238 and viscosity, 40 806 of polyisoprene, 36 1035 of SBR, effect of mastication on, 38 961 Monolayers in hydroxylated rubbers, 31 446 Monsanto rheometer, description of, 36 451 Mooney and Rivlin relation, see also Stress strain, viscolasticity, 32 1; 36 59; 40 16, 817 significance of C<sub>2</sub> in, 33 254 Mooney viscometer, multispeed, 39 436 Mountings, 32 1209 of filters and waxes on ozone resistance of, at 874 of gamma radiation on, 32 785 of temperature on abrasion, 31 650 efficiency of thiuram disulfide vulcanization, 31 559

elasticity and thermodynamics, 37 606 electrical properties during vulcanization, 31 631 resistance of black-loaded vulcanizates, 37 348 resistance of black-loaded vulcanizates, resistivity on stretching, 35 317 end groups, 31 86 energy of deformation, 32 40 entropy elasticity, 40 777 failure of bonded units in tension, 31 393 failure envelopes, 37 792 fatigue, 38 946; 36 473, 480; 38 666 failure envelopes, 37 792
fatigue, 33 946; 38 6473, 480; 38 666
and curing system, 39 785
fibrous structure, 37 839
in flat pads, 31 395
freezing point depression in, 37 311
friction of, on polished surfaces, 33 1166
gas permeability, 40 1409
and gel, 36 1024
glass transition, 34 1193, 1201
globulization, 32 539
graft copolymers, 31 430, 829
ozonolytic degradation of, 31 82
gum stress-strain curves, 32 1305
hardening, inhibition, 38 889
heat capacity, 32 444
heat of transport of rare gases, 40 1156
heparin coating, 39 1288
high speed tensile failure, 32 13
high temperature cure, 34 571
hot mastication and degradation, 33 91
hydrochloride from latex, 31 436
hydrogenated, 35 1063
hydrogenated, or infrared analytical standard, 39
226
by stress and strength, 40 815 hydrogenated, or infrared analytical standard, 39 226
by stress and strength, 40 815
infrared analysis, 32 834
dichroism, 40 663
spectrum, 38 628
study of vulcanization, 31 719
injection molding, 40(2) xiii
interaction parameters, 37 446; 39 149
internal energy, 38 351
internal rupture, 34 925
isomerization, 32 718, 1036; 40 1222
with alkyl aluminums, 33 985
kinetics of vulcanization, 33 335
latex, polymerization in, 33 825
products history, 39(3) lxxiii
reinforcement, 35 848
vulcanized with TMTD, 34 839
light scattering, 34 446
low temperature creep, 33 114
mastication, and gel, 33 940
in nitrogen, 35 896
mechanical degradation, 38 509
mechanical geradation, 38 509
mechanical properties, 31 1
metal-ion catalyzed oxidation, 36 541
mill breakdown and vulcanization, in presence of
MBT, 31 348
milling and reaction of, 33 923, 929
mixtures, with poly(methyl methacylate), 31 58
modification, and oxidizability, 36 1043
with maleic anhydride, 31 644
with thiol acids, 33 1
modulus and loss factor, 34 148 with maleic anhydride, 31 664 with thiol acids, 33 1 modulus and loss factor, 34 148 molecule, size and form, 35 908 molecular weight, 37 99 and solution viscosity, 40 806 morphology in films, 38 33 Mullins effect, 35 339; 39 1444 MMR spectra, 36 315, 318 oil diffusion in, 40 1570 oil extended, 39 1656 optimum cure of, 32 562 oxidation, 33 51, 60; 38 1198 of latex, 31 425, 430, 436; 38 1214 in solution, 39 530 ozone attack, 35 200 resistance, apparatus for testing, 31 resistance, apparatus for testing, 31 ozone attack, 35 200 resistance, apparatus for testing, 31 866 resistance of gum stock, 32 346 resistant blends, 40 635 peroxide vulcanization of, 37 904; 38 367; 40 149

p-phenylenediamine in, 34 816 photoelasticity of (Review), 38 1115 photoexidation of, 38 433; 34 919; 39 537 physical constants, 39 132 plasticity retention index, 39 1608 polymer extraction from, 40 1553 polymerization of styrene in, 32 1243 production, chemistry (Review), 34 378 properties of solutions, 33 921 properties of solutions, 33 921 properties of stretched, 35 388 production and properties of stretched, 35 388 properties of solutions, 33 921
properties of stretched, 35 388
proton magnetic resonance, 37 268
radiation effects, 34 250; 39 992
radiation vulcanization of, effect of additives on, 31 737
reaction, with accelerators, 38 204
with benzethiazolinethione, 32 184; 35 671
with oxygen during cold mastication, 36 102
with ozone, 32 269, 278
relaxation of, peroxide vulcanizate, 36 50
resin vulcanization, 36 268
rheology of solutions, 32 1039
in road bitumen, 37 457
scission during aging, 34 922
during crosslinking, 34 309
and crosslinking by electron radiation, 33 1072
self-diffusion and tank, 39 217
shear compliance, 39 397
with silica filler, 34 729
skid resistance, 38 112; 40 25
slow relaxation, 39 870, 897
solution viscosity, effect of piperidine on, 37 477
solvent swelling, 32 825; 38 940, 943
specific volume during elongation, 31 513
strength, 46 694
stress relaxation, 32 759; 33 72; 35 182; 39
1640
and dithiocarbamates, 32 739
at large strain, 36 697 stress relaxation, 32 759; 33 72; 35 182; 39
1640 and dithiocarbamates, 32 739
at large strain, 36 697
of radiation vulcanizates, 34 910
stress softening of, 39 597; 40 840
stress strain behavior, 32 394
structure, 34 423
and NMR, 40 385
sulfenamide vulcanization of, 38 176, 189
sulfur vulcanization, 37 910
swelling, of filled vulcanizates, 35 274
of latex, 32 809
and modulus, 40 673
and strength, 31 756
pressure and crosslink density, 40 532
in vapor, 40 1166
and vapor pressure, 40 1159
and synthetic polyisoprenes, 39 1593
synthesis, 38 450
tear strength, 32 1180; 34 57, 66, 76, 85; 38
700 700 700
thermal conductivity, 39 126; 39 841; 40 36
thermal decomposition, 37 937
thermal vidiation, 33 423
thermal vulcanization, 31 132
thermodynamic melting temperature, effect of
strain, 32 1005
thermodynamic properties, 39 143
thermodynamics of benzene solutions, 33 798
thermodynamics of solvent-rubber systems,
314, 325
thuram vulcanization, 32 139 thiuram vulcanization, 32 139 TMTD vulcanization, 34 318, 795 TMTD vulcanization, 34 318, 795 transition temperatures, 40 788 ultraviolet aging, 34 686 unsaturation during reaction with sulfur, 33 208 variability, tree-to-tree, 32 1228 in vibration damping, 38 740 viscoelastic stress relaxation, 37 617 viscoelasticity, 39 408 volume changes, on stretching filled vulcanizates, 31 505 31 303 vulcanizates analysis, 40 100 vulcanizates, structure, 35 113; 36 547 vulcanization, 36 597, 835; 38(1); 39 1359 with azo compounds, 32 544 of filled, 40 866

NRPRA publications, to 1960, 33(2)xiv, (4)xvii Nuclear magnetic resonance, 38 90 in analysis, 40 238 analysis of copolymers, 40 1200 and antiozonant activity, 39 1584 and copolymer structure, 40 427 spectra of polysioprene, 36 315 and protein structure, 40 385 studies of elastomers, 34 1574; 38 517 of natural rubber, 36 318 of polychloroprene, 38 532 Nucleation of crystals by orientation, 40 786 Nylon, adhesion, to rubbers, 34 879 crosslinking and flatspotting, 40 947 fatigue in tires, 38 832 flatspotting, 40 1139 tire and fatigue, 39 1382 Natta-Ziegler catalysts, 40 1529 NBS, standard compounding ingredients, 34 798 Neoprene, see also Polychloroprene, 40 1156; 40 29 Neoprene, see also Polychloroprene, degradation of, 32 588 heat resistance of, 37 76 Neoprene, see also solychloroprene, to hard rubber, 32 195 kinetics, 31 286; 37 557; 40 849 mechanism, 36 633 of oriented, 31 469; 40 650 rate, measurement, 31 105 rate with MBT, 31 117 with nitrosobydroxylamine salts, 35 141 with thiuram disulfides, 31 315, 539; 32 566, water solubility, 36 621 wet friction, 37 878 Nitrile rubber (Review), 37(3) abrasion resistance, 39 287 and strength, 39 823 abrasion resistance, 39 287
and strength, 39 823
on wire gauze, 32 471
adhesion, to cellophane, 34 879
to polymers, 35 794
to surfaces, 34 562
aging, 38 502
analysis for, 37 301, 733, 756
by gas chromatography, 39 259
biaxial strength, 40 710
in binary systems, 32 87
in blends, 31 49; 40 324
competition for filler, 40(1)xliv
with polyvinylchloride, 33 716, 726; 37 770
bonding of to metal, 32 67
dynamic properties, 32 662; 36 407, 709
at high strain, 39 32 67
dynamic properties, 32 662; 36 407, 709
at high strain, 39 32 67
dynamic properties, 32 665; 36 407, 709
at high strain, 39 32 67
dynamic properties, 32 665; 36 407, 709
at high strain, 39 340
fatigue, 37 1341
friction, 37 386
on polished surfaces, 33 1166
on steel, 36 365
glass transitions, 32 434; 34 1193, 1201
hysteresis and strength, 40 815
in impact resistant polymers (Review), 38 1164, 1180
infrared spectra, 32 628, 854 heat resistance of, 37 76

Neoprene,
high temperature cure of, 34 571
injection molding of, 40(2) xiii
stabilization of, 34 856; 34 869
thermal conductivity of, 40 36
transitions of, 34 658
vulcanization of, with dinitrosophenylene bishydroxylamine, 34 658
Network density, theory of, 40 1560
and vapor pressure, 40 1159
Network flaws due to chain ends, 34 303
and elastic properties, 34 141
in vulcanizates, 31 592
Network structure, characterization of (Review), 40
100 infrared spectra, 32 628, 854 interaction parameters, 37 253; 39 149 isoprene latex foam, 39 755 MBT vulcanization, 37 679 mechanical modification, 33 964 100 in silicones, 40 722 Neutron vulcanization, 33 1083 Neutron vulcanization, 33 1083

Obituaries, see biographical sketches
Octachlorocyclopentene, as EPR vulcanizing agent,
38 1091
Officers, Division of Rubber Chemistry, history, 40
(1) xxxiii
Oil, absorption of carbon black, 40 1311
effects in polymer blends, 40 324
effect, on rubber viscosity, 40 734
effect on SBR viscosity, 40 463
Oil extended natural rubber, 39 1656
rubbers (review), 34 1402
SBR, 32 701
fractions, labeling, 40 24
-in-oil emulsion, 40 909
Olefins, see also individual olefins,
alpha, curable polymers from, 38 599
polymerization, 38 595
reaction, with hydrogen disulfide, 31 353
reaction, with sulfur, 31 1055, 1065, 1077, 1090
Optical effects of stress, 39 1435, 1065, 1077, 1090
Optical effects of stress, 39 1435, 1067, 1077, 1090
Optical effects of stress, 39 1435, 1077, 1090
Optical effects of stress, 39 1436
optimum cure of natural rubber, 32 562
Optimum cure of natural rubber, 32 562
Optimum vulcanization, 36 42, 517
Organic accelerators and rubber vulcanization (review), 35 1
Organic nature of carbon black surfaces, 31 941
Organic sulfide reaction with methyl iodide, 32 208
Orientation, and crosslinking, 31 98; 40 650
crystallization nucleation, 40 786
and dichroism, 40 663
effect of, on glass transition, 39 1403 mechanical modification, 33 904 oxidation, 33 700; 35 700 ozone attack, 35 200 ozone cracking, oxygen free, 37 583 ozonolysis, 34 200 peroxide vulcanization, 37 910; 38 573 properties of solutions, 32 668 in radiation field, 39 1258 in rockets, 38 11/2 in radiation field, 39 1258 in rockets, 39 112 with shellac, 39 763 solvent swelling, 32 825 and solubility parameter, 37 246 in sprayed coatings, 40 1296 sulfur vulcanization, 32 128 swelling, 34 964; 35 275 and strength, 31 756 tack, 32 48 tack, 32 48 tack, 32 48
thermal conductivity, 40 36
thermal degradation, 32 748
thermal expansion, 37 138; 39 408
thermal vulcanization, 31 132
thiuram vulcanization, 31 539
the state of with sulfaryanidas vulcanization of with sulfenamides, 33 846 vulcanization with sulfur and DPG, 33 834 water solubility, 36 621
Nitrogen, adsorption on non-porous black, 37 630
diffusion in polymers, 39 1496
dioxide, use to isomerize rubber, 35 618
Nitroso amines, as vulcanizing agents for neoprene,
35 141 crystalization nucleation, 40 603 and dichroism, 40 603 effect of, on glass transition, 39 1403 of natural rubber, 31 469 O-rings in radiation fields, 39 1258 Osmotic molecular weight of polybutadiene, 36 488 Oxidants, effect of, on rubber seals, 39 1215,1233 Nitroso compounds as vulcanizing agents, 34 658 Nitrosodiphenyl amine as retarder, 35 501 Nitroso rubbers, 39 481 N,N'-dinitroso-p-phenylene-bis(hydroxylamine) salts, Oxidation—see also Aging, Antioxidants, of butadiene-acrylonitrile rubbers, 35 700 of carbon black, 39 1 of elastomers (Review), 38 1198 and fatigue of natural rubber, 36 399 at high strain, 39 1577 of isomeric elastomers, 39 278 35 141 Nobel Award Address, Natta, G., 38(1)xxxvii Ziegler, K., 38(1)xxiii Nodule formation in tire stocks, 37 338 Nordel, See also Ethylene propylene terpolymer, 35 1114, 1126, 1142

Normal stresses in solution, theory, 39 1460

of latex (Review), 38 1214 of modified rubber, 36 1043 of natural rubber, 33 60 effect of light, 39 537 end groups in, 31 86 raw, 39 1608 of polysoprenes in solution. end groups in, \$1.50
raw, \$9 1608
of polyvisoprenes in solution, \$9 530
of polyvisoprenes in solution, \$39 530
of polymers, use of infrared spectroscopy in, \$35 57
of polyvinyl chloride), \$40 177
reduction,
activation of polymer oxidation, \$2 231
vulcanization, \$2 220
of rubbers, \$90 1251
(Review), \$98 88
suppression of metal ions in, \$6 541
of synthetic rubber latex, \$1 262
of TiCl<sub>3</sub>, \$8 128
Oxidative breakdown of latex, \$1 262
Oxidative degradation of rubbers, \$2 231, 244
Oxides, in thuram vulcanization, \$2 150
as vulcanization activators, \$32 164
Oxidized carbon blacks, analysis of, \$35 311 as vulcanization activators, 55 10-7 Oxidized carbon blacks, analysis of, 35 311 Oxygen, effects of, See also Oxidation, Oxidative, on cut growth, 39 345 on natural rubber latex, 38 1214 on rubber, 32 759 on rubber, 32 759
on stress relaxation, 39 1667
Ozonation of polypropylene, 36 527
Ozone, see also Antiozonants,
addition of, to internal and external bonds, 32 284
and air velocity in ozone cracking, 34 1220
attack, on butyl rubber, 32 257
on carboxyl rubber, 35 437
mechanisms of, 35 200
prevention of with waxes, 32 379
on SBR, 32 1062
cracking, 31 1015; 32 1134, 1143; 33 78
effect of concentration, 35 411
and elongation, 33 278
rate, 33 346
and temperature, 39 643
degradation of SBR, inhibition, 32 1155
in dynamic cut growth, 39 1053
effect of pressure on rubber damage, 37 583
in Helsinki, 36 516
and rate of cut growth, 38 1142, 1156
reaction, with olefins and antiozonants, 36 201
with phenylene diamines, 39 1584
with rubbers, 32 269, 278, 284, 1062
resistance, of blends, 40 625
comparative, 32 1088
comparative, 32 1088
effect of fallers and waxes, 31 874 on stress relaxation, 39 1667 comparison of test methods, 32 1080 effect of antioxidants and accelerators, 31 882 effect of fillers and waxes, 31 874 evaluation, 35 421 of insulation, 32 1080 of natural rubber (apparatus), 31 866 of neoprene 32 1117 test, for effects of waxes, 37 990 test, for enects of waxes, 37, 990 use of, to analyze graft polymers, 31, 82 Ozonide, polybutadiene, 32, 288, Ozonolysis, of butyl, 34, 205 of nitrile rubber, 34, 200 and structure of polysisoprene, 34, 211 Ozonolytic degradation, 31, 82

Papers, presentation and publication, 39(4-1)cxviii, cxxx; 40(1)lv
Parafin, diffusion of in rubber, 40 1570
Patrick, J. C., biographical sketch, 39(5)cl
Peachey process, 32 220
mechanism, 33 195
Pentanone as polybutadiene solvent, 39 609
Perdeuterio cis-polybusprene, 31 847
Perhaloolefins in EPR vulcanization, 39 1094, 1105
Permanent set, see also Stress relaxation, 34 342
Permeability, of rubbers, 37 1065
of rubber, to water, 39 1298
and thermoosmosis, 40 1409
Peroxides, in polymer oxidation (Review), 38 1198
reactions with isoparafins, 35 118
vulcanization with, 38 15, 22

efficiency, 38 560, 573, 581 of EPR with coagents, 35 1083 mechanism of, 40 149 of natural rubber, swelling, 40 673 of poly (viny) ethers), 36 1159 with radioactive amyl, 39 521 and scission, silicone rubbers, 40 629 of silica filled stocks, 34 729 of silica filled stocks, 34 729 of silica filled stocks, 34 729 of silica filled stocks, 34, 729
Phase separation in polymers, 46, 324
Phenol aldehyde vulcanization, 33, 229
Phenolic resins in rubber vulcanization, 36, 268
Phenyl-3-naphthylamine, modulus effects, 39, 1041
volatilization from rubber, 34, 807
Phenylene diamines, 32, 364
analysis for, 35, 676, 684
as natural rubber antioxidants, 34, 816
reaction with ozone, 39, 1584
Photodegradation, of natural rubber, 39, 537
of PVC, 40, 177
Photoelasticity in rubber (Review), 38, 1115
Photoelasticity in rubber (Review), 38, 34, 33
of natural rubber vulcanizates, protection against, 34, 919 84 919 of peroxide vulcanizates, 34 686 Photovulcanization, of butyl and polybutadiene rubrantovuicanization, of butyl and polybutadiene rubbers, 32 557
Physical constants, of rubbers, 39 132
Pico abrasion test, 34(1)
Piperidine, effect on rubber, 37 477
Plastic flow and elasticity of polybutadiene, 32 673
Plasticity retention index (PRI) of natural rubber, 39 1608 Plastics, design of structures, 39 1065 impact resistance, See also Polyblends, Reinforceimpact resistance, See also Polyblends, Reinforcement, 40 909
Plastisols, 90w, 40 1270
Plasticizers, effect on rubber viscosity, 40 734
and physical properties of SBR, 32 536
Plasticizing PVC with nitrile rubber, 37 770
Plastometer, Macklow-Smith, 37 491
Polarographic determination of rubber chemicals, 32
1254
Polyacrylenitrile thermal degradater, 20 742 Polyacrylonitrile, thermal degradater, 32 748
Polyacrylonitrile, thermal degradater, 32 748
Polyacrylonitrile, thermal degradater, 37 425
effect on rubber hydrochloride pastes, 31 426
Polyblends (Review), 38 1164, 1180
Polyblutadiene, abrasion resistance, 35 361; 37 291;
38 457 olybutadiene, abrasion resistance, 35 361; 3 38 457
and strength, 39 287; 39 823
adhesion to polymers, 35 794
aging, 36 747; 39 88
alkyllithium, 33 636; 34 176; 38 863
analysis of structure, 33 639
by anionic polymerization, 40 883
in binary systems, 33 87
blend microscopy, 40 359, 371
in blends, 31 49; 38 62; 40 324
with bitumen, 37 474
with natural rubber, 32 308
with SER, 31 244; 40 350
bound rubber from, 31 369, 374
branching, 34 975
and birefringence, 31 699
carbon black as entioxidant, 38 636
carbon gel, 32 1185
chain structure, 40 1529
compounding, 35 546
configuration, 40 1094
conformation of stereoregular, 39 14
of controlled structure, 32 614
crosslinking, 35 706; 33 699; 37 139, 173
in blends, 40 341
transitions, 39 193
cut growth, 32 692; 38 719, 730
cyclization and structure, 31 415
diffusion in, 39 1496
dynamic properties, 32 662; 37 866
effect of light on sulfur vulcanizates, 31 74 diffusion in, 39 1490 dynamic properties, 32 662; 37 866 effect of light on sulfur vulcanizates, 31 747 effect on SBR groove cracking, 39 1526 effect of structure, on adhesion, 35 1047

effect of structure, on reactivity, 31 569 filled with colloidal silica, 32 639 filler dispersion, 35 228 filler and relaxation, 40 829 flow and elasticity, 32 673 fracture, 40 1049 fractionation by elution chromotography, 36 502 free-radical vulcanization, 33 199 glass transitions, 37 138 globulization, 32 539 grafting on, 38 655 heat capacity, 32 444 in heavy service tires, 39 452 hydrogenated, 35 1060 hydrogenated, 35 1056 infrared spectra of d-polymer, sulfur reaction, 36 219 naturated spectra and structure, 39 945
infrared spectra and structure, 39 945
infrared spectroscopy, 35 57
interaction parameters, 39 149
interaction with carbon black, 40 817
isomerization, 38 353, 618
from 'jump' reaction, 40 895
mastication, 88 493
mechanical properties, 31 1
mechanochemical modification, 36 803
melting point, 38 921
microstructure, 33 639
molecular structure, 37 408
molecular weight, distribution, 33 669; 38 802,
817; 40 484
resilience and damping, 40 517 resilience and damping, 40 517 resilience and damping, 40 517
NMR, 38 517
oil diffusion in, 40 1570
ozone cracking and temperature, 39 643
peroxide vulcanization of, 38 560, 573, 581
photovulcanization of, 32 557
plasticization and viscosity, 40 734
reaction with accelerators, 38 204
with cachenes, 40 244 with carbenes, 40 934 with ozone, 32 284 in reinforcement of polystyrene, 40 909 relaxation spectrum, 40 484 sedimentation analysis, 39 609 sedimentation analysis, 39 009 slow relaxation processes, 38 905 solution masterbatching of, 39 553 solution properties, 36 488 solvents, 40 1170 stress softening, 39 597 structure, 37 169 structure and conformation, 33 703 tear strength, 32 1180 structure and conformation, 33 703
tear strength, 33 1180
thermal conductivity, 40 36
thermal degradation, 32 748
thermal vulcanization, 31 132
transitions, 38 343, 347
tri- and tetrachain polymers, 38 871
viscosity and molecular weight, 40 806
vulcanization, 31 526
effect of oxides, 32 164
kinetics, 40 849; 31 329
effect of zinc oxide, 32 774
wet friction, 37 878
Poly(1-butene), chain flexibility from sorption
data, 36 1003
Poly(butyl methacrylate), use in unstable elastomers, 39 1161
Polycarbonate, bisphenol elastomers, 39 1008
elastomeric block copolymers, 38 431
Poly-m-Carboranesiloxanes, 39 1184
Polychloroprene (See also Neoprene), 32 519; 40
1071 analysis by gas chromotography, 39 259 in blends, 38 62; 40 1238 cis, 38 526 creep and compliance, 36 611 cut growth in ozone, 33 1142, 1156 cut growth in 520nc, 33 1142,1135 cut growth resistance, 38 719 dynamic properties of, 36 407, 709; 37 866 effect of sulfur and thiuram disulfides, 32 588 energy of deformation, 32 40 freezing, 32 463 high temperature vulcanization, 34 319

melting and light scattering, 32 463 oil diffusion in, 40 1570 ozone resistance, 32 1117; 40 149 physical constants, 39 132 physical constants, 39 132
reaction with ozone, 32 269
strain and melting, 40 788
structure and NMR, 40 385
by thermal polymerization of dimers, 39 1390
vulcanization, 35 517
with nitroso hydroxylamines, 35 141
structure of, 36 558
Polydiene microstructure, 38 863
Polydimethyl siloxane, 39 149
Polymers, reactivity, 36 236
Polyester urethanm modulus and molecular weight,
38 1039 Polyester urethann modulus and molecular weight, 39 1039

Polyether rubbers (See also Poly(vinyl alkyl) ethets, 36 296 peroxide, vulcanization, 40 149 vulcanization, 36 1159

Poly(ethyl acylate), vulcanization and orientation, 40 650 40 650
Polyethylene, antioxidants for, in the presence of carbon black, 32 1164, 1171
chlorosulfonated, 38 963
TGA, 40 445
vulcanization of, 38 882
copolymers, 38 599
glycol, adsorption from solution, 39 36
molecular weight distribution of blends, 38 539
molecular weight distribution of blends, 38 639
molecular weight and solution viscosity, 40 806
peroxide vulcanization, 40 149
structure and conformation, 33 703
structure and NMR, 40 385
thermal decomposition of, 37 937
Poly(ethylene sulfide) polymers, stress relaxation, 39 524
Polyethylene terephthalate, reinforcement of poly-Polyethylene terephthalate, reinforcement of polybutylene with, 38 111
Poly(ethylene tetrasulfide), pasticized, 39 1030
Polyisobutene, 36 682
adhesion to cellophane, 31 712
creep and relaxation, 40 506
entropy elasticity, 40 777
flow, 40 1492
fractionation at LCST, 40 1544
glass transition, 37 365
mechanical degradation, 33 909
melting and glass transitions, 31 499
modulus and loss factor, 34 148
normal stress in solution, 39 1460
NMR, 38 517
radiation grafting on, 39 1617
reinforcement, with poly(ethylene terephthalate)
38(1)1ii Polyethylene terephthalate, reinforcement of poly-Polyisocyanate vulcanization, 37 927
Polyisoprene, 40 673
abrasion, 37 291
alkyllithium initiation, 33 652,655; 38 863
analysis for, 33 591
by anionic polymerization, 40 883
asphalt blends, 37 474
birefringence and branching, 31 699
blend microscopy of, 40 359
in blends with polybutadiene, 40 341
block copolymer with styrene, 40 932
from butyllithium, 33 610
comparison with natural rubber, 39 1593
configuration, 40 1094
conformation of stereoregular, 39 14
crystallizability, 33 988 contormation of stereoregular, 39 14 crystallizability, 33 988 cyclization of, 37 486 density and molecular weight, 36 1042 deuterio, reaction with sulfur, 36 219 dynamic properties, 37 866 effect of radiation, 39 992

freezing, 32 1005 hydrogenation, 35 1063 infrared analysis of, 38 975 infrared spectroscopy, 35 57 injection molding, 36 88 isomerization, 32 1036; 33 445; 40 1222 light scattering, 34 44button, 40 484 molecular weight distribution, 40 484 molecular weight distribution, 40 1035 organomagnesium catalysis of synthesis, 33 971 perdeuterio, 31 847 peroxide vulcanization, 38 560 popcorn polymer, 34 211 freezing, 32 1005 popcorn polymer, 34 211 reaction of, with carbenes, 40 934 relaxation spectrum, 40 484,1470 relaxation spectrum, 40 484, 1470
SKI, 31 30,44
solution viscosity, 39 1411
solvents for, 40 1170
stress softening, 40 28
structure, 34 211
structure and conformation, 33 703
structure and NMR, 40 385
swelling pressure and crosslink density, 40 532
cis-1,4, synthesis of, 34 191
by TiCl, plus alkylaluminum catalysis, 33 689
trans, solution properties, 36 488
by Ziegler polymerization, 31 838; 37 103
Polymer, liquid thermodynamics, 38 314, 325
molecules, direct observation of, 39 567
solvent interaction parameters, 39 149; 40 1,817
Polymers, analysis (Review), 40 238
compatibility of, in binary systems, 32 87
curable-α-olefin, 38 599
decomposition in thermogravimetry, 37 937
impact resistance, 38 1164, 1180
oxidation of saturated (Review), 38 1198
precipitation from solution, 34 953
solution, thermodynamics of, 40 1
structure, 33 703
structure and NMR, 40 385
and glass transitions, 35 558
in urethans, 38 1259 SKI, 31 30,44 structure and NMR, 40 385 and glass transitions, 35 558 in urethans, 38 1259 tensile strength, 40 1036 theory of solutions, 39 149 thermal conductivity, 39 841,858,863 transitions, determination by beta ray absorption, 36 459 viscosity, 37 627 volatile, 39 1161 volatic, 59 1101
Polymerization, with alkyl aluminum and titanium tetrachloride, 34 986 anionic, of dienes, 49 883 of butadiene, 35 1066 of butadiene with cobalt and alkylaluminum chlorides, 39 508 of butadiene with cobalt and alkylaluminum chloricies, 39 508
of chloroprene, 38 991
bulk thermal, 39 1390
of EPT, 40 569; 38 620
of ethylene and a olefines, 38 599
of ethylene and a olefines, 38 599
of ethylene propylene copolymers, 35 1101
grafting on polybutadiene, 38 655
initiated by mastication, 31 58
of isoprene, 31 30; 31 44; 33 971; 38 627
by butyllithium, 33 595, 610
with lithium compounds, 33 595
by "jump" reaction, 40 895
kinetics, use of a digital computer, 34 995
of methacrylate in latex, 33 825
with redox systems, 32 244
of siloxanes, 40 769
solution with alkyllithiums, 39 491
with TiCl<sub>4</sub> x7 128
with TiCl<sub>4</sub> x7 128
with TiCl<sub>4</sub> x7 128
with TiCl<sub>4</sub> 37 28
with TiCl<sub>4</sub> x7 28
yith TiCl<sub>4</sub> x7 28
y au 1553 40 1535 grafts in latex, 33 825 grafts on natural rubber, 31 82 mixtures with rubber, 31 58 Polyolefin elastomers (See also Ethylene propyl-ene), 24 361; 36 1583 Polyolefin, pyrolysis for analysis, 39 248,259

Polypentadiene, conformation of stereoregular, 39 14
Polyphenyl vinylene, as PVC stabilizer, 33 1188
Polypropylene, crystallization, 40 786
fracture, 40 1036
interactin parameter, 39 149
microstructure, 39 14
oxidation of atactic, 36 532
peroxide vulcanization, 40 149
ozonation, 36 527
structure and NMR, 40 385,400
oxide, 37 1
oxide oxidation, 39 278
oxide vulcanizate properties, 40 1421 oxide vulcanizate properties, 40 1421 Polysiloxane, molecular weight distribution, 40 1084 Polystyrene, 39 149
Polystyrene, 39 149
adsorption, 39 36
blends with EPR grafts, 39 1667
block copolymers with isoprene, 40 932
cold flow, 40 1516
extraction from rubber, 40 1553
grafts with natural rubber, 31 82
impact resistant (Review), 38 1164,1180
mechanical breakdown, 34 474
molecular weight by microscopy, 39 567
reinforced with polybutadiene, 40 909
relaxation spectrum, 40 1470
swelling of latex, 32 814
Polysulfide polymers, plasticized with sulfur, 39 1030
containing polar links, 33 416
stress relaxation, 39 524
Polysulfide rubbers, expansion, at low temperatures,
39 211 1084 39 211
reaction with metal oxides, 31 624
use in rockets, 39 112
in vibration damping, 39 740
Polysulfides, absorption spectra, 31 808
analysis for, 40 100
changes in tires, 39 1526
determination in vulcanizates, 40 866
effect of light, 31 747
reaction with amines, 31 612, 615
with methyl iodide, 31 621
with reducing agents, 31 608, 618
structure and molecular refraction, 31 815
in vulcanization, 40 849 39 211 with retuter and molecular refraction, 31 815 in vulcanization, 40 849
Polytriazine, synthesis, 39 1175
Polyurethan, analysis, 37 146; 40 238 crosslinking, 34 629 crystallinity and structure, 38 452 durability, 39 1328 effect of branching, 34 639 failure criteria, 37 511, 524 fibers, 36 719 flammability and thermal degradation, 39 461 foams, 33 1293; 37 38 fracture mechanisms, 38 248 fungus resistance, 39 1338 heparin coating, 39 1288 hydrolytic stability, 39 1308 mechanical properties, 33 1092 modulus reinforcement, 40 1330, 1337 peroxide vulcanization, 40 149 porous sheet, 40 1296 peroxide vulcanization, 40 149
porous sheet, 40 1296
stress relaxation, 40 614, 1230
structure and NMR, 40 385
structure and properties, 35 970; 38 140, 150
swelling, 35 234
tensile strength and structure, 35 753
thermal degradation, 40 1213
thermoplastic, 35 742
use in rockets, 39 112
vivirually crosslinked'', 35 742
viscoelasticity of, 35 291; 40 1105
viscoelastic relaxation, 39 375
Poly(vinyl acetate), adsorption from solution, 39 36
relaxation spectrum, 40 1470 Poly (vinyl acetate), adsorption from solution, are solution spectrum, 40 1470 solution viscosity, 39 1411 Poly (vinyl alkyl ethers), dynamic properties, 39 881 vulcanization, 36 1159 Poly (vinyl chloride), adsorption, 39 36 in blends, 40 1119 blends with nitrile rubber, 35 716,726

grafting, 39 1617
isomerization of polyisoprene, 40 1222
and polyisoprene unsaturation, 39 992
and rubber aging, 39 88
scission and antirad action, 33 476
for transition temperature analysis, 36 459
vulcanization, 32 785; 38 94
and chain fracture, 33 1072
of polyether and EP rubbers, 36 248
of rubbers, 34 735
of SBR, 33 1083; 34 265
of silica filled stocks, 34 729
Radical acceptors in radiation cures, 31 737
Radical and polar mechanisms in vulcanization, 33
342 comparison with rubber hydrochloride, 31 436 comparison with rubber hydrochloride, 3 creep, 40 506 degradation, 40 177 dilatometry, 34 123 fracture, 40 1036 friction on steel, 35 379 in graft polymers, 34 760 interaction parameter, 39 149 plasticization, by nitrile rubber, 37 770 plastisol flow, 40 1270 plastisol flow, 46 1270
in porous coatings, 40 1296
stability, 33 1183
TGA, 40 443
thermal conductivity of, 40 36
Poly(vinyl ethyl ether), see also Polyether, fracture, 40 1049
radiation vulcanization, 36 248
oxidation, 39 278
Popcorn polymer, 31 581
Pore formation kinetics, 34 357
Porosity of sprayed coatings, 40 1296
Potassium permanganate oxidation of rubber in monolayers, 31 446
Power loss apparatus, 32 915 342
Radicals in polymers by EPR, 33 462,469
Radioactive benzothiazole disulfide, exchange reaction, 35 652
Radioactive extender oil, diffusion of, 40 1570
Radioactive isoprene, copolymerization with butadiene, 33 623
Radioactive isoprene, synthesis of, 34 991
Radioactive isotopes, in rating tread wear, 40 969
Radioactive MET in vulcanization, 31 751
Radioactive mercaptans in polybutadiene, 32 706
Radioactive pervaide vulcanization of EPR, 39 521
Radioactive polymer, use in diffusion measurements, 38 217
Radioactive sulfur, diffusion of, 33 1015, 1029 Power loss apparatus, 32 915 Power and thrust of mill rolls, 33 868 P-phenylenediamines, ring-alkylated, as antiozonants, Presentation and publication of papers, 39(4-1) cxxx; 40(1)lv, (3)xi Preservation and concentration of hevea latex, 32 38 217
Radioactive sulfur, diffusion of, 33 1015, 1029
in tires, 35 621
exchange with accelerators, 35 652
with MBTS, 34 334
with thiurams, 34 600
reaction with carbon black, 34 588
in vulcanization, 31 1035; 33 181, 1015
Radiochemical analysis for unsaturation, 36 1071
Radiochlorine, reaction of with butyl rubber, 36 1660 Pressure, buildup in carcass, 38 158 effect on carbon black, 40 1311 effect on polymer thermal conductivity, 39 863 863
on self adhesion, 32 527
on vulcanization, 33 1019
on water permeability of rubber, 39 1298
swelling and crosslink density, 40 532
Prestress and damping, 33 282
Prestress are chlorobutyl rubber, 35 467 1071
Radiochromatographic separation of dithiocarbamates and sulfur, 35 449
Radiography, see X-ray
Radiolytic stress relaxation of EPR, 39 982
Reactivity ratios of ethylene and propylene, 39 241
Reagglomeration as a cause of cracking, 36 754
Rebound, see Resilience
Reclaiming, of natural rubber, 31 202
of rubber, 31 599
Redox activation of degradation, 33 790
Reduction, with hydrogen, see Hydrogenation,
Reflectance, and carbon black particle size, 40 1319
Refractive index,
and color, 36 158
and polymer density, 40 1281
Reinforced thermoplastics (Review), 38 1164, 1180
Reinforcement—see also Carbon black, Fillers, Mul-Processing of chlorobutyl rubber, 35 467 effect of Banbury rotor speed, 31 907 on cure rate, 36 911 evaluation of, with the Cepar apparatus, 34 765 heat transfer in, 40 36 of SBR, 40 463 Propellant resistant elastomers, 39 1215,1222, 1233 Propellants, mechanical properties, 37 524, 542 polyurethan, 37 511 polyurethan, 37 511
Properties of rubber, 39 132,143
Propylene, analysis for in EPR, 39 226
effects in EPT synthesis, 40 556
interpolymers, 40 559
reactivity with ethylene, 39 241
Propylene oxide rubber, 36 296
Protection of rubber, 36 296
Protection of rubber, 36 296
Protection, rubberlike, 36 90
Proton magnetic response in natural rubber, 37 268 Reinforced thermoplastics (Review), 38 1164, 1180 Reinforcement—see also Carbon black, Fillers, Mullins effect, Silica, Stress softening, of butyl rubber, 36 111; 37 1013, 1034 criterion of carbon black, 35 250 and contact potentials, 36 176 by fillers, 36 325 of fluoroelastomers, 39 1141 of latex, 31 655; 36 156 by mechanochemical means, 33 923, 929 molecular theory, 35 557; 36 1081 of natural rubber modulus by organic compounds, 39 1041 Proton magnetic resonance in natural rubber, 37 268 Publication, of meeting papers, 39(4-1)cxxx; 40 (1)ly of technical papers, 40(3)xi Pyridine rubber, aging of, 39 88 Pyrolysis, in analysis of rubbers, 32 854 for EPT analysis, 40 936 and gas chromatography in polymer analysis, 40 238 of natural rubber modulus by organics and 19 1041 and Mullims' effect, 39 1530, 1544 of plastics by rubber, 39 1019 of preswollen rubber, 39 1533 of rubber, by carbon black, 31 361 by resins, 35 1308 and stress softening, 40 350 studies with electron microscope, 35 335 and tear resistance, 38 315 indecessing filters in elastomers, 30 1400; 4 in rubber identification, 36 1129 Quantum mechanics, structure calculation, 40 883 Racked rubber, 31 469, 485
Radiation, additives to protect against, 34 228
crosslinking, 31 737; 34 1072
and antirad action, 33 483
of oriented rubber, 31 469; 40 650
damage to rubber, 34 250
effect, on carbon black, 33 796
on elastomers, 39 1275, 1268
on natural rubber allex reinforcement, 35 848
on oriented natural rubber. 31 998 nt, 35 848 Reinforcing fillers in elastomers, 30 1400; 38 1070 Reinforcing silicas, as fillers, 34 729 and silicates (Review), 32 1286 and sincates (Review), 2s 1250 Relaxation—see also Creep, Hysteresis, Stress re-laxation, Viscoelasticity, aging and viscoelasticity, 37 617 creep and hysteresis, 36 377,389 on oriented natural rubber, 31 98 on polymers, 33 1375

at large strains, 36 697 at large strains, 36 697
of polyurethans, 39 375
of rubber, viscoelastic, 29 870
spectra of elastomers, 40 484, 493
spectrum, and molecular weight, 49 493
of dilatant fluids, 40 1505
and tensile strength of vulcanizates, 36 815
Relaxation times, see Dynamic properties, Damping. Resilience, and damping, 37 866 damping and molecular weight of polybutadiene, 40 517 measurement of, 32 915 of rubber, measurement of, 34 555 and structure of polyethers, 39 881 and structure of polyethers, 39 881 and wet friction, 37 878 Resilin, an elastic protein, 36 90 Resin vulcanization, of butyl, 33 229 of rubber, 36 268 Resins used in rubber (Review), 36 1542 Resistivity and elongation of vulcanizates, 35 317 Resonant beam tester, 37 866 Resorcinol-formaldehyde resins in cord adhesives, 32 870. 32 870 32 870
Retarders, and scorch, 35 501; 36 911
Reversion, of butyl vulcanizates, 39 581
in TMTD vulcanization, 33 1068
Reviews, Decennial Index of Rubber, 40(1)xxxvii
Reynolds number and polymer flow, 40 1426
Rheological, analysis of raw elastomers, 39 436
properties of rubber compounds, 37 491 properties of rubber compounds, 37 491 testing at low temperature, 38 1114 units, of polyisobutylene, 40 1492 In continuous shear, 37 503 Rheology, kinetics, 38 1013 of n-butyllithium polybutadiene, 38 881,893,907 and Deborah number, 40 1426 of filled elastomers (im Review), 38 1070 measurement, 38 769 multichain polybutadiene, 38 893 of polymers, 35 1013 in polymer characterization, 31 681 in rubber processing, 32 1039 of rubber solutions, 32 1039 of SBR, oil, black mixes, 40 463 oscillating disk, 36 451 Rhodium salts, catalysis of butadiene polymeriza oscillating disk, 384 451
Rhodium salts, catalysis of butadiene polymerization, 40 602
Ring crack growth test, 38 719
Rivlin, Mooney relation, see Mooney, Stress
strain, Viscoelasticity
Roads, effect on skitdding, 38 840 effect of, on tread wear, 38 457 rubber in, 37 457 surface and skid resistance, 40 25,684 and wet friction, 37 883,1055 Rocket motor, propellants, polyurethan, 37 511, 524, solid, 37 524 solid, 37 524
Rockets, elastomers in solid, 39 112
seals for fuel chamber, 39 1215, 1233
Rolling resistance, of solid rubber, 33 302
of tires, 33 302
Rolls, rubber covered, 35 224, 403
Room temperature aging (a correction), 32 647
Rotary power loss machine 32 915 Rotomill, 33 98 Rouse theory, solution for, 40 1446 Royalene-see ethylene propylene terpolymer Rubber, see elastomers and individual polymers, ubber, see elastomers and individual polymers, bitumen binders in roads, 37 457 blends, structure in, 38 62 bonding of, to metal, 33 757 chemicals, analysis, 32 1254 to cord bond strength, 32 898 covered pressure rollers, 35 403 covered rolls, rolling radius of, 35 224 covered yarns, properties, 35 949 elasticity (Review), 31 959; 38 1039 elasticity, correction of theory for chain ends, 34 301

friction of, 36 64, 365 on dry surfaces, 34 1162 hardness, standard and microtests, 36 82 hydrochloride, from latex, 31 436 models as stress aid, 37 199 modification of vinyl polymers, 40 909 network characterization, 37 668 pads, load deflection reactions, 31 395 reclaiming, 40 217 pads, load deflection reactions, 31 395 reclaiming, 40 217 Research (Goodyear Medal address) W. P. Wiegard, 35(4)xxiv Reviews (commentary), 39(1)xxxiii (Index), (1)xxxvii Science Hall of Fame, 39(3)lxxxix solutions, rheology of, 32 1039 solvent interaction, 31 691 as stationary phase in chromatography, 36 310 testing, see Apparatus, (Goodyear address), 37 (2)xxiv testing, see Apparatus, (Goodyear addres (2) xxiv with the control of the control (2)xxiv mechanism of, 34 103 of rubber, 34 66, 76, 85 strength of solids, 35 178 Rutile in rubber, 36 158 Safflower oil, as photooxidation inhibitor in neo-prene, 34 856 Salingenol—rubber derivation, 36 1042 Schroeder's paradox, 40 1166 Scission, of elastomers by free radicals in solution, 31 278 of fluoroelastomers, 40 621 of molecular chains by irradiation, 31 98 of polyisoprens, oxidative, 39 530 of urethan polymers, 40 614 Scorch, 35 509 orch, 35 509 in chlorobutyl, 35 467 delay kinetics, theory, 37 689 determination with CEPAR apparatus, 34 765 determination with an oscillating disk rheometer, determination with Wallace curometer, 36 922 effect of processing, 36 911 during milling, 32 295 and retarders, 35 501 Sealants for high temperatures, 39 1200 Seals for LANCE missile, 39 1233 Second order transitions, 35 295,558 Second order transitions, 35 295, 558
by beta-ray absorption, 36 459
effect of crosslinking, 35 776
Sedimentation analysis, of polybutadiene, 39 609
of SBR, 39 622
Separation, of graft copolymers, 31 819
Sequence of monomers, analysis, 40 411, 427
Shape of tires, theory, 36 11
Shear degradation, polyisobutene, 38 243
Shear modulus, effect of compression, 36 675
Shear thickening of plasticist 40 1270 Shear thickening, of plastisols, 40 1270 Shellac, in nitrile rubber, 39 763 in SBR, 36 561; 38 212 Shift factor, strain dependent, 39 1421, 1428

Shock and vibration isolation, 37 1190
Shore hardness, relation to British Standard, International hardness and Young's modulus, 31 896
Silica, bound rubber with, 31 374
effect on aging of latex compounds, 34 834
effect on swelling of vulcanized rubber, 32 825
effect on on vulcanizate properties, 35 833
electron microscopy in rubber, 33 335
as filler in polybutadiene, 32 639
interaction, with rubbers (Review), 38 1070
in rubber blends, 40 371
and silicates, 32 1286
and thermal aging of latex compounds, 34 834
Silicone rubbers, (Review), 35 1222
in ablatives, 39 1247
aging, 39 88
chain density, 40 1560
crosslink density, 38 924
effect of radiation, 39 1268
failure envelopes, 37 792
flow properties, 40 1483
fracture, 40 1040
gum vulcanizates, 40 722
infrared analyses, 32 854
interaction parameter, 37 251; 39 149
peroxide vulcanization, 40 140
solution and diffusion in, 36 642,651
solvent resistance, 37 261
strength, 31 19; 40 694
stress relaxation, 35 182; 40 629
thermal conductivity of (Review), 40 36
thermal expansion, 37 160
use in anesthesia, 40 928 thermal conductivity of (Review), 40 sthermal expansion, 37 160 use in anesthesia, 40 928 uses in the body, 39 1276, 1288, 1293 uses in space, 39 1127, 1247 Silicones as mold release, 36 1148 Siloxane polymerization kinetics, 40 769 Sinusoidal-strain dynamic testing, 36 422 SVI ordiversors, 21 36 SKI polyisoprene, 31 30 Skid resistance, 33 151; 38 112 and accidents, and road surface, 40 684 and friction, 37 378 and surfaces 40 25 tester, 38 840 of tires, 40 25 Sodium chloride, effect on SBR, 33 510 as polyurethan filler, 40 1330 Softening, of natural rubber gum stocks, 40 840 by swelling, 39 1553 Sol-gel analysis, 38 367 of peroxide vulcanization, 37 904 Solubility, of hydrocarbons in natural rubber, 35 153 and mobility of sulfur in ethylene copolymers, 36 660 parameter, 40 1 and polymer compatibility, 40 324 of rubbers, 37 246 of silicone rubbers, 37 261 mutual, of polymers, 31 49,244,250,257; 32 87, of sulfur in rubber, 35 147 Solution, and diffusion in silicone rubber, 36 642,651 free radical reactions in, 31 278 masterbatching, 39 553 nonNewtonian viscosity, 39 631 of polymers mixed with rubber, 40 1553 properties of polybutadiene and polyisoprene, 36 488 properties of rubber, 33 921 rheology of rubber, 32 1039 theory of polymer, 39 149 thermodynamics of concentrated, 40 1 viscosity of concentrated polymer, 40 522 of polymer, 39 1411 and molecular weight, 40 806 Solvents, effect on adsorption, 39 36 effects on alkyllithium-initiated polymerization, 89 491 effect of, on EPT synthesis, 40 556

effect on graft polymer configurations, 31 829 effect on polybutadiene hydrogenation, 31 588 effect on reinforcement, 39 1553 effect on tensile strength of cast films, 31 27 interaction with and creep for EPT, 37 894 interaction with rubber, 31 691 for polybutadiene, 39 609 resistance to, of silicone elastomers, 37 261 for SBR, 37 622 solubility parameters, 37 246 for synthetic rubbers, 40 1170 Sorption, of antioxidants, 33 528 of binary solutions by vulcanizates, 32 77 and diffusion in elastomers, 35 153, 166 Sound, propagation in rubber plates and rods, 32 21 velocity in natural rubber, 37 857 Space, elastomers in, 39 1127, 1161, 1247 Speakers bureau, DRC, 49(1)xl Specific volume, of chloroprene, SBR, polybutadiene and natural rubber, 31 513 and molecular packing, 35 906 partial, of polymers, 40 1281 Spectroscopic investigation of vulcanization, 36 262 Speed of mixing rubber, 31 907 Spongy polymer of isoprene, 34 211 Spraying porous sheet, 40 1296 Springs, stability and elastic moduli of rubber, 38 415 Stability, of foam, 31 1142 of high polymer latexes, 31 1105 415
Stability, of foam, 31 1142
of high polymer latexes, 31 1105
of latex (Review), 31 1105
of latex (Review), 31 1105
of polyv(iny) chloride), 33 1188
of sulfenamides, 37 204
of sulfur-containing polymers, 35 517
Stabilization, of PVC, 40 177
of rubber (Review), 39 88
Standard materials for compounding, 34 798
Stark rubber, 40(3)xvv
Static friction, 34 461
Statistical treatments of rubber structure, 33 1201
Statistics, of rubber elasticity, 39 1472
of tensile strength variation, 39 712
Standinger, H., biographical sketch, 49(3)xvi
Stereochemistry of rubber biosynthesis, 40 679
Stereocredular polymerizations of conjugated dien Stereoregular polymerizations of conjugated dienes (review), 36 1571

Stereoregularity and conformation of polydienes (review), 39 14

Strain amplification and Mullin effect, 39 799, 814

Strain in birefringence of rubber, 39 1436

Strain, and carbon black, effect on viscoelasticity, 38 918

effect on crystallization, 40 1381 1304 26 918
effect on crystallization, 40 1381,1394
effect on dynamic properties, 39 1421,1428
effect on oxidation, 39 1577
effect on viscoelasticity, 35 927
energy and stress softening, 39 597
gages in tensile testing, 38 907
rate in Mullins effect, 39 1530
rate and strength, 32 13, 992
in loaded tires, 40 271
Strength, and abrasion of rubber, 39 287
effect of networks, 40 694
of elastomers, 32 1269
and hysteresis, 40 815
Strength. strength, properties, theory, 36 1 of pyridine rubber, 35 453 of SBR, 34 897 of SBR, in low-stress tests, 39 923 of solids, theoretical, 35 178 or soinds, theoretical, 35 Tiess, and crystallization of natural rubber, 39 685 distribution at a crack, 36 777 effect on aging, 39 88 optical behavior, 39 1436 optical constants, 33 763 as a reduced variable, 34 884 Stresses, at a crack in an elastomer, 36 777 tire section. 40 271

1

polymer, and NMR, 40 385, 400
of 'polypropylenes, 40 400
of 'popcorn' polymer, 31 581
and properties of polyethers, 39 881
and properties of polyethers, 39 881
and reactivity in oxidation of elastomers, 38 1198
of rubber in biosynthesis, 40 670
of rubber vulcanizates, 40 100
of silicone networks, 40 722
of SKN-26 and SKN-40 using ozonolysis, 34 200
Style in Rubber Chemistry and Technology, 38(4)x
Styrene, alkyllithium polymers, 40 4090
butadiene block polymers, 40 1183
Styrene butadiene rubber, 32 67
abrasion, 37 291; 38 457
and strength, 39 823
and tensile strength, 39 287
in tires, 31 166
addition of mercaptans, 31 213
adhesion, to cellophane, 34 879
to polymers, 33 794
adsorption, 39 36
aging of, 38 647
alfin type, 38 103 Stress relaxation, 38 76
aging and viscoelasticity, 37 617
and creep, 35 182
of EPR, radiolytic, 39 982
of EPT, 39 1634
and fillers, 40 829
of hard rubber, 39 1065
and infrared dichroism, 40 663
during irradiation, 31 98
at low temperatures, 33 1114
of natural rubber, 32 739; 39 1640
in oxygen and nitrogen, 32 759
and ozone resistance, 33 1104 ot natural rubber, 32 739; 39 1640
in oxygen and nitrogen, 32 759
and ozone resistance, 32 1104
during photoxidation, natural rubber, 33 433
physical, 39 870
chemical, 36 50
of polysulfide polymers, 39 524
of polysulfide polymers, 39 524
of polyurethan rubbers, 40 614
of radiation vulcanizates, 34 910
and rubber purity, 38 370
of SBR at high strain, 34 884
of silicone rubber, 40 629
theory, 35 1013; 40 506
during thermal oxidation, 33 423
of Viton B, 40 621
of vulcanizates, 33 72
and vulcanizates structure, 39 1625
Stress softening, gum rubber, 40 840
of filled vulcanizates, 39 597
rate and temperature effects, 39 1530
in rubbers, 39 814
of SBR, 40 31
and strain amplification, 39 799, 814 aging of, 38 647 alfin type, 38 103 analysis of, by gas chromatography, 39 248,259 in binary systems, 32 87 blend microscopy, 40 359,371 in blends, 31 49; 38 62; 40 324,1238 with polybutadiene, 31 244; 40 341,350 branching and birefringence, 31 699 carbon black dispersion in, 36 115 carbon black identification in, 40 1323 carbon via 32 1185 orancing and orientingence, 31 099
carbon black dispersion in, 36 115
carbon black identification in, 40 1323
carbon gle, 32 1185
cement modification with latex, 37 758
congulation of latex, 32 531
compounding with shellac, 38 212
creep and compliance, 38 611
creep failure, 39 923
cut growth in ozone, 33 1142, 1156
cut growth resistance, 38 719, 730; 39 348
diffusion of gases in, 39 1496
dynamic adhesion in tires, 33 889
dynamic properties, 32 662; 36 407, 709; 37 866
effects of fillers in, 35 581
effect of gamma radiation, 32 785
effect of mastication, 38 961
effect of plasticizers, 32 536
effect of plasticizers, 32 536
effect of temperature on abrasion, 31 650
electron microscopy of filled, 35 250
energy of deformation, 32 40
failure mechanics, 38 263, 278
fattigue, 33 946; 38 480; 38 661
filler dispersion, 35 228
fillers and stress relaxation, 40 829
flow behavior, 38 769
fracture, 40 1036, 1049
friction, 37 386
friction of on polished surfaces, 33 1166
glass transition, 34 1193, 1201
groove cracking in tires, 39 1526
gum tensiles, variability, 39 712
neparin coating, 39 128
high speed tensile failure, 38 13
high temperature cure, 34 571
hydroxylation with permangonate in monolayers,
31 446
hysteresis and strength, 40 815 of SBR, 40 31
and strain amplification, 39 799,814
theory, 34 493
Stress strain, behavior, carbon black, 40 817
work in, 32 40
C<sub>2</sub> term in, 38 254
in compression, 32 409,420
Stress strain curves and nonlinear response, 36 682
effect of entanglements, 39 1489
and failure envelore 40 604 and failure envelope, 40 694 and fillers, 40 801 isotherm for networks, 33 254 at large extensions, 34 290 at large extensions, 34 290
measurement, extensometer for, 36 68
of natural rubber in compression and tension, 32 1
and network flaws, 34 141
properties, contribution of internal energy, 36 351
of flaws, 36 597
at high elongation rates, 35 813
of reinforced plastics, 39 1019
and relaxation, 40 406
of rubber, 36 59
of rubber, 36 59
of rubber covered fibers, 35 949
theory, 40 1446
and swelling, 40 673
in tension, 32 395
testing, high speed, 36 28
theory, 40 1060
Stress temperature coefficients, 33 763
Stress waves and fracture surfaces, 33 275 Stress waves and fracture surfaces, 33 275 Stretching, effect on thermal conductivity, 39 858 Structure, of anionic diene polymers, 40 883 Structure, in black suspensions, 35 877 of block copolymers, 40 932 of block polymer solutions, 40 1526 of carbon black (Review), 37 1245; 38 1070 of carbon blacks in rubber, 34 1141; 35 590; 31 440 hysteresis and strength, 40 815 infrared spectra, 32 628,854 injection molding, 40(2)xiii interaction with carbon black, 40 817 of carbon blacks in rubber, 34 1141; 35
38 387, 677
chemical activity and vulcanizability, 31 569
chemical studies of polymer, 40 411
of crystalline hydrocarbon polymers, 33 703
of cyclized polybutadiene, 31 415
effects in polybutadiene, 37 169
effect on reactivity of polybutadiene, 31 569
of filled nitrile rubber, 34 959
molecular, and vapor permeability, 39 751
of natural rubber, 34 423
of natural rubber vulcanizates, 36 547
physical studies of sequences, 40 427
of polycycloisoprene, 36 558 interaction parameters, 39 149 latex, agglomeration, 36 581 masterbatching, 31 147 reinforcement with carbon black, 31 655 reinforcement with carbon black, 31 655 stability, 33 535 low temperature creep, 33 1114 mechanical properties, 31 11 mechanochemical modification of, 33 959 metal ion catalyzed oxidation, 36 541 modification of cement, 37 758 modulus and loss factor, 34 148 molecular weight distribution, 38 802,817; 40 484

molecular weight and dynamic properties, 32 651
Mullins effect, 35 259, 839; 39 814, 1530
oil, black and flow, 40 463
oil extension, 32 701
oxidation of (Review), 38 1198
oxidation softening of latex, 31 262
ozone, attack by, 35 200
cracking, oxygen-free, 37 583
cracking, oxygen-free, 37 583
cracking, and temperature, 39 643
protection with waxes, 32 379
resistance, 32 346
permeability and durability of tires, 38 158
peroxide vulcanization, 40 149
physical contacts, 39 132
preswelling and reinforcement, 39 1553
protection, with antiozonants, 32 364
against ozone, 32 1155
in radiation field, 39 1258
for radiation resistance, 34 228
reactions, with accelerators, 38 204
with ozone, 32 269, 278, 1062
relaxation spectrum, 40 484 for radiation resistance, 34 228
reactions, with accelerators, 38 204
with 2020e, 38 209, 278, 1062
relaxation spectrum, 40 484
resistivity on elongation, 35 317
scission during aging, 34 922
sedimentation analysis, 39 609
self-diffusion and tack, 39 217
and shellac, 38 561
with silica filler, 34 729
skid resistance of, 38 112
slow relaxation processes, 39 870
solution masterbatching, 39 553
solvents, 40 1170
solvent swelling, 32 825
stabilizers, 33 510
stress relaxation, 33 72; 34 884; 35 182
stress softening of, 39 597
stress strain behavior, 32 394
swelling and strength, 31 756
tack of, 32 48; 38 689
tear resistance, 32 1180; 38 700
tensile strength and testing rate, 34 897
thermal conductivity, 32 444; 40 36
thermal decomposition, 37 937
thermal degradation, 32 748
thermoelasticity, 38 632
vulcanizates, swelling, 38 940, 943
tensile strength, 38 2 650
vulcanization, 31 526
by gamma radiation, 34 265
with maleimides, 38 352
vulcanization, 38 93
water solubility, 36 621
wet friction, 37 878
zinc oxide in vulcanization, 32 780
Styrene copolymers, birefringence, 40 1373
structure of block, 40 1526
with divinylbenzene, 40 476
fractionation of grafts on rubber, 40 1553
grafts on EPR, 39 1667
polymerization in latex, 33 825
polymerization, 54 265 with divinylbenzene, 40 1573
structure of block, 40 1526
with divinylbenzene, 40 1526
polymerization in latex, 38 825
polymerization of grafts on rubber, 32 1243
Suggestions to Authors, 40(1)xviii
Sulfenamide accelerators (Review), 33 1
accelerators, 38 846: 389 911 Suggestions to Authors, 40(1)xviii Sulfenamide accelerators (Review), 35 1 accelerators, 38 38(5) 38 911 and cure rate, 32 295 disappearance during vulcanization, 37 635,650 of vulcanization, 36 844 reaction with MBTS, 35 652 reaction with diphenylmethane, 35 491,484 reaction with rubber, 37 709 thermal stability, 37 204 thiocarbamoyl, 35 644 Sulfides and polysulfides, 31 609,612,615,618,621, reactions, with amines, 31 612,615

with methyl iodide, 31 621
with reducing agents, 31 608, 618
Sulfonylhydrozides, as blowing agents, 39 211
Sulfur, analysis for, 36 498
analysis for in accelerators, 32 123
analysis of vulcanizates with, 40 100
atoms, lability, 33 1010
blooming, 35 149
diffusion, 33 1015, 1029
in rubber, 31 336
in tires, 35 621
group analysis, 32 941
and olefnic substances, reactions, 31 1055, 1065, 1077, 1090
polybutadiene isomerization, 35 536 group analysis, 32 941
and olefinic substances, reactions, 31 1055, 1065, 1077, 1090
polybutadiene isomerization, 35 536
in polymer chains, 35 517
as polymer plasticizer, 39 1030
in radiation curing of polyethers, 36 248
radioactive, in mercaptans, 32 706
in treadwear rating, 40 969
in vulcanization, 32 770
reaction, with carbon black, 31 361; 32 118
with deuterio polyolefins, 36 219
with 2,6-dimethylocta-2,6-diene, 31 1065
with diphenylmethane, 33 211, 217
with monoelefins, 31 1055
with polybutadiene, 31 569
in polymerization of chloroprene, 32 588
with rubber, 33 1051
in rubber vulcanization, 30 1291; 31 1035
solubility in ethylene copolymers, 36 660
structure of linkages in vulcanizates, 35 113
and sulfur compounds, reaction with olefins, 35 633
vulcanization, 37 910
fate of curing system during, 37 635, 650
fraction of effective crosslinks in SBR, 37 221
of nitrile rubber, 32 128
Supercooled rubber, crystallization of, 37 404
Superior processing natural rubber, 38 310
Swelling, see also Thermodynamics, 38 314, 325
in binary solvents, 32 77: 32 536; 38 940
of carbon black filled natural rubber, 38 327
and carbon black filled natural rubber, 38 73
filled vulcanizates, 38 945, 1070
and freezing of rubber, 34 916
of nitrile rubber, 34 964
of polymers, and filler effects, 35 284
pressure and molecular weight distribution, 40 532
rapid analytical method, 37 668
of reinforced vulcanizates, 37 6
of rubber, 38 314, 325
in solvent and modulus, 90 673
studies of filled vulcanizates, 37 326
thermodynamics, 38 651
and vulcanizates frength, 31 756 studies of filled vulcanizates, 37 326 thermodynamics, 39 651 and vulcanization, 37 563,571,576 and vulcanizate strength, 31 756 of vulcanized rubber, 38 825 Symposium, elastomers for unusual environmental conditions, 39(4-2) Syndiotactic, see stereoregularity, 39 14 Synergism in natural rubber aging, 39 1565 Synthesis of isoprene-C<sup>24</sup>, 34 991 Synthetic rubbers, adhesion to polymers, 35 794 latex, developments in (Review), 34 1501 solvents for, 40 1170 Tack, apparatus for determining, 37 28 and diffusion, 37 1153; 39 217 of polyurethans, 39 974 in rubber (Review), 37 1178 of rubber, measurement, 38 689 strength and molecular properties, 32 48 Tackmeter, 37 28 Tacticity, see also microstructure, stereoregular, 39

testing (in Review), 38 1007
tests, 34 119; 38 700
ISO crescent, 31(1)xviii
Temperature, coefficient of vulcanization, 35 76, 92
critical solution, 40 1, 1544
dependence of mechanical properties, 33 763
effect on cut growth, 32 692
effect on Mullins' effect, 39 1530
and ozone cracking, 39 643
resistant elastomers, 39 1141
retraction (TR) test, 33 1
and strain and frequency as independent parameters, 39 1421, 1428
and viscous flow, 37 627
Tensile, failure in bonded rubber, 31 393
failure at high speed, 32 13
properties and crosslink density of EDT, 39 726
strength, 31 27 of large longitudinal deformators, 40 506 of latex coalescence, 40 1246 of network chain density, 40 1560 of ozone resistance, 40 635 of polymer solution, 38 149 of random filler dispersions, 35 819 of random reorganization, 40 769 of rubberlike elasticity (Review), 38 1039 of strain birefringence, 39 1436 of strength, 35 178 of stress strain properties, 40 1060 of stress strain properties, of filled polymers, 40 801 stess states than properties, of linear polymers, 40 801 of thermal conductivity of polymers, 39 841 of the condour integral, 40 961 for tire sections, 36 11 of vibration damping in rods, 39 740 of viscous flow, polystyrene, 40 1516 of Ziegler polymerization, 32 597 Thermal conductivity, anisotropic, 39 678 of high polymers, 36 75; 39 841,858,863 of rubber, 39 126 of rubber, and heat capacity, 32 444 Thermal decomposition and TGA, 37 937 Thermal degradation of acrylonitrile and butadiene polymers and copolymers, 32 748 strength, 31 27 and abrasion resistance, 39 823 strength, 31. 27
and abrasion resistance, 39.823
amorphous polymers, 40.1049
of amorphous rubbers, 31.13; 36.1
of blends, 31.49
of butyl rubber, 31.27
and dispersion, 37.826
effect of swelling, 31.756
of elastomers (Review), 32.1269
of EPR and SBR, 37.818
and fallure envelope, 37.777, 792; 40.684,694
strength of filled SBR vulcanizates, 32.680
of fluoroolefin elastomers, 40.544
at high strain rates, 35.813; 38.28
and hystresis, 40.815
ISO test, 31(1)xxiii
molecular theory, 37.808
of polymers, 40.1049
of polymerthans, 35.753
and relaxation of vulcanizates, 36.815
statistical distribution, 39.340
and tear, 35.178 Thermal degradation of acrylonitrile and butadiene polymers and copolymers, 32 748 in abrasion, 31 925 of polyurethans, 39 461; 40 1212,1230
Thermal diffusivity in rubber, 40 36
Thermal expansion, apparatus, 34 705 and crosslinking in natural rubber, 39 408 of elastomers, 37 134, 154
Thermal neutron vulcanization, 33 1083
Thermal oxidative plastication, catalysis, 38 790
Thermal stability, of vulcanizates, 37 792
Thermodynamics, of concentrated polymer solutions, 40 1 40 1
of crystallization under stress, 39 685
of natural rubber elasticity, 37 606
of natural rubber and isoprene (Review), 39 143
racked rubber, 31 485
of rubber and benzene solutions, 33 798
of rubber-solvent systems, 38 314, 325
of shrinkage of natural rubber, 31 485
of swelling, 39 651
Thermogravimetry, balance for, 37 934
of polymers, 37 937; 40 445
Thermomechanical studies, of molecular weight, 87 99
of polyisobutylene, 37 355
Thermomechanical testing of vulcanizates, 37 128
Thermosmossis and permeability, 40 1409 40 1 and tear, 35 178 variability of SBR, 39 712 testing, 34 76 Testing, apparatus, extensometer for tension testing, 31 673 81 673
apparatus, Umstätter viscometer, 31 681
rubber, 37(2)xxiv
Test methods, for abrasion resistance, 31 166,387
dynamic shear modulus during cure, 31 105
ISO standard, 34(1)xiv
for ozone resistance, 32 1080
polymer adhesion, 31 89
Tetracyclosqualene, 37 486
Tetraethylthiuram disulfide (See also thiuram), 33 Thermosmosis and permeability, 40 1409 Thermosulcanization, 31 132 Theta solvents, for polybutadiene, 39 609 for SBR, 39 622 1062
Tetramethylthiuram disulfide vulcanization acceleration by thiourea, 34 795
analysis, 36 305
effect of on UV aging, 31 327
and labile hydrogen atom compounds, 33 401
in latex compounds, 34 834
natural rubber in vulcanization, 31 315
reaction, with alkali, 35 659
and monosulfide, 33 398
heats of formation, 35 661
vulcanization, 31 559; 32 721; 33 394,398,401, 106 Thiazoles and dithiocarbamates as antioxidants, 36 887 Thickness, hardness, and modulus, 39 1520 Thiobisamines, reactions with olefins, 32 577 Thiocarbamylsulfenamide accelerators, 35 644 Thiokol in vibration damping, 39 740 Thiol acids, modification of rubber, 33 1 Thiol acids, addition products with natural rubber, 31 519 unpaired spins during, 34 318 Thiol-amine reagent, 40 100 Tetrahydrofuran, 36 296 Thiol-amine reagent, 40 100
Thiuram disulfides in vulcanization, 32 566
disulfide vulcanization, efficiency of, 31 559
sulfides in nitrile rubber vulcanization, 32 128
vulcanization, 32 139
vulcanization, function of oxides, 32 150
vulcanization kinetics, 31 315 Theories of reclaiming, 31 599
Theory, of additivity of relaxation spectra, 30 493 of adhesional friction of rubber, 39 306 of adsorption, 39 36 of branching and elasticity, 39 1472 of concentrated polymer solutions, 40 1 of dynamic rubber friction, 39 320 of entanglements and flow, 39 1460 of entanglements and modulus, 39 1489 of entropy in elasticity, 40 777 of failure, 49 710 of filler, elagragement, 31 361, 388,877,40 123 Theories of reclaiming, 31 599 Thixotropy of colloid systems, 40 1505 Tires, adhesion of components, 33 384,556 antiozonants in, 34 973 carcass adhesion, 32 503,513 contour integral, 40 961 cord, bias filament rupture, 39 1382 cord fatigue, 40 1014 cornering force and slip, 32 490 of filler reinforcement, 31 361; 35 857; 40 1330,

1337 of heat flow, 40 36

diffusion of sulfur in, 32 770; 35 621 durability testing, 38 158,741,832 energy losses in, 38 400 fabric fatigue in, 38 832 flatspotting of, 38 999; 40 947,1139 friction on roads, 40 684 of tread rubber, 37 878 groove cracking, 38 719 groove cracking and reagglomeration, 36 754 heat buildup, 31 1 heavy service treads, 39 452 hysteresis in abrasion, 33 857 mechanics, 40 271 mechanics, 40 271 mechanics, 40 271
polysulfides and cracking, 39 1526
radioactive isotope in rating treadwear, 40 969
rolling resistance of solid, 33 302
skid resistance, 38 840
temperature coefficient of vulcanization, 35 92
theory of shape, 36 11
tread wear, 38 339, 354
at controlled slip, 35 1542
of effect of temperature on, 31 650
resistance, 38 457
wet friction, 40 984
Titanium dioxide, effect, on EPT stability, 39 1347
Titanium trichloride, oxidation, 37 128
Traction and braking, 33 158
Transfer agents, radioactive, 32 706
Transitions, in natural rubber, 40(3)xxv
in natural rubber, first-order, 39 206
in neoprene, 34 668
in polybutadiene, 38 343, 347; 39 193
in polyisobutylene, 31 499
second order, by DTA, 39 1513
Transition temperatures, 38 1303
of electrones 34 1103 1201 polysulfides and cracking, 39 1526 second order, by D1A, 30 1513
Transition temperatures, 36 1303
of elastomers, 34 1193, 1201
and orientation, 39 1403
of polymers and feta ray absorption, 36 459
relation to polymer structure (Review), 36 1303
Transmissibility, in rubber mountings, 32 1209
and waves in rubber (Review), 37 1190 85 927 Tread stocks, skid resistance of, see also tire, 40 25 Tread wear, and glass transitions, 40 590 measurement with radioactive isotopes, 40 969 Treloan network model, 40 1060 Triazine elastomers, 39 1178 synthesis of, 39 1175 Triisocyanates in EPT, 37 927 Triphenylphosphine as analytical reagent, 40 100 Triphosphopyridine nucleotide in rubber synthesis, 38 450 Tritium, in study of antioxidant action, 35 692 Two-network hypothesis, 40 621, 1060 Two stages in network formation, 31 592 Ultimate elongation, and aging, 33 502 Ultimate properties, 31 19 of SBR, 34 897 Ultracentrifuge molecular weights, 38 817 Ultrathin sections, preparation of, 36 799 Ultraviolet, light aging of natural rubber, 34 686 spectra and copolymer structure, 40 427 spectroscopy in vulcanization, 37 709 Uni-rotor mixer, 31 667 Unsaturated monomers, addition to rubber, 36 282 Unsaturation, determination, 40 238 in butyl, 34 205 in EPT, 40 936 effect of radiation, 39 992 of EP copolymers, 39 940 radiochlorine analysis, 36 1071 "Upturn" in non-Newtonium viscosity, 39 631 Urea-urethan elastomers, 38 140 Urethan cleavage in polyurethan, 40 1230 Urethan rubbers—see also Polyurethan rubber, peroxide vulcanization of, 40 149 polymer structure and properties, 33 1259 tack, 39 974

Vacuole formation, on stretching, 34 123; 40 1337 in blends, 40 350
Vacuum, effects on elastomers, 39 1127
Valves, artificial heart, 39 1276
Vapor, swelling of rubber in, 40 1166
Vibration, damping, 35 798
insulation, 32 1209
isolation, 34 148
with EPT, 38 967
and wave effects, 39 740
Vinyl acetate rubber peroxide vulcanization, 40 149
Vinyl alkyl ethers, vulcanization of polymers, 36
1159
Vinyl monomers in rubber latex. 33 825 Vinyl monomers in rubber latex, 33 825 Vinyl pyridine rubber, interaction, with fillers, 36 975 Vinyl pyridine rubber, interaction, with fillers, 36
975
metal halides in, 35 453
permeability of, 35 153, 166
Vinyl chloride, polymerization in presence of rubber, 34 760
Vinylidene fluoride copolymers, with hexafluoroethylene, tensile strength of, 40 544
stress relaxation, 40 621
Viscoelasticity—see also Damping, 36 1422, 1459
of amorphous elastomers, 36 682; 37 285
and aging, 36 50
apparatus for measuring, 35 937
and birefringence, 40 748
and failure, 40 710
of filled elastomers, theory, 40 1330, 1337
and firstotting, 40 1139
and friction, 37 386
influence of carbon black, 35 918
of macromolecules, theory, 40 1446
of natural and butyl rubber at high extensions,
35 927 nonlinear, 40 1111 of open cell foams, 39 389 of oriented networks, 40 650 of oriented networks, 40 650 and polymer fracture, 40 1036, 1049 of polyurethans, 39 375 of propellant elastomers, 35 291 of raw and filled polymers, 35 326 and relaxation, 37 617 and resilience, 34 555 of segmented elastomers, 40 1105 short-time processes, 40 1426 of silicone rubber, 40 1483 and strength, 37 808; 40 694 of styrene divinyibenzene copolymers, 40 476 theory of, 36 1422; 39 1472 Viscometry, of elastomers, 38 769 of high polymers, 31 681 Viscosity and Deborah number, 40 1426 determination with oscillating disk rheometer, 36 determination with oscillating disk rheometer, 38
451
of elastomer blends, 31 244
of filled elastomers (in review), 38 1070, and flow of polymer solutions, 39 1411
oil, black, and SBR, 40 463
and molecular weight, 40 806
molecular weight and entanglements, 40 522
and molecular weight of polysioprene, 36 1035
and molecular weight on hot mastication, 33 91
of plasticized rubbers, 40 734
of polybutadienes, 38 881, 893, 907
of polysiobutylene, 35 536
and polymer entanglement, 39 1460
of polymer solutions non-Newtonian, 39 631
of rubber after milling, 31 73
of rubbers in solvent-nonsolvent systems, 32 539
of SBR, 38 961
of siloxane polymers, 40 1483
and structure on mastication, 36 102
Viscurometer, 37 434
Viton B, tensile envelopes of, 37 792 Viton B, tensile envelopes of, 37 792 Vitrification of rubber, 34 1193 Voight spring and dashpot model, 40 1330

Volatility, of antioxidants and antiozonants, 37 210 of phenyl-β-naphthylamine, 34 807 changes in stretching, 31 505,513; 34 123 free, in natural rubber, 39 408 Vulcanizates, from bis-azo compounds, 32 544 ulcanizates, from us-said compounds, 35 347 branching and elasticity of, 39 1472 deformation of filled, 35 572 structure, 35 113; 36 647 relaxation and tensile strength of, 36 815 and aging, 39 1565 and sliding friction, 35 371 and sliding friction, 35 371
and stress of relaxation, 39 1625
swelling of, 37 6
Vulcanization, 31 117, 539, 548
accelerated by benzothiazole disulfide, 36 863
review of in Russia, 35 1
with thurams, 32 139
with accelerator combinations, 33 373
accelerators, 31 329, 343; 32 174; 35 1360
complexes of with zinc carboxylates, 39 1115
activators, complexes with accelerators, 38 1115
and adhesion, 33 384; 34 879; 35 1041
with cumyl peroxide, 38 560
curing system, fate, 37 635, 650
agents, exchange of sulfur in, 34 588, 600
bis-thioamines, 32 577
of butyl rubber, 35 705
with phenol formaldehyde resins, 33 229
of carboxylic rubbers, 36 568, 575, 931
changes during, 34 777
characteristics, 31 105
of chlorosulfonated polyethylenes, 36 882, 963
coagents in EPR, 37 229
crosslinking during aging, 38 374
low unsaturation rubbers, 38 590
with diethylbenzothiazole sulfenamide, 33 361
dimethyloctadiene and mechanism of, 35 633
diphenylmethane as model, 31 762, 769, 773, 779;
38 464; 35 484, 491
diffusion in, 32 770
and dynamic properties, 32 662
effect of, fillers, 33 326
molecular weight, 31 592
activation, 31 329
compounding variables on network, 37 673
natural rubber fatigue, 39 785
physical presents. compounding variables on network, 37 673 natural rubber fatigue, 39 785 physical properties, 39 1359 PRI, 39 1608 shape, 31 562 zinc oxide, 32 774,780 efficiency with thiuram disulfides, 31 559 of elastomers, 31 286,301,315; 37 910 of elastomers with dithiocarbamates and sulfur, of elastomers with dithiocarbamates and sulfur, 31 301 estimation of, from swelling, 37 563, 571, 576 of ethylene propylene rubbers, 35 133, 1083, 1091 with perhalcolefins, 39 1094, 1105 of ethylene propylene terpolymers, 40 569 fluid-bed, 36 875 free electron spins in, 38 1005 by free radical reactions, 33 199 of hard rubber, 32 195 by heat, 31 132 under high pressure, 38 1019 with high sulfur, 37 221, 225 at high temperature, 34 319, 571 infrared analysis of, 35 57; 36 262 infrared changes during, 31 719 infrared changes during, 31 719 infrared cylence from deuteric polymers, 36 219 kinetics, 36 335; 37 557 MBT accelerated, 31 117 sulfur disappearance, 34 606 loops in networks, 39 1489 with maleimides, 36 520, 528; 38 552 measurement of shear modulus, 31 105 mechanisms, 33 342

mechanisms, 33 342 metal oxides in, 81 527

model reactions, 33 211,217 for peroxide, 35 118

with molecular sieves, 37 714
of natural rubber, with benzoyl peroxide, 39 768
with MBT and sulfur, 31 548
mechanism of, 38 1
with nitroso compounds, 35 141
with sulfenamides, 38 176, 189
of neoprene with a dinitroso compound, 34 658
and network structure, 40 100
of oriented natural rubber, 31 469; 40 650
by radiation, 31 98
with oxidizing agents, 32 220 by radiation, 31 98
with oxidizing agents, 32 220
of Perbunan, 32 128
peroxide, of EVA, 40 149
peroxide, mechanism of, 40 149
peroxide, of antural rubber, 38 367
peroxide, of silica filled stocks, 34 729
of polyethers and EPR with radiation and sulfur
36 248
of polyetimal albeit attention. peroxide, of silica filled stocks, 34 729
of polyethers and EPR with radiation and sulfur 36 248
of polycyinyl alkyl ethers), 36 1159
of polycytethans, 34 629
in presence of MBT, 31 751
and properties of polyether rubbers, 40 1421
by radiation, 32 785; 38 94
and hydrogen yield, 34 735
of silica filled stocks, 34 729
with radioactive MBT, 31 348
with radioactive MBT, 31 348
with radioactive MBTS and sulfur, 34 334
reactivity of synthetic rubbers in, 36 236
and relaxation of silicone rubbers, 40 629
and relaxation of silicone rubbers, 40 629
with resins, 36 268
retarders, 36 301
role of zinc oxide, 31 31'5
of rubber (Review), 31 1
with sulfur, 30 1291; 31 1035; 34 1306
with Sw3, 38 181
of SBR by gamma radiation, 34 265
scission during, of natural rubber, 37 904
and scorch, 32 295; 36 1153
scorch-delayed, 37 689
and second-order transition, 35 776
of silicone rubber, 38 924
of silicone rubber, 38 924
of silicone rubber, 38 1051
with sulfur alone, 38 1051
with sulfur alone, 38 1051
with sulfur and DPG, 38 334
in thermal neutron field, 38 1083
with thiur and Sal 1051
with sulfur and DPG, 38 334
in thermal neutron field, 38 1083
with thiur and Sal 1051
with thiursms, 33 335
temperature coefficient, 35 76, 92
vulcameter for cure determination, 38 757
Vulkameter studies, 37 698
Water, absorption by elastomers, 36 621 Water, absorption by elastomers, 36 621 effect of, on polyurethans, 39 1308, 1328 permeation through rubber, 39 1298 vapor permeability and rubber structure, 39 751

Wave effects in rubber mountings, 39 740 Waxes, as antiozonants, 32 379 evaluation for ozone protection, 34 990 Wear, see also Abrasion of passenger car tires, 31 166 resistance, apparatus, 35 339, 354 estimation, 35 229 of tire treads, use of radioactive isotopes, 40 969 Weathering, of elastomers, 32 1143 of elastomers, EPT, 39 1347 Weight, see Molecular Weissenberg number, 40 1126 and polymer flow, 40 1426 White pigments in rubber, 36 158 WLF shift, strain dependent, 39 1421, 1428 Work of rubber deformation, 32 40

Würster salts from antiozonants, 39 1584

Xenon, diffusion, through rubber, 40 1156, 1409 X-ray, analysis for zinc oxide, 33 890 diffraction after radiation damage, 34 250 melting point determination, 40 788 microradiography of filler dispersion, 35 228

Yarns, and cords, rubber models, 34 1169 covered-rubber, 35 959 Young's Modulus, and hardness, 31 896 index and glass transition, 40 590

Ziegler, catalysts (in Review), 36 1571 for isoprene polymerization, 34 361,986 -Natta catalysts, 40 1529

polymerization of ethylene and propylene, 35 1101 polymerization, theory of, 32 597
Zinc dimethyldithiocarbamate as antioxidant, 32 739
Zinc oxide, and cure, 39 633 determination of by x-ray analysis, 33 890 effect on EPT stability, 39 1347 and rate of sulfur reaction, 32 774 and structure of vulcanizates, 32 780 in thiuram vulcanization, 31 539 in vulcanization, 31 315, 526
Zinc radioactive, in tread wear rating, 40 969
Zinc stearate and "reagglomeration", 37 338
Zinc sulfide and groove cracking, 36 754

36 = 1963, 37 = 1964, 38 = 1965, 39 = 1966, 40 = 1967